

Product datasheet for MR218977L4

Gramdla (NM_027898) Mouse Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Tag: mGFP

Symbol: Gramdla

Synonyms: 1300003M23Rik; Al415002; AW547240; D7Bwg061le

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)


E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide Sequence: The ORF insert of this clone is exactly the same as(MR218977).

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_027898

ORF Size: 2166 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

EU: info-de@origene.com CN: techsupport@origene.cn



Gramdla (NM_027898) Mouse Tagged Lenti ORF Clone | MR218977L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um

filter is required.

RefSeq: <u>NM_027898.3</u>

RefSeq Size: 2681 bp

RefSeq ORF: 2169 bp

Locus ID: 52857

UniProt ID: Q8VEF1

Cytogenetics: 7 19.3 cM

Gene Summary: Cholesterol transporter that mediates non-vesicular transport of cholesterol from the plasma

membrane (PM) to the endoplasmic reticulum (ER) (PubMed:30220461). Contains unique domains for binding cholesterol and the PM, thereby serving as a molecular bridge for the transfer of cholesterol from the PM to the ER (PubMed:30220461). Plays a crucial role in cholesterol homeostasis and has the unique ability to localize to the PM based on the level of

membrane cholesterol (PubMed:30220461). In lipid-poor conditions localizes to the ER membrane and in response to excess cholesterol in the PM is recruited to the endoplasmic reticulum-plasma membrane contact sites (EPCS) which is mediated by the GRAM domain


(PubMed:30220461). At the EPCS, the sterol-binding VASt/ASTER domain binds to the

cholesterol in the PM and facilitates its transfer from the PM to ER (PubMed:30220461). May play

a role in tumor progression (PubMed:27585821).[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for MR218977L4