

Product datasheet for MR218979

Cks2 (NM_025415) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Cks2 (NM_025415) Mouse Tagged ORF Clone

Tag: Myc-DDK

Symbol: Cks2

Synonyms: 1110038L14Rik; CKSHS2

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >MR218979 representing NM_025415

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGCCCACAAGCAGATCTACTACTCAGACAAGTACTTCGATGAGCACTACGAGTACCGGCATGTCATGT TACCCAGAGAACTCTCTAAACAAGTACCCAAAACTCATCTGATGTCCGAAGAGGAGTGGAGGAGACTTGG TGTCCAACAGAGTCTAGGATGGGTTCATTACATGATTCATGAGCCAGAACCGCATATTCTTCTCTTTTAGA

CGACCTCTTCCAAAAGAACAACAAAAA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Chromatograms: https://cdn.origene.com/chromatograms/mm9051 b03.zip

Restriction Sites: Sgfl-Mlul


OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_025415

ORF Size: 237 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 025415.3</u>, <u>NP 079691.1</u>

 RefSeq Size:
 694 bp

 RefSeq ORF:
 240 bp

 Locus ID:
 66197

 UniProt ID:
 P56390


 Cytogenetics:
 13 A5

 MW:
 10.3 kDa

Gene Summary: Binds to the catalytic subunit of the cyclin dependent kinases and is essential for their

biological function.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR218979