

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for MR218991L4V

Cdc14b (NM_001122989) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	Cdc14b (NM_001122989) Mouse Tagged ORF Clone Lentiviral Particle
Symbol:	Cdc14b
Synonyms:	2810432N10Rik; A530086E13Rik; AA472821; Cdc14B1; CDC14B3
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_001122989
ORF Size:	1344 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR218991).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001122989.1, NP 001116461.1</u>
RefSeq Size:	5595 bp
RefSeq ORF:	1347 bp
Locus ID:	218294
UniProt ID:	Q6PFY9
Cytogenetics:	13 B3



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Cdc14b (NM_001122989) Mouse Tagged ORF Clone Lentiviral Particle – MR218991L4V
Gene Summary:	Dual-specificity phosphatase involved in DNA damage response. Essential regulator of the G2 DNA damage checkpoint: following DNA damage, translocates to the nucleus and
	dephosphorylates FZR1/CDH1, a key activator of the anaphase promoting
	complex/cyclosome (APC/C). Dephosphorylates SIRT2 around early anaphase.
	Dephosphorylation of FZR1/CDH1 activates the APC/C, leading to the ubiquitination of PLK1,

preventing entry into mitosis. Preferentially dephosphorylates proteins modified by prolinedirected kinases (By similarity).[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US