

Product datasheet for **MR219061**

Sytl2 (NM_031394) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Sytl2 (NM_031394) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Sytl2
Synonyms:	A1266830; mKIAA1597; Slp2
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

ORF Nucleotide
Sequence:

>MR219061 ORF sequence
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGCATCGCC**

ATGATCGACTTAAGTTTCTGACAGAGGAGGAGCAAGACGCCATCTTAAAGTTCTGCAGAGGGATGCTG
CCCTGAAGAGGGCTGAAGAGGAGAGAGTCAACATCTGCCTGAAAAAATTAAGGATGACCAACAATAAA
GAATATGAGTGGCCAATGGTTTTATGAAGCTAAGGCAAAAAGACACAGGGACAAAATCCACGGTGTGAC
ATCATCAGAGCATCCATGAGAAGGAAGAAGCTCCAGCGGCAGCTGAGCAGAATAAGGACACAGCAATGA
GGGCAAAGGAGAGCTGGGTGAATAATGTTAAACAAAGATGCTGTCTTCTCCAGAGATAGCTGTTGTGGA
AGAGCCAGAAGATGACACAGATCCCGCAGGCCAAAGTTCCAGTTTGGTGGATCCAGCTTCCAGTGTGATT
GATATGTCCAGGAAAGTACGAGGACTCCAGCTGTGTCTCTGCCAAGCAAAGGAAGAATCCATTCAACA
GCCCAAGCTGCCGAAGATCACTCCTTGCAACAAACCAACCCGAGCAGTCAAAAAGTGGAAAAGCTGG
TTTATTTAGATTTCAAAAGAGGGTGAAGTTGTGAGAATCAAAGAAAAGTCACTATCCAGATATGCCA
CGTCAGCAGTTAGAGAAACCAAAGCAAACCTGTATCCACAGAGCCTGAAAAATGCGTCTCATACCAAAGCTC
CAATCCCCAAAGCCAGAAAACCTGATCTACAAATCAAATGACTTAGAGAAAAGATGATAACCAAGTCTTTTCC
CAGACAACGGAGGGACTCCCTGAATGCGAGAGGGGCTCCAAGAGGGATCCATAAGCGCAACTCCAGTTCC
AGCAGCACGGACTCAGAGACCCTCCGTTTAAATTAACAACCTTGATCCGAAAAGCAAAAATCCTATCACCTG
GCCTAACCATCCACGAGAGAATCTCTGAGAAGGAATTTCTTTAGAAAGCAGACTCTTCCACAAGCTCACT
AGAGCCGTTAAGCACGTGAGATTCTCTGCCGTGAAGAATGAGCTTCCACAAAGTCTAGACCCGTCCTT
GGCCAGGAAGTGGGAGAAATTTACTGTTTTAGAACTGACCAGTTGCAAAAAGTGAAGTGAAGTGCAGGGG
ACATAGAGGAGTTTCAGAATCACCCAGAGCTCTCCACAAAACACCTTTGTCTCATTATCAGTTAGTGTGTC
AAGCCCAAGCGATTTCAGGAAGGGAAAGAGAACAGCTGATGTCTTCTGGGTCTGCTCCAAGAGATGAGATC
CCTTGTCATTGACACATTCTACCCACAGACCTCAGTGTGTTGAGAGTTCATCCGTCATCAATGGGCAAC
AAGAGAAATCATCACATTTTACAAAGCTTCCATCAGAATTGTCCAAAAGCCCTTCCGATGAACTGACTCA
GTGTGGTGTGAGCCTGAGCCATCACAGACAGCAGACCACAGTTTTAGAGACCATCGGCAAGGTTCAGAAGAA
GAGCACAGCCCTGTTTTGAAAACCTGGAAGAAGAGCTGCTAGGAAATGCTTCCAAAAGTCTAGAAG
ACATTCATCAGATTCATCAAATCAAGCAAAAGTAGATAATCTGCCTGAAGAATTAGTGCAGTGTGCTGA
AGATGATCAAAAAGCCGACCAAGAACCAGATACAAATGAATGTATACCAGGAATTTCCACAGTGCCTTCA
CTGCCTGATAATCAGTTTTCCACCCCTGACAAACTCAAAGGATGAGCAAGTCCGTGCCAGCATTCTTTC
AAGATGAGGCGAGTGGCAGTGTGATGAGCGTTTACAGTGGAGACTTTGGCAACCTAGAAGTGAAGGAAAG
CGTGCAGTTTGCCTCGACTACGTGGAGTCCCTGAAAGAGCTGCATGTGTTTGTGGCCAGTGTAAAGGAT
TTAGCAGCAGCAGATGTTAAGAAACAGCGCTCAGATCCGTATGTAAGACCTATCTGCTACCAGACAAAAG
GCAAAAATGGGCAAGAAGAAGACACTCGTAGTGAAGAAGACCTTGAATCCTGTATACAACGAGATATTGCG
GTATAAAATGAAAGGCAATCTTAAAGACGCAGAAGTTGAACCTGTCCGTTTGGCATCGGGATACATTT
AAGCGCAACAGCTTTCTGGGGGAGGTGGAGCTCGACCTGGAAACGTGGGATTGGGACAGCAAAACAGAAACA
AACAGCTGAAGTGGTACCACTGAAGAGGAAGACAGCACCAGTTGCCCTCGAGACAGAAAACAGAGGTGA
AATGAAACTAGCTCTCCAGTATGTTCCGGAACCAAGCCCTGGCAAAAAGCTTCTACAACCTGGAGAAGTCA
CATCTGGGTGAAGGAATGCCTTGACCTCCCACTGTTGAGGGGACGCCACCTAAATCTTTTGTAAAT
GTACCATCCTTCCAGATACCAGTAGAAAAAGTCCGCAAGACAAGAGCTGTAGGAAAACCAACCAACCC
CGTCTTCAACCATACCATGGTGTATGATGGGTTGAGCCTGAAGATCTGATGGAAGCCTGTGTAGAACTC
ACAGTCTGGGACCATTATAAACTAACCAACCAAGTTTCTGGGAGGTCTCCGGATCGGCTTTGGAACAGGAA
AAAGCTACGGGACTGAAGTGGATTGGATGGATTCTACTTCTGAGGAAGTTGCTCTCTGGGAGAAGATGGT
AAACTCTCCAACACTTGGGTTGAAGCGACGCTGCCCTCCGGATGCTTCTGATTGCCAAGCTTTCCAAG

ACGCGTACGCGGCCGCTCGAGCAGAAAACCTCATCTCAGAAGAGGATCTGGCAGCAATGATATCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>MR219061 protein sequence
 Red=Cloning site Green=Tags(s)


MIDL SFL TEEEQDA I LKVLQRDAALKRAEEERVH LPEKIKDDQQLKNMSGQWFYEAKAKRHRDKIHGAD
 IIRASMRKRLPAAAEQNKDTAMRAKESWVNNVNKDAVLPPEIAVVEEPEDDTPAGPSSSLVDPASSVI
 DMSQESTRTPAVSLPKQRKNPFNSPKLPEDHSLQQTKEQSKTGKAGLFQISKEGELSESKEKSSIPDMP
 RQQLLEKPKQTVSTEPENASHTKAPIPKARKLIYKSNLEKDDNQSFPRQRDSL NARGAPRGILKRNSSS
 SSTDSETLRLNYNLDPKSKILSPGLTIHERISEKEFSLEDDSSSLEPLKHVRFSAVKNELPQSPRPVL
 GQEVGEFTVLES DQLQNGTEDAGDIEEFQNHPELSHKTPLSHYQLVSSPSDSGREREQLMSSGSAPRDEI
 PCHSDILPTGPQCVESSSVINGQQEKSSHFTKL PSEL SKSPSDEL TQCGEPEPSQTADHSFRDHRQGSEE
 EHSPVLKTLERRAARKLP SKSLEDIPSDSSNQAKVDNLPEELVRS AEDDQKADQEPDTNECIPGISTVPS
 LPDNQFSHPDKLKRMSKSVPAFLQDEASGSVM SVYSGDFGNLEVKGSVQFALDYVESL KELHVFVAQCKD
 LAAADVKKQRSDPYVKT YLLPDKGKMGKKKTLVVKKTLN P VYNEILRYKIERQFLKTQKLNLSVWHRDTF
 KRNSFLGVELDLETWDWDSKQNKQLK WYPLKRKTAPVALETENR GEMKLALQYVPEPSGKKLPTTGEV
 HIWVKECLDPLLRGSHLNSFVKCTILPDTSRKSRQKTRAVGKTTNPVFNHTMVYDGF RPEDLMEACVEL
 TVWDHYKLTNQFLGGLRIGFGTGKSYGTEVDWMDSTSEEVALWEKMNVPNTWVEATLPLRMLLI AKLSK


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:



Plasmid Map:


ACCN: NM_031394

ORF Size: 2730 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_031394.3](#), [NP_113571.2](#)

RefSeq Size: 4659 bp

RefSeq ORF: 2733 bp

Locus ID: 83671

UniProt ID: [Q99N50](#)

Cytogenetics: 7 E1

MW: 102.5 kDa

Gene Summary: Isoform 11 acts as a RAB27A effector protein and plays a role in cytotoxic granule exocytosis in lymphocytes. Required for cytotoxic granule docking at the immunologic synapse. Isoform 1 may play a role in melanosome transport and vesicle trafficking. It controls melanosome distribution in the cell periphery and regulates melanocyte morphology. Isoform 1 acts as a positive mediator of mucus secretion by the surface mucus cells of the stomach. Mediates basal mucus secretion by gastric surface cells by promoting the proper granule biogenesis and docking of mucus granules with the apical plasma membrane.[UniProtKB/Swiss-Prot Function]