

## **Product datasheet for MR219179**

## Atp5l (NM\_013795) Mouse Tagged ORF Clone

### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** Atp5l (NM\_013795) Mouse Tagged ORF Clone

Tag: Myc-DDK

Symbol: Atp5l

**Synonyms:** 4933437C06Rik

Mammalian Cell Neomycin

Selection:


Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Restriction Sites: Sgfl-Mlul

**Cloning Scheme:** 

Cloning sites used for ORF Shuttling:





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_013795

ORF Size: 309 bp



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

#### Atp5l (NM\_013795) Mouse Tagged ORF Clone - MR219179

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 013795.5, NP 038823.2</u>

RefSeq Size: 529 bp
RefSeq ORF: 312 bp
Locus ID: 27425
UniProt ID: Q9CPQ8

Cytogenetics: 9 A5.2

**MW:** 11.9 kDa

**Gene Summary:** Mitochondrial membrane ATP synthase (F(1)F(0) ATP synthase or Complex V) produces ATP

from ADP in the presence of a proton gradient across the membrane which is generated by electron transport complexes of the respiratory chain. F-type ATPases consist of two


structural domains, F(1) - containing the extramembraneous catalytic core, and F(0) -

containing the membrane proton channel, linked together by a central stalk and a peripheral stalk. During catalysis, ATP synthesis in the catalytic domain of F(1) is coupled via a rotary mechanism of the central stalk subunits to proton translocation. Part of the complex F(0) domain. Minor subunit located with subunit a in the membrane. [UniProtKB/Swiss-Prot

Function]



# **Product images:**



Circular map for MR219179