

Product datasheet for MR219235

Fxyd4 (NM_033648) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Fxyd4 (NM_033648) Mouse Tagged ORF Clone

Tag: Myc-DDK
Symbol: Fxyd4

Synonyms: 0610008I02Rik; Al267073; Chi; Chif

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >MR219235 representing NM_033648

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

TCCTTACCTGGAAAAGCCACTCCACTCATCATTCCAGGCTCTGCCAATACCTGC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR219235 representing NM_033648

Red=Cloning site Green=Tags(s)

MEEITCAFLLLLAGLPALEASDPVDKDSPFYYDWESLQLGGLIFGGLLCIAGIAMALSGKCKCRRTHKPS

SLPGKATPLIIPGSANTC

TRTRPLEQKLISEEDLAANDILDYKDDDDK**V**

Chromatograms: https://cdn.origene.com/chromatograms/mm9029 b04.zip

Restriction Sites: Sgfl-Mlul



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_033648

ORF Size: 264 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 033648.1</u>, <u>NP 387468.1</u>

RefSeq Size: 554 bp
RefSeq ORF: 267 bp
Locus ID: 108017



UniProt ID: Q9D2W0

Cytogenetics: 6 F1


MW: 9.7 kDa

Gene Summary: This gene encodes a member of a family of small membrane proteins that share a 35-amino

acid signature sequence domain, beginning with the sequence PFXYD and containing 7 invariant and 6 highly conserved amino acids. The approved human gene nomenclature for the family is FXYD-domain containing ion transport regulator. Mouse FXYD5 has been termed RIC (Related to Ion Channel). FXYD2, also known as the gamma subunit of the Na,K-ATPase, regulates the properties of that enzyme. FXYD1 (phospholemman), FXYD2 (gamma), FXYD3 (MAT-8), FXYD4 (CHIF), and FXYD5 (RIC) have been shown to induce channel activity in experimental expression systems. Transmembrane topology has been established for two family members (FXYD1 and FXYD2), with the N-terminus extracellular and the C-terminus on the cutoplasmic side of the membrane. Insovided by PofSeq. Jul 20081

the cytoplasmic side of the membrane. [provided by RefSeq, Jul 2008]

Product images:



Circular map for MR219235