

## Product datasheet for MR219873L4V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Mia2 (NM\_177321) Mouse Tagged ORF Clone Lentiviral Particle

**Product data:** 

Product Type: Lentiviral Particles

**Product Name:** Mia2 (NM\_177321) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Mia2

Synonyms: Ctage5; D12Bwg0579e; Mea6; Mgea; Mgea6

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

**ACCN:** NM\_177321 **ORF Size:** 1551 bp

**ORF Nucleotide** 

\_\_\_\_\_

Sequence:

The ORF insert of this clone is exactly the same as(MR219873).

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 177321.2, NP 796295.1

RefSeq Size: 1628 bp
RefSeq ORF: 1554 bp
Locus ID: 338320
UniProt ID: Q91ZV0
Cytogenetics: 12 C1







## **Gene Summary:**

This gene encodes a protein that is involved in endoplasmic reticulum-to-Golgi trafficking and regulation of cholesterol metabolism. Three major classes of transcripts are generated from this gene- melanoma inhibitory activity 2-specific transcripts, cTAGE family member 5-specific transcripts and transcripts that include exons from both these transcript species. Additionally, alternative splicing in these transcripts results in multiple transcript variants encoding diverse isoforms. A mutation in this gene (couch-potato or cpto) may result in low levels of plasma cholesterol and triglycerides. [provided by RefSeq, Sep 2016]