

Product datasheet for MR220090L3

Mcm9 (NM_027830) Mouse Tagged Lenti ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Mcm9 (NM_027830) Mouse Tagged Lenti ORF Clone
Tag:	Myc-DDK
Symbol:	Mcm9
Synonyms:	9030408O17Rik; Gm235; Mcmdc1
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR220090).
Restriction Sites:	SgfI-MluI
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF.


ACCN:	NM_027830
ORF Size:	3870 bp



[View online »](#)

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_027830.2 , NP_082106.2
RefSeq Size:	3873 bp
RefSeq ORF:	3873 bp
Locus ID:	71567
UniProt ID:	Q2KHI9
Cytogenetics:	10 B3
Gene Summary:	Component of the MCM8-MCM9 complex, a complex involved in the repair of double-stranded DNA breaks (DBSs) and DNA interstrand cross-links (ICLs) by homologous recombination (HR) (PubMed:23401855, PubMed:22771120). Required for DNA resection by the MRE11-RAD50-NBN/NBS1 (MRN) complex at double-stranded DNA breaks to generate ssDNA by recruiting the MRN complex to the repair site and by promoting the complex nuclease activity (By similarity). Probably by regulating the localization of the MNR complex, indirectly regulates the recruitment of downstream effector RAD51 to DNA damage sites including DBSs and ICLs (PubMed:22771120, PubMed:23401855). Acts as a helicase in DNA mismatch repair (MMR) following DNA replication errors to unwind the mismatch containing DNA strand (PubMed:22771120, PubMed:26300262). In addition, recruits MLH1, a component of the MMR complex, to chromatin (By similarity). The MCM8-MCM9 complex is dispensable for DNA replication and S phase progression (PubMed:21987787). Probably by regulating HR, plays a key role during gametogenesis (PubMed:21987787, PubMed:22771120). [UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR220090L3