

## Product datasheet for MR220307

### Asrgl1 (NM\_025610) Mouse Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Asrgl1 (NM\_025610) Mouse Tagged ORF Clone  
**Tag:** Myc-DDK  
**Symbol:** Asrgl1  
**Synonyms:** 2410004D18Rik; ALP; ALP1; AU040643; AW060375  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**Cell Selection:** Neomycin  
**ORF Nucleotide Sequence:** >MR220307 representing NM\_025610  
**Red=Cloning site Blue=ORF Green=Tags(s)**

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGGATCGCC**

ATGGCGTGCGCCCGGGCACCCTGGCGCCGCCAGTCCGAGCCTCCATCGATGTGAGTCTCGTGGTGGT  
TCCATGGTGGCGGAGCAAGCAACATCTCAGCCAACCGAAAGAGCTGGTGCAGGAGGCATCGCCAGAGC  
GGCAACCGAGGGCTACAAAATCCTCAAGCGGGAGGGAGCGCGGTAGATGCTGTGAAGGAGCCGTGACT  
GTCCTGGAAAACGACCCAGAGTTCAACGCAGGTTATGGGTCTGTCTGAATGTAAACGGTGATATTGAGA  
TGGATGCTAGTATCATGGATGGGAAGGACTGTCTGCAGGTGCAGTGTCTGCCGTGCGCTGTATCGCAAA  
TCCCGTTAAACTTGCACGGCTTGTATGGAAAAGACACCTCATTGCTTTCTGACTGGCCATGGTGCAGAG  
AAATTTGCAGAAGACATGGGGATTCCACAGGTCCTGTAGAAAACTGATAACTGAGAGAACCAAGAAGC  
ACCTGGAGAAAGAGAAGCTTGAGAAGGGAGCACAGAATGCTGACTGCCCTAAAAACTCAGGAACTGTGGG  
TGCTGTTGCCTTGGACTGCAGAGGAACTTGGCTTACGCAACCTCTACTGGGGGATTGTCAATAAAATG  
GTTGGCCGAGTTGGAGACTCGCCTTGCATAGGAGCTGGAGTTACGCAGATAATAACCTTGGAGCCGTTT  
CAACCACAGGACATGGGAAAGTATCCTGAAGGTGAATCTGGCCAGACTTCCCTTTCCATGTAGAGCA  
AGGAAAGACCGTAGAGGAGGCTGCTCAGTTGGCATTGGATTACATGAAGTCAAAAACCTCAAAGGCTAGGT  
GGCCTCATCTTGGTCAACAAAACAGGAGACTGGGTGGCAAAGTGACCTCTGCCTCCATGCCCTGGGCAG  
CGGTGAAGAATGGCAAGCTGCAGGCCGGCATTGACCTCTGTGAGACCAGGACAAGGGACCTACCTTGC

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

**Protein Sequence:** >MR220307 representing NM\_025610  
 Red=Cloning site Green=Tags(s)

MACARGTVAPPVRASIDVSLVVVVHGGGASNISANRKELVREGIARAATEGYKILKAGGSVAIDAVEGAVT  
 VLENDPEFNAGYGSVLNVNGDIEMDASIMDGKDL SAGAVSAVRCIANPVKLARLVMEKTPHCFLTGHGAE  
 KFAEDMGIPQVPVEKLI TERTKKHLEKEKLEKGAQNADCPKNSGTVGAVALDCRGNLAYATSTGGIVNKM  
 VGRVGDSPICIGAGGYADNNL GAVSTTGHGESILKVNLARLALFHVEQGGKTVEEAAQLALDYMKSKLKGGL  
 GLILVNKTGDWVAKWTSASMPWAAVKNGKLQAGIDL CETRTRDLP C


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**Plasmid Map:**



**ACCN:** NM\_025610

**ORF Size:** 978 bp

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_025610.3</a> , <a href="#">NP_079886.2</a>
<b>RefSeq Size:</b>	2274 bp
<b>RefSeq ORF:</b>	981 bp
<b>Locus ID:</b>	66514
<b>UniProt ID:</b>	<a href="#">Q8COM9</a>
<b>Cytogenetics:</b>	19 A
<b>MW:</b>	34.4 kDa
<b>Gene Summary:</b>	Has both L-asparaginase and beta-aspartyl peptidase activity. May be involved in the production of L-aspartate, which can act as an excitatory neurotransmitter in some brain regions. Is highly active with L-Asp beta-methyl ester. Besides, has catalytic activity toward beta-aspartyl dipeptides and their methyl esters, including beta-L-Asp-L-Phe, beta-L-Asp-L-Phe methyl ester (aspartame), beta-L-Asp-L-Ala, beta-L-Asp-L-Leu and beta-L-Asp-L-Lys. Does not have aspartylglucosaminidase activity and is inactive toward GlcNAc-L-Asn. Likewise, has no activity toward glutamine.[UniProtKB/Swiss-Prot Function]