

## **Product datasheet for MR220802L3V**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Fancd2 (NM\_001033244) Mouse Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

Product Name: Fancd2 (NM 001033244) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Fancd2

**Synonyms:** 2410150007Rik; AU015151; BB137857; FA-D2; FA4; FACD; FAD; FANCD

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

**ACCN:** NM\_001033244

ORF Size: 4350 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(MR220802).

Sequence:

Cytogenetics:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeq:** <u>NM 001033244.3</u>, <u>NP 001028416.2</u>

6 F3

 RefSeq Size:
 4780 bp

 RefSeq ORF:
 4353 bp

 Locus ID:
 211651

 UniProt ID:
 Q80V62







## **Gene Summary:**

Required for maintenance of chromosomal stability. Promotes accurate and efficient pairing of homologs during meiosis. Involved in the repair of DNA double-strand breaks, both by homologous recombination and single-strand annealing. May participate in S phase and G2 phase checkpoint activation upon DNA damage. Plays a role in preventing breakage and loss of missegregating chromatin at the end of cell division, particularly after replication stress (By similarity). Promotes BRCA2/FANCD1 loading onto damaged chromatin. May also be involved in B-cell immunoglobulin isotype switching.[UniProtKB/Swiss-Prot Function]