

Product datasheet for MR220884

Smc1b (NM_080470) Mouse Tagged ORF Clone

Product data:

| | |
|---------------------------|---|
| Product Type: | Expression Plasmids |
| Product Name: | Smc1b (NM_080470) Mouse Tagged ORF Clone |
| Tag: | Myc-DDK |
| Symbol: | Smc1b |
| Synonyms: | SMC-1B; SMC1beta; Smc1I2 |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-Entry (PS100001) |
| E. coli Selection: | Kanamycin (25 ug/mL) |
| ORF Nucleotide Sequence: | >MR220884 representing NM_080470 Red=Cloning site Blue=ORF Green=Tags(s) |

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCCGCATCGCC

ATGGGGCACCTTGAGCTGCTGCTCGTGGAGAATTTCAAGTCGTGGCGAGGCCGCCAGGTCATCGGCCCTT
TCAAGAGGTTACCTGCATCATTGGCCCCAACGGCTCCGAAAAATCTAATGTAATGGATGCACCTAGTTT
TGTAATGGGAGAAAAGACAATAATTTAAGAGTAAAAACATTCAAGAACTTATTCATGGAGCACATACT
GGAAAACCTGTTTCTTCTGCAAGTGTGACAATTATACATAGAGGACAGTGGAGAAGAGAAAAACAT
TCACAAGGATTATCCGAGGGGGTGTCTCAGAATATCATTGGGGATAAACCCGTGAGTCGTTCTGTGTA
TGTAGCCAGTTGAAAAACATAGGCATAATAGTCAAAGCACAGAACTGTCTAGTTTTTCAGGGAAGTGA
GAGTCAATATCCATGAAAAAGCCCAAAGAGAGAACCCAGTTTTTTGAAGAAATCAGTACTTCAGGAGAAT
TTATAGGAGAATATGAGGCAAAGAAAAAGAAATACAAAAAGCTGAAGAAGATGCACAATTTTCAATTTAA
TGTGAAAAAAATGTAGCTGCAGAACGGAAGCATGCAAAAATAGAGAAAGAGAGGCAGAACATTACCAA
AATCTCCTTGAAGAATTGAAAATAACAAGATACAACCTGATGCTTTTCCAACATATATTATAATGAGGAAA
AAATCAATGTTTTAAACTGAATTAGAGCAATGGACGGGAATTTAAGTGTGTAAGGACTCTTTT
TCACCATGAAAACATATTTAAAGCTAAGAAAAAGGATTATGGAATGTTAACTAGACAACACAGCAACA
GCAAAAGAACTGAAATCTGTTGAAGCAATTTTAAATCAGAAGAGGCCCTCAGTACATTAAGGCTAAGAAA
ACACTTCTCATCTATAAAAAATTAGATTTGTCTAAGAAATGATAACAGACAATGAAAAACAATGTTT
TAAGCAGGAAGATGGCATACGAGCCTTAGTGGCAGAACTGGCTGATTTGGATAGAGCATGAAAAAGTTTT
GAAAAGCAGATGGAAGAGAAAATCTTACAAAAAGGGCGAGATATTGAATTGAAAAATAGCCAGCTGGATC
GTTACAACTGCTTAAGGAGCAAGTCAGACGGAAGGTTGGTATAATGACACAACAACCTGAAAAACTGCA
GTGGGAACAGAAGGCAGAAAAAGAAAGACTTGCATTTGAAAAGAGGAGGCATGGAGACACTCAGGGAAAT
CTAAAACAGATAAAGAACAATAAGAGAGCATAAAAAACGAATAGAGAAGTTGGAGGAATATACAAAGA
CGTGCATGGATTGCTTGAAGATAAAAAACAGCAAGAAGAGGCCCTGAAAAAGAAATTTGAAAATACGAA
ATCAAGAAATGCTGAAGTTAATGAAGAATTGAGTCTTATTAGAAATGAATTGCAGAAATGCTGGAATTGAT



[View online »](#)

AACCATGAGGGAAAACGT CAGCAGAAAAGAGCAGAAGTTCTGGAACACCTTAAAAGACTTTACCCAGATT
CTGTGTTTGGAAGACTGCTTGATCTGTGTATCCTATTTCATAAGAAGTACCAGCTGGCTGTGACTAAGCT
TTTTGGCCGGTACATGGTTGCCATTGTTGTAGCCTCAGAAAAGATAGCGAAAAGATTGATTTCGATTTCTG
AAGGCAGAAAGAGCTGAACCTGAGACATTCCTTGCTCTAGATTACCTTGATATCAAGCCAATCAATGAAC
GACTAAGGGAAAATTAAGGCTGTAAGATGATGATCGATGTTATAAAGACCCAGTTTCTCAGCTGAAGAA
AGTGATTACAGTTTGTGTTGGAAATGGCCTTGCTGTGAGACTGTGGAAGAAGCAAGACATATTGCATTC
GGTGGACCTGAAAGACGGAAGGCAGTGCAGCTTGATGGAACACTGTTTTGAAATCTGGAGTGATTTCTG
GAGGGTCAAGTGACTTAAAGCACAAAGCTCTGTGCTGGGATGAGAAAGAGTTACACAATCTAAGAGACAA
AAGAAGCCAAGTCCAAAGAGCTAAAGGAGTTAATGAAGACACTCCGCAAGGAAACAGATCTGAAGCAA
ATACAGACTTTAGTACAAGGAACCAATACACGACTCAAATATTCACAAAATGAACTAGAGATGATTA
AGAAGCACCTTGCTACATTTTACCGGGAACAATCTCAGCTACAAAGTGAATTAAGTGAATATTGATTCTCA
ATGTACTATGTTGAGTGAAGGAATCAACAAACAGCAACAAAAATTAAGAATTTCAAGATAAGATAGAT
GAGGTAGAAGATGACATATTCAAAGACTTCTGTGAAGAAATGGTGTGAAAAATATCCGTGAATTTGAGA
ATAAACATGTTAAACAGCAGCAAGAAAATGATCAAAAAAGATTAGAGTTTAAAAACAAAAACTCGGCT
TAATATTCAGCTCGAATATAGTCGAAATCAGCTTAAAGAAAGTGAATAATATCGACACATTA
ACAATCCAGAAGGGCAAAGAAGATATTGATAACCTAAAAAGACCGAAGAAGAAATGTCTGAAAAATGTTG
AGGAACTCATGGTGAAGCAAGAGCAAATTAAGGAAGTGTGCCACACAGAGTTCCAACATTGAAAAAT
TCACATACAAATTAAGAGGAACGCAAGAAGGTTTTGGCTGTTGATAGGGAAGTTGAAAAATACAGAAG
GAAGTTGTAATCATTACAGGGTCTTTGGAACAGAACTGCTAGAGAAACATAACTTGCTGCTAGATTGCA
AAGTTCAAGACATTGACATAAGTCTTGCTGGGGTATTGGAGGACATCATTGAAATGGAGCTAACTGA
AACAGAAAGCACCAGGCAACAGCTGATATCTATGAGAAAGAAGCATCCATCCAAATAGACTACAGCCCT
CTAAGGGAGGATTTAAAGGCTCTACAATCAGATAAGGAGGTGGAGGCCACCTTACACTCCTTCTACAGC
AAGTAGCATCCCAAGAAAACACTCTACTGAAGACTACAGCTCAAACCTGCGAGCACAGGAGAACTTAAA
GACTGTCCAGAGACAAGTTTCAAGAATCTGCAGATGTTTTTGGAGCCAGCAGAAAGGAAGCCAGAATATGT
AGGCAAGAGTTTGAACAGGTGAAAAGACGGAGGTACGATGCTTTTCAAGTCAATGTTTTGAACACATCTCAG
TCTCAATTGATCAAACTACAAGAAGCTCTGCAGGAACAACAGTGCACAGGCAATTTCTAGCCCAGAGAA
CCCTGAAGAACCTTACTTAGATGGAATTAGCTACAACCTGTGTGGCTCCAGGCAAACGGTTTATGCCCATG
GACAACCTGTGAGGGGAGAAAAGTGTGTGGCTGCTCTGGCTCTTCTGTTTGTGTACACAGTTTTCGGC
CTGCTCCATTCTTTGATTAGATGAAGTAGATGCAGCCCTGGACAATACTAACATTGGCAAAGTCTCAAG
TTACATCAAAGAGCAGAGTCAGGAACAGTTTCAAGATGATAATCATTTCCTGAAAGAGGAGTTCTACTCC
AAAGCTGATGACTGATAGGCGTCTACCCAGAGACAATGAGTGCATGTTTCAAGCCATGTGTTGACTCTGG
ACCTTTCCAAGTATCCAGACACCGAAGCAAGAAGGCAGCAGGAGCCACCGGAAGCCAGAGTACCACG
AGTATCAATGTCTCAAAGTCTCCCAAGTCTCGT

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR220884 representing NM_080470
 Red=Cloning site Green=Tags(s)

MGHLELLLVENFKSWRGRQVIGPFKRFCTIIGPNGSGKSNVMDALSFVMGEKTTNLRVKNIQELIHGAHT
 GKPVSSASVTIIYIEDSGEEKTFTRIIRGGCSEYHFYHFDKPVSRVYVAQLENIGIIVKAQNCLVFQGTV
 ESISMKKPKERTQFFEEISTSGEFIGEYEAKKKKLQKAEDAQHFHNVKKNVAAERKHAKIEKEEAHYQ
 NLLLEELKINKIQLMLFQLYYNEEKINVLNTELEQMDGNLSVVKDTLSHHENIFKAKKKDYGMLTRQLQQT
 AKELKSVEAILNQKRPQYIKAKENTSHHLKLDL SKKLI TDNEKQCSKQEDGIRALVAELADLDRAWKSF
 EKQMEEEKILQKGRDIELENSQLDRYKLLKEQVRRKVGIMTQQLEKLQWEQKAKEERLAFEKRRHGDQTGN
 LKQIKEQIEEHKKRIEKLEEYTKTCMDCLEDDKQEEALKKEIENTKSRMSEVNEELSLIRNELQNAGID
 NHEGKRQKRAEVLHLKRLYPDSVFGRLDLCHPIHKYQLAVTKLFGRYMVAIVVASEIAKDCIRFL
 KAERAEPETFLALDYLDIKPINERLREIKGCKMMIDVIKTQFPQLKKVIQFVCGNGLVCETVEEARHIAF
 GGPERRKAVALDGTFLKSGVISGGSSDLKHKALCWDEKELHNL RDKRSQLVQELKELMKTLRKETDLKQ
 IQTLVQGTNTRLKYSQNELEMIKKHLATFYREQSQLQSELLNIDSQCTMLSEGINKQQQKIEEFQDKID
 EVEDDIFQDFCEEIGVENIREFENKHKVQQQENDQKRLFEKQKTRLNIQLEYSRNQLKKLNNIDTLKT
 TIQKGGEDIDNLKKEEELKIVEELMVKQEIQI EVLATQSSNIEKIHIQIEEERKKVLAVDREVGKQK
 EVVVIQGSLEQLLEKHNL LLDCKVQDIDISLVLSLEDIEMELTETESTQATADIYEKASIQIDYSP
 LREDLKALQSDKEVEAHL TLLLQVASQENTLLKTTAPNLR AQENLKTVRDKFQESADVFEASRKEARIC
 RQEFEQVRRRYDAFSQCFEHISVSDIQIYKLCRNNSAQAF LSPENPEEPYLDGISYNVAPGKRFPMP
 DNL SGGEKCVAALALLFAVHSFRPAPFFVLDEVAALDNTNIGKVSSYIKEQSQEQFQMIISLKEEFYS
 KADALIGVYPEHNECMF SHVLTLDLSKYPDTEDEQESRSHRKRPRVPRVSMSPKSPQSR


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN: NM_080470

ORF Size: 3744 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_080470.1](#), [NP_536718.1](#)

RefSeq Size: 4056 bp

RefSeq ORF: 3747 bp

Locus ID: 140557

UniProt ID: [Q920F6](#)


Cytogenetics: 15 E2

MW: 145 kDa

Gene Summary:

Meiosis-specific component of cohesin complex. Required for the maintenance of meiotic cohesion, but not, or only to a minor extent, for its establishment. Contributes to axial element (AE) formation and the organization of chromatin loops along the AE. Plays a key role in synapsis, recombination and chromosome movements. The cohesin complex is required for the cohesion of sister chromatids after DNA replication. The cohesin complex apparently forms a large proteinaceous ring within which sister chromatids can be trapped. At anaphase, the complex is cleaved and dissociates from chromatin, allowing sister chromatids to segregate. The meiosis-specific cohesin complex probably replaces mitosis specific cohesin complex when it dissociates from chromatin during prophase I.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR220884