

Product datasheet for **MR221657**

Klc1 (NM_001081959) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Klc1 (NM_001081959) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Klc1
Synonyms:	A1874768; Kn; Kns2
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

ORF Nucleotide Sequence:

>MR221657 representing NM_001081959
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGTATGACAACATGTCCACCATGGTGTACATAAAGGAAGAGAAGCTGGAGAAGCTCACGCAGGATGAGA
 TCATCTCTAAGACCAAGCAAGTATCCAGGGGCTGGAAGCCCTGAAGAATGAGCACAACTCCATCCTGCA
 GAGTTTGTCTGGAGACGCTGAAGTCTTGAAGAAGGATGACGAGAGCAACCTGGTGGAAAGAGAAATCCAGC
 ATGATCCGCAAGTCCCTGGAGATGCTGGAGCTTGGCCTGAGCGAGGCGCAGGTGATGATGGCGCTGTCCA
 ATCACCTGAATGCTGTGGAGTCCGAGAAGCAAAAGCTCCGCGCTCAGGTTGACGGCTGTGCCAGGAGAA
 CCAGTGGCTGCGGGATGAGCTGGCCAACACGCAGCAGAAGTTGCAGAAGAGCGAGCAGTCGGTGGCGCAG
 CTGGAGGAGGAGAAGAACACCTGGAGTTCATGAACCAGCTGAAGAAGTACGACGACGACATCTCCCCT
 CGGAGGACAAAGACTCTGATTCTTCAAAGAGCCGTTGGATGATCTCTTCCAAATGACGAGGACGAACC
 AGGACAAGGAATCCAGCAGCAGCACAGTAGTGCTGCGGCCGCCAGCAGGGCGGCTACGAGATCCCT
 GCAAGGCTGCGCACGCTCCACAACCTGGTGATCCAGTATGCTTACAGGGGCGTTACGAGGTGGCGGTGC
 CACTCTGCAAGCAGGCCCTGGAGGATCTGGAGAAGACTTCCGGCCACGACCACCCCGATGTGGCTACCAT
 GCTCAACATCTTGGCCCTGGTGTACAGGGATCAGAAACAAGTATAAAGATGCAGCTAACCTCCTGAACGAC
 GCCCTGGCTATCCGCGAGAAAACCTGGGCAGAGATCACCCCGCGGTGGCAGGACTCTGAACAACCTAG
 CAGTACTGTACGGTAAGCGAGGGAAGTACAAGGAGGCGGAGCCGCTGTGTAAACGAGCCCTGGAGATCAG
 GGAGAAGTCTGGGAAAGGATCATCTGATGTTGCCAAACAGTTAAATAACCTGGCCCTGCTGTGCCAG
 AACGAGGCAAGTACGAGGAGTGGAGTATTATTACCAGAGGGCCCTGGGCATCTACCAGACGAAGCTGG
 GGCCCGACGATCCCAACGTGGCCAAGACAAGAACAACCTGGCCCTCTGTTATCTGAAACAAGGGAAGTT
 CAAGCAGGCAGAAACGCTGTACAAGGAGATTCTCACCCGCGCACAGGCGGGAGTTGGATCTGTGGAC
 GACGAGAACAAGCCATCTGGATGCACGCTGAAGAGAGAGAGGAGTGCAAGGCAAGCAGAAGGACGGGT
 CGGCTTTTGGAGAGTATGGCGGCTGGTATAAAGCCTGCAAAGTGGACAGTCCCACCGTCACAACCACCTT
 GAAAACTTGGAGCACTTACCAGCGCAGGGGAAGTTGAAGCTGCAGAGACATTGGAAGAAGCCGCC
 ATGAGGTCACGTAAGCAGAGAGTGGCTGAAGTGTAAATGACCCTGAGAGCATGGAGAAGCGGAGGAGCC
 GGGAGAGTCTCAATATGGACGTGGTCAAGTACGAGAGTGGCCCTGACGGAGGGGAGGAAGTGAATGAG
 CGTAGAGTGAATGGGGATGGCACTGGATCTTTAAAGCGCAGTGGCTCCTTAGCAAACCTCCGGCTTCC
 ATTAGACGACGAGTGAAGCTGGTTAGGAAGCTGAAGGGAGGAAGCTCACGGGACAGTGAAGCCGAGGA
 ACCCTGGGGCATCCCCGAGAGCCTTTGTGTGAAAAACGACAGCAGCAGCCTAGAAGACGCTAGCAC
 TAAC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>MR221657 representing NM_001081959
 Red=Cloning site Green=Tags(s)



MYDNMSTMVYIKEEKLEKLTQDEIISKTKQVIQGLEALKNEHNSILQSLLETCLKLKKDDSENLVEEKSS
 MIRKSLEMLELGLSEAQVMMALSNHLNAVESEKQLRAQVRRLCQENQWLRDELANTQQKLQKSEQSVAQ
 LEEEEKHLEFMNQLKKYDDDISPSEDKSDSSKEPLDDLFPNDEDEPGQGIQQQHSSAAAAAQGGYEIP
 ARLRTLHNLVIQYASQGRYEVAVPLCKQALEDLEKTSGHDPDVATMLNILALVYRDQNKYKDAANLLND
 ALAIREKTLGRDHPAVAATLNNLAVLYGKRGKYKEAEPLCKRALEIREKVLGKDHPDPAKQLNNLALLCQ
 NQGYEEVEYYYQRALGIYQTKLGPDDPNVAKTKNNLASCYLKQKFKQAEILYKEILTRAHEREFGSVD
 DENKPIWMHAEREERECKGKQKDGSAFGEYGGWYKACKVDSPTVTTTLKNL GAL YRRQKGFEEAETLEEA
 MRSRKQVAEVLNDPESMEKRRSRESLNDVVKYESGPDGGEEVSMSEVWNGDGTGSLKRSQSFSLKRS
 IRRSSEKLVKLGKSSRDSEPRNPASPAEPLCVENDSSSLEDASTN

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-MluI


Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: NM_001081959

ORF Size: 1824 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001081959.1 , NP_001075428.1
RefSeq Size:	2480 bp
RefSeq ORF:	1827 bp
Locus ID:	16593
Cytogenetics:	12 61.13 cM
MW:	69.1 kDa
Gene Summary:	Conventional kinesin is a tetrameric molecule composed of two heavy chains and two light chains, and transports various cargos along microtubules toward their plus ends. The heavy chains provide the motor activity, while the light chains bind to various cargos. This gene encodes a member of the kinesin light chain family. It associates with kinesin heavy chain through an N-terminal domain, and six tetratricopeptide repeat (TPR) motifs are thought to be involved in binding of cargos such as vesicles, mitochondria, and the Golgi complex. Thus, kinesin light chains function as adapter molecules and not motors per se. Although previously named "kinesin 2", this gene is not a member of the kinesin-2 / kinesin heavy chain subfamily of kinesin motor proteins. Extensive alternative splicing produces isoforms with different C-termini that are proposed to bind to different cargos; however, the full-length nature of some of these variants has not been determined. [provided by RefSeq, Jul 2008]