

Product datasheet for MR221828L3


Cyr61 (NM_010516) Mouse Tagged Lenti ORF Clone

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Expression Plasmids
Cyr61 (NM_010516) Mouse Tagged Lenti ORF Clone
Myc-DDK
Cyr61
Al325051; CCN1; lgfbp10
Puromycin
pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Chloramphenicol (34 ug/mL)
The ORF insert of this clone is exactly the same as(MR221828).
Sgfl-Mlul
Cloning sites used for ORF Shuttling: Sgf 1 ORF Mlu 1 GCG ATC GCC ATG // NNÑ ACG CGT]



ACCN: N ORF Size: 1

NM_010516 1137 bp




View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

ORIGENE Cyr61 (NM_010516) Mouse Tagged Lenti ORF Clone – MR221828L3
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM 010516.2, NP 034646.1</u>
RefSeq Size:	2028 bp
RefSeq ORF:	1140 bp
Locus ID:	16007
UniProt ID:	<u>P18406</u>
Cytogenetics:	3 70.18 cM
Gene Summary:	Promotes cell proliferation, chemotaxis, angiogenesis and cell adhesion. Appears to play a role in wound healing by up-regulating, in skin fibroblasts, the expression of a number of genes involved in angiogenesis, inflammation and matrix remodeling including VEGA-A, VEGA-C, MMP1, MMP3, TIMP1, uPA, PAI-1 and integrins alpha-3 and alpha-5 (By similarity). CCN1- mediated gene regulation is dependent on heparin-binding (By similarity). Down-regulates the expression of alpha-1 and alpha-2 subunits of collagen type-1 (By similarity). Promotes cell adhesion and adhesive signaling through integrin alpha-6/beta-1, cell migration through integrin alpha-1/beta-5 and cell proliferation through integrin alpha-v/beta-3 (By similarity). [UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Product images:



Circular map for MR221828L3

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US