

Product datasheet for MR222092L3

Slc4a11 (NM_001081162) Mouse Tagged Lenti ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Slc4a11 (NM_001081162) Mouse Tagged Lenti ORF Clone
Tag:	Myc-DDK
Symbol:	Slc4a11
Synonyms:	AI503023; BTR1; NaBC1
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR222092).
Restriction Sites:	SgfI-RsrII
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF.


ACCN:	NM_001081162
ORF Size:	2586 bp



[View online »](#)

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001081162.1 , NP_001074631.1
RefSeq Size:	3201 bp
RefSeq ORF:	2589 bp
Locus ID:	269356
UniProt ID:	A2AJN7
Cytogenetics:	2 F1
Gene Summary:	Transporter which plays an important role in sodium-mediated fluid transport in different organs. Prevents severe morphological changes of the cornea caused by increased sodium chloride concentrations in the stroma. In the inner ear, is involved in transport of potassium through the fibrocyte layer to the stria vascularis and is essential for the generation of the endocochlear potential but not for regulation of potassium concentrations in the endolymph. In the kidney, is essential for urinary concentration, mediates a sodium flux into the thin descending limb of Henle loop to allow countercurrent multiplication by osmotic equilibration. Involved in borate homeostasis. In the absence of borate, it functions as a Na(+) and OH(-)(H(+)) channel. In the presence of borate functions as an electrogenic Na(+) coupled borate cotransporter.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR222092L3