

Product datasheet for MR222193

Dctn1 (NM_007835) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Dctn1 (NM_007835) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Dctn1
Synonyms:	AL022633; DAP-150; DP-150; Glued; p150; p150-glued; p150
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR222193 representing NM_007835 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGCCAGAGCAGGAGGCACATGTCCAGTCGGACGCCGAGTGGCAGCAGGATGAGTACGGAGGCAAGCG
CCCGGCCCTGCGGGTTGGCTCCCGCTGGAGGTGATTGGGAAGGGCCACCGAGGCACTGTGCCTATGT
TGGAGCCACACTTTGCCACTGGCAAATGGGTGGCGTGATTCTGGATGAAGCAAAGGCCAAAAATGAT
GGCACTGTCCAGGAAGGAAGTATTTACATGTGATGAAGGCCACGGCATCTTTGTACGCCAGTCCCAGA
TCCAAGTATTTGAAGATGGAGCAGATACTACTCCCGAGAGACTCCTGATTCTTCTGCTCAAAGGTCCT
CAAGAGAGAGGGAGCCGATGCAGCTGCAAAGACCAGCAAAGTCCCGGGGACTGAAGCCTAAGAAGGCACCG
ACAGCCCGAAAGACCACAACCTCGACGGCCCAAGCCTACTCGCCAGCCAGCACTGGGGTGGCTGGGCCCA
GTAGCTCCCTTGCCCTCTGGCTCAGCGTCAGCCGGGAACTAAGCAGCAGTGAAGCCAGCACCCCACT
TCAGACTCCGCTGGCAGCACCCATCATCCACACCCGGCCCTCACCTCTCCTGGAGCAGCACCCCACTT
CCATCTCCCTCTAAGGAAGAGGAAGGGCTGAGGGCTCAGGTACGGGACCTGGAGGAGAAGCTGGAGACCC
TGCGCCTAAAACGCTCAGAAGACAAAGCAAAGCTGAAAGAGCTGGAGAAGCACAAGATCCAGCTGGAGCA
GGTGCAGGAATGGAAGAGCAAAATGCAGGAGCAGCAGGCAGACCTGCAGCGGCCCTCAAGGAGGCTCGG
AAGGAAGCAAGGAGGCGCTAGAGGCAAAGGAACGCTACATGGAGGAGATGGCCGACACAGCCGACGCTA
TCGAGATGGCCACTCTGGACAAGGAGATGGCTGAAGAGCGCGCTGAGTCTCTGCAGCAAGAGGTGGAGGC
ACTGAAGGAACGGGTAGACGAGCTCACCACAGACCTGGAGATTCTCAAGGCTGAAATCGAAGAGAAAGGC
TCTGATGGGGCCGCATCAAGCTACCAGCTCAAGCAGCTGGAGGAGCAGAATGCCCGCTGAAGGATGCC
TGGTGAGGATGCGAGACCTCTTCTCAGAGAAGCAGGAGCAGTGAAGCTGCAGAAACTCATGGAAAA
GAAAAACCAGGAGCTGGAGGTCGTGCGGCAGCAGCGAGCGTCTTCAGGAGGAGCTGAGCCAGGCTGAG
AGCACCATCGATGAGCTCAAAGAGCAGGTGGACCGGCTCTGGGAGCCGAGGAGATGGTGGAGATGCTGA
CCGACCGAACCTGAATCTAGAGGAGAAAGTGCGGGAGTTACGGGAGACTGTGGGGGACTTGAAGCCAT
GAACGAGATGAACGATGAGCTGCAGGAGAACGCACGGGAGACGGAGCTGGAACCTCGAGAGCAGCTGGAC



ATGGCGGGCGCCCGAGTGAGGGAAGCGCAGAAGCGAGTGAAGCCGCCAGGAGACAGTCGCCGACTACC
AGCAGACCATCAAGAAGTACCGCCAGTTGACTGCCACCTACAGGATGTCAATCGGGAGCTGACAAACCA
GCAGGAAGCGTCTGTAGAGAGGCAGCAGCAGCCGCCAGAGACTTTTGATTTCAAATCAAGTTTGCT
GAGACCAAGGCTCATGCCAAGGCCATTGAGATGGAGTTGAGACAGATGGAAGTTGCCAGGCCAACCGGC
ACATGTCCCTGCTGACAGCCTTTATGCCTGACAGCTTCCTTCGGCCAGGTGGAGACCAGACTGTGTCT
GGTGTCTGCTCATGCCCCGACTCATTGCAAGGCAGAGCTCATCCGGAAGCAGGCCAGGAGAAGTTT
GACCTGAGCGAGAAGTGTTCGGAGCGGCCGGGCTGCGGGGAGCTGCCGGGAGCAGCTGAGCTTTGCTG
CTGGACTGGTGTACTCGCTGAGTCTGCTGCAGGCCACGCTGCACCGCTATGAGCATGCCCTCTCAGTG
CAGTGTGGACGTGTATAAGAAGGTGCGCAGCCTGTACCCCGAGATGAGCGCCACAGCGCTCCTTAGAT
TTCCTCATTGAGCTGCTGCAACAAGGATCAGCTGGATGAGACTGTCAACGTGGAGCCCTCACCAAGGCCA
TCAAGTATTACCAGCATCTGTACAGCATCCACCTCGTGAACAACCCGAGGACTCCACCATGCAGCTGGC
TGACCACATCAAGTTCACCCAGAGTGCCCTGGACTGCATGGGCGTGGAGGTGGGGCGGCTGCGTGCCTTC
TTGAGGGTGGCAGGAGGCAACAGATATTGCCCTTCTTCTCGAGACCTGGAACATCATGTAGTGACA
CCCGTCAGTTCTGCAAGAAGATCCGAAGCGGATGCCGGGACGGATGCTCCTGGGATCCCAGCAGCGCT
GGCCTTTGGCTCACAGGTATCCGACACACTCCTGGACTGCAGGAAGCACTTGACGTGGTGGTAGCTGTT
CTGCAGGAGGTGGCAGCTGCAGCCGCCAGCTTATTGCCCTTGGCAGAGAACGAGGGGCTGCCTGTGG
CTGCACTGGAGGAGCTGGCCTTCAAAGCAAGCGAGCAGATCTACGGGAGCCCTCCAGCAGCCCTATGA
GTGTCTACGCCAGTCATGCACCATCCTCATCAGCACGATGAACAAGCTGGCCACAGCCATGCAAGAAGGC
GAGTATGACGCAGAGCGACCCCCGAGCAAGCCTCCTCCGGTTGAACCTCGGGCTGCAGCCCTGCGTGCA
AGATCACAGATGCTGAAGGTCTGGGTTTGAAGCTTGAGGATCGAGAGACAGTTATCAAGGAGTTAAAGAA
GTCACCTCAAGATTAAGGGAGAGGAGCTGAGTGAGGCCAACGTGCGGCTCAGCCTCCTGGAGAAGAAGTTG
GACAGCGCTGCCAAGGATGCAGACGAGCGAATCGAGAAAGTTGAGACAGGCTCCAGGCTGACATCGACCAGTGGA
TGCTGCGGAAGAAGGAGAAGACTTTGAGGAGACAATGGACGCACTCCAGGCTGACATCGACCAGTGGA
GGCAGAGAAGGCAGAGCTCAAGCAGCGCCTGAACAGCCAGTCCAAGCGCAATCGAGGGGCTCCGGGGC
CCCCCTCCGTGAGGCATCGCTACCTGGTCTCTGGCATCGCTGGTGGGAACCACAGCGAGGGGGCGCTC
CTGGGCAGGCTCCGGGCGCCTTGCAGGCCCGGGGCTGGTGAAGGACTCCCCACTGCTGCTTACAGCAGAT
CTCTGCTATGAGGCTACACATCTCTCAGCTCCAGCATGAGAACAGCATCCTCAGAGGAGCCAGATGAAG
GCGTCTTGCCAGCTCTGCCCCCTGTCATGTTGCAAAGCTTCCCTCCCACCCATGAGGGCCCCGGTG
GTAACCTAGTGGCTGGGCACTGTACCGCAAGACCAGCCAGCTCCTGGAGAACTAAACCAGCTGAGTAC
CCACCCACGTGGTGGATATCACTCGGAGCAGCCAGCTGCCAAGAGCCCGTCAGCTCAGCTTATGGAA
CAAGTGGCTCAGCTCAAGTCCCTGAGTGACACCATTGAGAAGCTCAAGGATGAGGTCTCAAGGAGACAG
TGAAGTCAAGGAGCAGCAAGATGACACAGTCTACATGGGCAAAGTGACCTTTTCATGCGCGGCAGGCCTAGGA
CAGCGACACCGCCTGGTGTGACCCAGGAGCAGCTGCACCAGCTTACAGTCGCCTCATCTCC

ACGCGTACGCGGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR222193 representing NM_007835
 Red=Cloning site Green=Tags(s)


MAQSRRHSSRTPSGSRMSTEASARPLRVGSRVEVIGKGRGTVAIVGATLFATGKWVGVILDEAKGKND
 GTVQGRKYFTCEDEGHGIFVRQSQIQVFEDGADTTSPETPDSSASKVLKREGADAAAKTSKLRGLKPKKAP
 TARKTTTRRPKPTRPASTGVAGPSSSLGPSGSASAGELSSSEPSTPAQTPLAAPIIPTPALTSPGAAPPL
 PSPSKEEEGLRAQVRDLEEKLETLRLKRSEDKAKLKELEKHKIQLEQVQEWKSKMQEQQADLQRRLEKEAR
 KEAKEALEAKERYMEEMADTADAITEMATLDKEMAEERAESLQQEVEALKERVDELTTDLLEILKAEIEEK
 SDGAASSYQKQLEEQNARKDALVRMRDLSSSEKQEHVKLQKLEKKNQEEVVRQQRRERLQEELSQA
 STIDELKEQVDAALGAEEMVEMLTDRNLNLEEKVRELRETVGDLEAMNEMNDELQENARETELELREQLD
 MAGARVREAQKRVEAAQETVADYQQTIKKYRQLTAHLQDVNREL TNQEEASVERQQPPPETFDKIKFA
 ETKAHAKAIEMELRQMEVAQANRHMSLLTAFMPDSFLRPGGDHDCVLLVLLMPRLICKAELIRKQAQEK
 DLSENCSEKPLRGAAGEQLSFAAGLVYSL SLLQATLHRYEHALSQCSVDVYKKGSLYPEMSAHERSLD
 FLIELLHKDQLETVNVEPLTKAIKYYQHLYSIHLAEQPEDSTMQLADHIKFTQSALDCMGVEVGRRAF
 LQGGQEATDIALLLRDLETSCSDTRQFCKKIRRRMPGTDAPGIPAALAFGSQVSDTL LDCRKHLLTWVVAV
 LQEVAAAAAQLIAPLAENGLPVAALEELAFKASEQIYGSPSSSPYECLRQSC TILISTMNKLATAMQEG
 EYDAERPPSKPPVELRAAALRAEITDAEGLGLKLEDRETVIKELKKS LKIKGEELSEANVRLS LLEKLL
 DSAAKDADERIEKVQTRLDETQTLRKKKEKDFEETMDALQADIDQLEAEKAEKQRLNSQSKRTIEGLRG
 PPPSGIATLVSGIAGEEPQRGGAPGQAPGALPGPGLVKDSPLLLQQISAMRLHISQLQHENSILRGAQMK
 ASLAALPPLHVAKLSLPPHEGPGGNLVAGALYRKTSQLLEKLNQLSTHVVVDITRSSPAAKSPSAQLME
 QVAQLKSLSDTIEKLDKDEVLETVTQRPQATVPTDFATFPSSAFLRAKEEQDDTVYMGKVTFSAAAGL
 QRHRLVLTQEQLHQLHSRLIS

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mm9094_c09.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_007835

ORF Size: 3843 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_007835.2](#), [NP_031861.2](#)

RefSeq Size: 4437 bp

RefSeq ORF: 3846 bp

Locus ID: 13191


UniProt ID: [O08788](#)

Cytogenetics: 6 35.94 cM

MW: 141.7 kDa

Gene Summary:

Plays a key role in dynein-mediated retrograde transport of vesicles and organelles along microtubules by recruiting and tethering dynein to microtubules. Binds to both dynein and microtubules providing a link between specific cargos, microtubules and dynein. Essential for targeting dynein to microtubule plus ends, recruiting dynein to membranous cargos and enhancing dynein processivity (the ability to move along a microtubule for a long distance without falling off the track). Can also act as a brake to slow the dynein motor during motility along the microtubule. Can regulate microtubule stability by promoting microtubule formation, nucleation and polymerization and by inhibiting microtubule catastrophe in neurons. Inhibits microtubule catastrophe by binding both to microtubules and to tubulin, leading to enhanced microtubule stability along the axon. Plays a role in metaphase spindle orientation. Plays a role in centriole cohesion and subdistal appendage organization and function. Its recruitment to the centriole in a KIF3A-dependent manner is essential for the maintenance of centriole cohesion and the formation of subdistal appendage. Also required for microtubule anchoring at the mother centriole. Plays a role in primary cilia formation. [UniProtKB/Swiss-Prot Function]

Product images:


Circular map for MR222193