

Product datasheet for MR222688L4

Dusp6 (NM_026268) Mouse Tagged Lenti ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Dusp6 (NM_026268) Mouse Tagged Lenti ORF Clone
Tag:	mGFP
Symbol:	Dusp6
Synonyms:	1300019I03Rik; MKP-3; MKP3; PYST1
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR222688).
Restriction Sites:	SgfI-MluI
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF.


ACCN:	NM_026268
ORF Size:	1143 bp



[View online »](#)

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_026268.3 , NP_080544.1
RefSeq Size:	2814 bp
RefSeq ORF:	1146 bp
Locus ID:	67603
UniProt ID:	Q9DBB1
Cytogenetics:	10 D1
Gene Summary:	Inactivates MAP kinases. Has a specificity for the ERK family (By similarity). Plays an important role in alleviating acute postoperative pain (PubMed:24155322, PubMed:28405172). Necessary for the normal dephosphorylation of the long-lasting phosphorylated forms of spinal MAPK1/3 and MAP kinase p38 induced by peripheral surgery, which drives the resolution of acute postoperative allodynia (PubMed:24155322). Also important for dephosphorylation of MAPK1/3 in local wound tissue, which further contributes to resolution of acute pain (PubMed:28405172).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR222688L4