

Product datasheet for **MR222848**

Piwil1 (NM_021311) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Piwil1 (NM_021311) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Piwil1
Synonyms:	MIWI
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide
Sequence:**

>MR222848 ORF sequence
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGACTGGCCGAGCCGAGCTCGGGCCCGCGGCAGGGCAGAGGTCAGGAGACGGTGCAGCATGTTGGGG
 CTGCTGCGAGCCAGCAACCTGGGTACATCCCACGAGACCTCAACAGTCCCCACAGAGGGGACTTGGT
 TGGCCGAGGACGACAGAGGGGATGGTAGTCGGAGCCACATCCAAGTCACAAGAAGTGCAGATCTCAGT
 GGGTTTCAGGAGCTGTCCTGGCAGAGAGAGGAGGGCGTCGCGGAGACTTCCATGACCTTGGTGTGAACA
 CCAGACAGAACCTTGACCATGTCAAAGAGTCAAAGACAGGCTCCTCTGGCATCATTGTGAAGCTGAGCAC
 CAACCACTTCCGGCTGACCTCGCGCCACAGTGGGCCCTGTATCAGTACCACATCGACTACAATCCCCTG
 ATGGAGGCCCGAAGGCTTCGCTCCGCACTGCTCTTCCAGCATGAAGACCTCATTGGAAGGTGCATGCTT
 TCGATGGGACAATATTGTTTTACCTAAGAGACTACAGCACAAGGTCACAGAAGTATTAGTCAGACTCG
 GAATGGGGAACAGTGAAGATCACCATCACCTGACCAACGAGCTGCCGCCACCTCGCCACCTGCCTG
 CAGTTCTATAACATCATCTTCAGGAGGCTCTTGAAAATCATGAATTTGCAACAAATTGGACGGAATTATT
 ACAATCCAAGTGACCCGATTGATATTCCAACACAGGTTGGTGTACTGGCCCGGCTTACCACCTCCAT
 CCTTCAGTATGAGAAACATCATGCTCTGCACAGACGTCAGCCACAAGGTGCTCCGACGAGACTGTC
 CTAGACTTCATGTTCAATCTATACCAGCAGACAGAGGAGCACAAGTTCAGGAGCAAGTGTGCAAGGAGC
 TCATAGGCCTCATCGTTCTACCAAGTACAATAACAAGACCTACCGGGTGGATGACATTGACTGGGACCA
 GAATCAAAGAGCACCTCAAGAAGCGGATGGCTCGGAGGTGAGTTCCTGGAGTACTACAGGAAGCAA
 TACAACAGGAGATCACGACCTGAAGCAGCCGGTGTGGTGAAGCAACCAAGCGGAGGAGAGGCCCGG
 GCGGCACTTGCCTGGCCAGCTATGCTCATCCCTGAACCTGCTATCTCACAGGCTGACTGATAAAAT
 GCGCAATGATTTCAATGTGATGAAGACCTGGCAGTGCACACGCGGCTGACCCCTGAGCAGCGGCAGCGG
 GAGGTGGGCCGCTCATCGACTACATCCACAAGGATGACAATGTGCAGAGAGAGCTTCGAGACTGGGGCC
 TGAGTTCGACTCAAACCTGCTGTCTTCTCTGGAAGAATCTTACAATCTGAGAAGATCCACCAGGGCGG
 AAAGACGTTTGATTACAACCCACAATTTGCAGACTGGTCCAAAGAAACAAGAGGCGCGCCGCTGATCAGC
 GTGAAGCCATTGGATAACTGGCTGCTGATCTATACCCGAGGAATTATGAAGCAGCAACTACTGATAC
 AGAACCTGTTCAAAGTACTCCAGCCATGGGCATCCAGATGAAAAAGGCAATCATGATCGAGGTGGATGA
 CAGAACAGAAGCTTATCTGAGAGCCTTGACGAGAAAGGTGACGTCAGACACTCAGATAGTTGTCTGTCTC
 TTGTCAAGTAATCGAAGGACAAATATGATGCCATCAAGAAGTACTTGTGTACAGACTGCCCCACCCCAA
 GTCAAGTGTGGTGGCCCGGACCCTGGCAAGCAGCAAACAGTCATGGCCATTGCCACCAAGATCGCCCT
 GCAGATGAACTGCAAGATGGGAGGCGAGCTCTGGCGGGTGGACATGCCCTGAAACTGGCAATGATCGTG
 GGCATCGACTGTTACCATGACACCACAGCTGGGCGGAGGTCCATCGCAGGATTTCGTGCCAGCATCAATG
 AAGGGATGACCCGCTGGTTCTCCCGCTGCGTCTTTCAGGACCGCGGGCAGGAGCTGGTGGATGGTCTCAA
 GGTGTGCTTGAAGCTGCTCTGAGGGCTTGAGTGGTGAATGAATACATGCCAGCCGTGTCATCGTG
 TACCGAGACGGTGTGGGGACGGGCAGCTGAAGACCCTGGTCAATTATGAGGTCCACAGTTCCTAGATT
 GCCTCAAGTCAGTCGGGAGAGGTTACAACCAAGACTGACTGTAATCGTGGTGAAGAAGCGTGTCAATGC
 CAGGTTTTTTGCTCAGTCTGGGGAAAGACTTCAGAACCCTCTTCCAGGGACAGTCATCGATGTGGAAGTC
 ACCAGACCAGAGTGGTATGACTTTTTTCATCGTGAGCCAGGCAGTGAGAAGCGGGAGTGTGTCCCAACAC
 ACTACAATGTCATCTATGACAGCAGTGGCCTGAAGCCCGACCACATCCAGCGGCTGACATACAAGCTCTG
 CCACGTGTAATAATTGGCCTGGAGTCAATCCAGTCCCTGCACCTTGCCAGTATGCACACAAGCTGGCC
 TTCCTCGTGGCCAGAGCATCCACAGAGAGCCAAACCTCTCCCTGTCCAACCGCTCTACTACCTC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>MR222848 protein sequence
 Red=Cloning site Green=Tags(s)


MTGRARARARGRARGQETVQHVGAASQQPGYIPPRPQQSPTEGDLVGRGRQGMVVGATSKSQELQISA
 GFQELSLAERGGRRRDFHDLGVNTRQNLDHVKESKTGSSGIIVKLSTNHFRLLTSRPQWALYQYHIDYNPL
 MEARRLSALLFQHEDLIGRCHAFDGTILFLPKRLQHKVTEVFSQTRNGEHVRLITLTLNELPPTSPTCL
 QFYNIIFRRLKIMNLQQIGRNYNPSDPIDIPNHRLVIWPGFTTSILQYENNIMLCTDVSHKVLRSRSETV
 LDFMFNLYQQTEEHKFQEQVSKELIGLIVLTKYNNKTYRVDDIDWDQNPSTFKKADGSEVSFLEYRQK
 YNQEITDLKQPVLVSQPKRRRGGTLPGPAMLIPELCYLTGLTDKMRNDFNVMKDLAVHTRLTPEQRQR
 EVGRLIDYIHKDDNVQRELRDWGLSFDNSLLSFSGRILQSEKIHQGGKTFDYNPQFADWSKETRGAPLIS
 VKPLDNWLLIYTRRNYEAANSLIQNLFKVTAPAMGIQMKKAIMIEVDDRTEAYLRALQQKVTSDTQIVVCL
 LSSNRKDYDAIKKYLCTDCPTPSQCVVARTLGKQQTVMIAIATKIALQMNCKMGGELWRVDMPLKLAMIV
 GIDCYHDTTAGRRSIAGFVASINEGMTRWF SRCVFQDRGQELVDGLKVCLQAALRAWSGCNEYMP SRVIV
 YRDGVGDGQLKTLVNYEVPQFLDCLKSVGRGYNPRLTVIVVKKRVNARFFAQSGGRLQNPLPGTVIDVEV
 TRPEWYDFFIVSQAVRSGSVSPHYNVIYDSSGLKPDHIQRLTYKLCHVYYNWPGVIRVPAPCQYAHKLA
 FLVGQSIHREPNLSLSNRLLYYL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

Sgfl-MluI

Cloning Scheme:




ACCN:	NM_021311
ORF Size:	2589 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_021311.3 , NP_067286.1
RefSeq Size:	3944 bp
RefSeq ORF:	2589 bp
Locus ID:	57749
UniProt ID:	Q9JMB7
Cytogenetics:	5 67.86 cM
MW:	98.6 kDa

Gene Summary:

Endoribonuclease that plays a central role in postnatal germ cells by repressing transposable elements and preventing their mobilization, which is essential for the germline integrity (PubMed:11578866, PubMed:22121019, PubMed:21237665). Acts via the piRNA metabolic process, which mediates the repression of transposable elements during meiosis by forming complexes composed of piRNAs and Piwi proteins and governs the methylation and subsequent repression of transposons (PubMed:11578866, PubMed:22121019, PubMed:21237665). Directly binds methylated piRNAs, a class of 24 to 30 nucleotide RNAs that are generated by a Dicer-independent mechanism and are primarily derived from transposons and other repeated sequence elements (PubMed:11578866, PubMed:22121019, PubMed:21237665). Strongly prefers a uridine in the first position of their guide (g1U preference, also named 1U-bias) (PubMed:24757166). Not involved in the piRNA amplification loop, also named ping-pong amplification cycle (PubMed:22121019). Acts as an endoribonuclease that cleaves transposon messenger RNAs (PubMed:22121019). Besides their function in transposable elements repression, piRNAs are probably involved in other processes during meiosis such as translation regulation (PubMed:16938833). Probable component of some RISC complex, which mediates RNA cleavage and translational silencing (PubMed:16938833). Also plays a role in the formation of chromatoid bodies and is required for some miRNAs stability (PubMed:16787948). Required to sequester RNF8 in the cytoplasm until late spermatogenesis; RNF8 being released upon ubiquitination and degradation of PIWIL1 (PubMed:28552346).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR222848