

Product datasheet for MR222870L4

Ddr2 (NM_022563) Mouse Tagged Lenti ORF Clone

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Expression Plasmids							
Ddr2 (NM_022563) Mouse Tagged Lenti ORF Clone							
mGFP							
Ddr2							
AW495251; Ntrkr3; tyro10							
Puromycin							
pLenti-C-mGFP-P2A-Puro (PS100093)							
Chloramphenicol (34 ug/mL)							
The ORF insert of this clone is exactly the same as(MR222870).							
Sgfl-Mlul							
Cloning sites used for ORF Shuttling:							
Sgf i ORF Miu i GCG ATC GCC ATG // NNÑ ACG CGT							

EcoR I		Bam	нт		RE	25		_	Koza Consei		-		OF	
												0.		
CIAIAGGGGGGGGGGGGGGGGAAIICGIC	GACI	GGAI	CCGG	IACC	GAG	JAGA	ICIG	LLGL	CGCG	AICG		G	 	-
	Mlu I			Notl_Xhol				mGFP Tag						
NNŇ	ACG	CGT R	ACG	CGG R	CCG P	стс	GAG E	ATG M	AGC	GGG	GGC		 	
GGA CTC AGA GTT TGO G L R V	GTA		AGC			-	-							

ACCN: ORF Size: NM_022563 2562 bp



View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


* The last codon before the Stop codon of the ORF.

ORIGENE Ddr2 (NM_022563) Mouse Tagged Lenti ORF Clone – MR222870L4
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM 022563.2, NP 072075.2</u>
RefSeq Size:	8306 bp
RefSeq ORF:	2565 bp
Locus ID:	18214
UniProt ID:	<u>Q62371</u>
Cytogenetics:	1 76.84 cM
Gene Summary:	Tyrosine kinase that functions as cell surface receptor for fibrillar collagen and regulates cell differentiation, remodeling of the extracellular matrix, cell migration and cell proliferation. Required for normal bone development. Regulates osteoblast differentiation and chondrocyte maturation via a signaling pathway that involves MAP kinases and leads to the activation of the transcription factor RUNX2. Regulates remodeling of the extracellular matrix by up-regulation of the collagenases MMP1, MMP2 and MMP13, and thereby facilitates cell migration and tumor cell invasion. Promotes fibroblast migration and proliferation, and thereby contributes to cutaneous wound healing.[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Product images:



Circular map for MR222870L4

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US