

Product datasheet for **MR222919L4V**

Cux1 (NM_198602) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	Cux1 (NM_198602) Mouse Tagged ORF Clone Lentiviral Particle
Symbol:	Cux1
Synonyms:	CDP; Cutl1; Cux; Cux-1
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_198602
ORF Size:	2028 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR222919).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	NM_198602.2 , NP_941004.2
RefSeq Size:	2972 bp
RefSeq ORF:	2031 bp
Locus ID:	13047
Cytogenetics:	5 75.96 cM



[View online »](#)

Gene Summary:

Transcription factor involved in the control of neuronal differentiation in the brain. Regulates dendrite development and branching, and dendritic spine formation in cortical layers II-III (PubMed:20510857). Also involved in the control of synaptogenesis (Probable). In addition, it has probably a broad role in mammalian development as a repressor of developmentally regulated gene expression. May act by preventing binding of positively-activating CCAAT factors to promoters. Component of nf-munr repressor; binds to the matrix attachment regions (MARs) (5' and 3') of the immunoglobulin heavy chain enhancer. Represses T-cell receptor (TCR) beta enhancer function by binding to MARbeta, an ATC-rich DNA sequence located upstream of the TCR beta enhancer. Binds to the TH enhancer; may require the basic helix-loop-helix protein TCF4 as a coactivator.[UniProtKB/Swiss-Prot Function]