

Product datasheet for MR223239

Acin1 (NM_001085473) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Acin1 (NM_001085473) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Acin1
Synonyms:	2610036I19Rik; 2610510L13Rik; Acinus; acinusL; acinusS; Acn; C79325; mKIAA0670
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
ORF Nucleotide Sequence:	>MR223239 representing NM_001085473 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTGGGGACGGAAACGACCGAACAGCTCCGGAGAAACCCGGGAATTCTGAGCGGTAATAGAGGGGTAG
ACTATGGCAGTGGGCGGGCCAATCCGGTCCGTTCAAGGGCGTTGGCGGAAATTACCGAAGATGCCGA
AGCCGTCGGGACGGACCCGAGTACCTCAGCAAGATGGCGGAGCTGGAGGAGGTGACTCTGGACGGGAAG
CCTCTTACAGGCTCTGCGGGTACCGACCTGAAGGCCGCACTGGAGCAGCGAGGCCTAGCCAAGAGCGGGC
AGAAGAGTGCCTTGGTCAAGCGGCTCAAAGGGGCTCTAATGCTAGAAAATTTACAAAAACTCAACACC
CCATGCTGCATTCAGCCAAATTCACAGATCGGGGAGGAAATGAGCCAGAACAGCTTCATAAAGCAGTAT
CTGAAAAAGCAGCAGGAGCTACTTAGGCAGCGCCTGGAACGGGAAGCTCGGGAGGCTGCGGAACCTGAA
AAGCCTCAGTGAGTCGGAGGACGAGATGACCCATCCTGAGGGAGTGGCTTCCCTGCTGCCTCCTGATTT
TCAGAGCAGCCTGAACAGACCAGAGCTGGAGCTCAGCACACATTCACCCGAAAGAGCTCCTCTTTTTCT
GAAGAAAAAGGAGAATCTGATGATGAGAAGCCGAGGAAAGGGAAAGACGATCATCCAGAGTTAGACAGG
CAAAATCTAACTCCCTGAGTACAGTCACTGCTGAGGAGGAAGAGGATCAAGAGACACCATCTAGAAA
CCTGAGGGTCAGAGCAGATCGAAAATTTAAAAATAGAGGAGGAGGAAGAAGAAGAGGAAGAAGAAGAT
GACGATGATGAAGAGGAAGAGGAGGTAGATGAGGCACAGAAATCTAGAGAGGCTGAGGCACCAACCTGA
AGCAGTTTGGAGTGAAGAAGGGGAAGAGAGGACCAGAGCAAAACCAGAAAAGGTGGTGGATGAGAAAAC
CCTAAACATCAGATCCCAGGAAAAGGGTGAAGTTAGAGAAAAGGAGGGCGAGTTACTAGATCCCAAGAAGAA
GCTAGAAGAAGTCATCTGGCCAGACAGCAACAAGAGAAAGAGACAAAATGTTTCTCCTCCTCAAGAAG
AAAATGAGGTAAGTCTTCACAAAGTTGGAGGAAAAATCCAGTCTCCTCCCCACCTCCGCTTCTCTGA
AGACCTAGAGAAGGCCCTGTTGTGCTGCAGCCAGAACAGATAGTCAGTGAAGAGGAAACACCCCCACCT
TTACTTACCAAGGAAGCGTCATCTCCACCAACTCATATACAACCTCAGGAAGAGATGGAGCCAGTGGAA
GCCAGCACCCCTGTCCCTATTGCTCCTCCTAACACAGATGCTGGAGCCAGGGAGCCACTAGC
GTCTCCTCACCTGCGCAGCTGTAAGAAGCCTGTCTCCTTTGTGAGGACTACAGACACCAAAGCAGAG
TCTCCAGCAGGGAGAGTGTGAGTGTGCTCCTGCTCCTGAGGCTCAGAAAAGCTCACTGCCTGAATGCT



[View online »](#)

CCACCCAGAAGGGTGTGAAAGTGAGCGTGAAAAGTCTGCTCCCCTCCCTCTAACAGTGGAGGAGTTCGC
ACCTGCCAAAGGCATCACTGAGGAACCTATGAAGAAACAGTCTTTGGAACAGAAGGAGGGCAGAAGAGCC
TCCCATGCTCTCTTCCCAGAGCACAGTGGGAAGCAGTCAGCCGACTCATCCTCTAGCAGGTCCTCTCCC
TTTCATCTCCAGCTCTCCATCCAGATCTCCATCTCCTGACAGTGTGGCTTCCCGCCACAGTCGTCTCC
AGGATCTAAGCAGAGAGATGGAGCCCAAGCAGGATTCATGCCAACCTCAGGAGACCAAGATGGGC
TCCAGGTCAACTTCAGAGTCCAGGTCACGTTCCCGATCTCGTTCCCGTCCCGCTCAAGCAGCAGCAGAA
AATCTCTGAGCCCTGGAGTCTCCAGAGATAGCAACACCAGCTACACTGAAACCAAAGATCCCTCTGTGG
TCAGGAGGCTGCAGTCCATCTGGGCCACAGCTGCAGGTCCTTGAACCAAAGGAGAAGGCTCCCAGGTTT
TCAGCATCTGTCCGGGGAGGCATCTGAGCCATCCTGAGCCAGAGCAACAGCACGTGATCCAGAGTTGC
AGCCGGAGCAGGGGAGCCAAAGAAGTGTGAAGCTGAAGAGGCAGAGCCACCAGTGCACACAGCCTCA
AACCTCAGAGACTCAGATCTCTCATCTGCTAGAATCAGAAAGGACTCATCACACTGTTGAAGAGAAGGAG
GAAGTGACCATGGACACCAGTAAAACAGACCTGAAAATGAGGTGCCTGAGCCTCCTCTGCCTGTTGCAG
ACCAAGTCAGCAATGATGAGCGCCAGAGGGTGGTGTGAAGAAGAGGAAAAGAAAGAGAGTTTCATGCC
CAAGTCATTCAAGAGGAAAATCTCCGTTGTCTCAGCTACCAAGGGGGTGAAGCTGGAACAGTGACACA
GAGGGGGGCCAGCTGGCCGAAAACGCCGTTGGGGAGCCAGCAGTCCCGGACACAGAAGAAACCGTCCA
TCAGTATCACCACTGAGTCACTCAAGGAGGCTGTTGTGGATCTTCATGCCGATGACTCCCGAATCTCTGA
GGATGAGACAGAGCGTAATGGCGACGATGGGACCCATGACAAGGGACTGAAGATATGCCGGACAGTCACT
CAGGTAGTACCCGAGAGGGCCAGGAGAATGGGCAGAGGGAAGAGGAAGAAGAGAAAGAGCCTGAAGCCG
AGCTGCCGGCGCCACCCAGGTGTCAAGTGGAGGTTGCCTTGCCTCCACCTGTGGAGCACGAAGTAAAGAA
AGTAACATTAGGAGATACCTTAACCCGGAGGTCCATCAGCCAACAGAAGTCTGGAGTTTCCATTACAATT
GATGACCCAGTCCGACCGCCAGGTGCCCTCCCACCCAGGGGCAAGATCAGTAACATTGTCCACATCT
CCAACCTGGTTCGTCCTTCACTTTAGGCCAGCTGAAGGAATTATTGGGGCGTACAGGAACCTTTGGTGA
AGAGGCTTCTGGATAGACAAGATCAAATCTCATTGCTTTGTGACGTAATCTACAGTACAGGAAGCCGTT
GCCACCCGCACAGCTCTGCACGGGGTCAAGTGGCCCAAGTCCAAACCCAAATTCCTTTGTGCTGACTATG
CTGAGCAAGATGAGCTGGACTATCACCGGGGACTCTTGGTAGATCGGCCATCTGAAACTAAGGCAGAGGA
ACAGGGAGACCAAGGCCCTGCATCCCCACCCACCCCAAGTCCAGCCACCGCCACCCCGGGCT
GAGCAGCGGGAGCAGAAAGGGCTGTTTCGAGAGCAATGGGCAGAACGGGAACGGGAAATGGAGCGCCGGG
AGAGGACTCGGTCTGAGAGAGAAATGGGATCGGGACAAAGTTCGAGAGGGACCCCGCTCCCGATCACGGTC
CCGTGACCGCCCGGAAAGAGCGAGCAAAATCTAAAGAAAAGAAGAGTAAAAGAAAAGAAAAGCCAG
GAGGAGCCACCTGCCAAGCTGCTGGATGACCTTCCGTAAAGACTAAGGCAGTCCCTGCATCTATTGGC
TCCCTCTGACTGAGAGCCAAATTGTTTCAGAAGGAGGCAGAGCAAGCTGAACGGGCCAAGGAGCGGGAGAA
GCGGCGAAAAGAACGAGAAGAAGAACAAGGAAACGGGAGAAAGGAGCTGAGCGGGAACGGAACCGG
CAGCTAGAACGGGAGAAGAGGAGGGAGCACAGCAGGGAGAGAGAGGGACAGGGAGAGAGCGGGACA
GGGGTGACCGAGAGCGGGAGAGGGAGCGAGACCGAGGCAGGGAGAGGGATCGCAGAGACACCAA
GCGCCACAGCAGAAGCCGGAGTCGAAGCACACCTGTACGGGACCGGGTGGGCGCCGC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA


Protein Sequence: >MR223239 representing NM_001085473
Red=Cloning site Green=Tags(s)


```
MWGRKRPNSSGETRILSGNRGVDYGSGRGQSGPFEGRWKLPKMPEAVGTDPTSRKMAELLEVTLDGK
PLQALRVTDLKAALRGLAKSGQKSALVKRLKCALMLNLQKHSTPHAAFQPNISQIGEEMSQNSFIKQY
LEKQQLLRQLREAREAAELEEASAESEDEMTHEPVGASLLPPDFQSSLRPELELSTHSPRKSSFS
EEKGESDDEKPRKGERRSSRVQAKSKLPEYSQTAEEDQETPSRNLVRADRNLKIEEEEEEEEEEEED
DDDEEEVEDEAQSREAEAPTLKQFEDEEGERTRAKPEKVVDEKPLNIRSQEKGELEKGRVTRSQEE
ARRSHLARQQQEKETQIVSLPQEENEVKSQSLSEKSSQSPSPPLPEDLEKAPVVLQPEQIVSEETPPP
LLTKEASSPPTHIQLQEEMEPVEGPAPPVLIQLSPPNTDAGAREPLASHPAQLLRSLSPSGTDTDKAE
SPAGRVSDSVLPLAQKSSLPKSTQKGVESEREKSAPLPLTVEEFAPAKGITEEPMKKQSLEQKEGRRRA
SHALFPEHSGKQSDSSSRSSSSSSSSSRSPSPDVSASRPQSSPGSKQRDGAQARVHANPHERPKMG
SRSTSESRSRSRSSASSSSRKSLSPGVSRSNTSYTETKDPSCGQEAAPSGPQLQVLEPKEKAPTF
SASVGRHLSHPEPEQQHVIQRLQPEQGSPPKCEAAEAEPAAATQPQTSETQISHLLESERTHHTVEEKE
EVTMDTSENRPENEVPEPPLPVADQVSNDRPEGGAEKESMPKSFKRKISVVSATKGVQAGNSDT
EGGQPGRRRWGASTAATQKKPSISITTESLKEAVVDLHADDSRISEDETERNGDDGTHDKLKI CRTVT
QVVAEQQENGQREEEEEEKEPEAELPAPQVSVEVALPPPVEHEVKVTLGDTL TRRSISQKSGVSI TI
DDPVRTAQVPSPPRGKISNI VHSNLV RPTLGLQKELLGRTGLTVEEAFWIDKIKSHCVTYSTVEEAV
ATRTALHGKWPQSNPKFLCADYAEQDEL DYHRGLLVDRPSETKAEQAGAPRPLHPPPPPVQPPHPR A
EQREQERAVREQWAEREREMERRERTRSEREWRDKVREGPRSRSRSDRRRKRERAKSKEKKSEKKEKAQ
EPPAKLLDDLFRKTKAAPCIYWLPLTESQIVQKEAEQAERAKEREKRRKEREEEEQKEREKEAERERNR
QLEREKRRHSRERERDRERDRGDRERERDRDRGRERDRDRDKRHSRSRSTPVRDRGRR
```

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

Cloning Scheme:



Plasmid Map:


ACCN: NM_001085473

ORF Size: 3978 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001085473.2](#), [NP_001078942.2](#)

RefSeq Size: 4715 bp

RefSeq ORF: 3981 bp

Locus ID: 56215

UniProt ID: [Q9JIX8](#)

Cytogenetics: 14 C2

MW: 149.9 kDa

Gene Summary: Auxiliary component of the splicing-dependent multiprotein exon junction complex (EJC) deposited at splice junction on mRNAs. The EJC is a dynamic structure consisting of core proteins and several peripheral nuclear and cytoplasmic associated factors that join the complex only transiently either during EJC assembly or during subsequent mRNA metabolism. Component of the ASAP complexes which bind RNA in a sequence-independent manner and are proposed to be recruited to the EJC prior to or during the splicing process and to regulate specific excision of introns in specific transcription subsets; ACIN1 confers RNA-binding to the complex. The ASAP complex can inhibit RNA processing during in vitro splicing reactions. The ASAP complex promotes apoptosis and is disassembled after induction of apoptosis. Involved in the splicing modulation of BCL2L1/Bcl-X (and probably other apoptotic genes); specifically inhibits formation of proapoptotic isoforms such as Bcl-X(S); the activity is different from the established EJC assembly and function. Induces apoptotic chromatin condensation after activation by CASP3. Regulates cyclin A1, but not cyclin A2, expression in leukemia cells (By similarity).[UniProtKB/Swiss-Prot Function]