

Product datasheet for MR223279

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Hmga1 (NM_001166539) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Hmga1 (NM_001166539) Mouse Tagged ORF Clone

Tag: Myc-DDK
Symbol: Hmga1

Synonyms: AL023995; Hmg; HMG-I(Y; Hmga; Hmga1a; Hmga1b; Hmgi; HMGI(Y; Hmgiy; Hmgy

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >MR223279 representing NM_001166539
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

AGGAGCAG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR223279 representing NM_001166539

Red=Cloning site Green=Tags(s)

MSESGSKSSQPLASKQEKDGTEKRGRGRPRKQPPKEPSEVPTPKRPRGRPKGSKNKGAAKTRKVTTAPGR

KPRGRPKKLEKEEEEGISQESSEEEQ

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Restriction Sites: Sgfl-Mlul






Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: NM_001166539

ORF Size: 288 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

ORÏGENE

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001166539.1</u>, <u>NP 001160011.1</u>

 RefSeq Size:
 1761 bp

 RefSeq ORF:
 291 bp

 Locus ID:
 15361

 UniProt ID:
 P17095

 Cytogenetics:
 17 14.5 cM

MW: 11.1 kDa

Gene Summary: This locus encodes a member of the nuclear, non-histone high mobility group protein family.

This architectural transcription factor binds to A-T rich DNA sequences and participates in enhanceosome formation, chromatin remodeling and regulation of transcription. This protein functions in many cellular processes, including cell growth and differentiation. Alternatively

spliced transcript variants have been described. [provided by RefSeq, Oct 2009]