

Product datasheet for MR223303L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Casr (NM_013803) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Casr (NM_013803) Mouse Tagged ORF Clone Lentiviral Particle

Symbol:

CaR; Gprc2a Synonyms: **Mammalian Cell** Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK NM 013803 ACCN: **ORF Size:** 3237 bp

ORF Nucleotide

OTI Disclaimer:

Sequence:

The ORF insert of this clone is exactly the same as(MR223303).

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 013803.2

RefSeq Size: 4549 bp RefSeq ORF: 3240 bp Locus ID: 12374 **UniProt ID:** Q9QY96 Cytogenetics: 16 25.57 cM







Gene Summary:

G-protein-coupled receptor that senses changes in the extracellular concentration of calcium ions and plays a key role in maintaining calcium homeostasis (By similarity). Senses fluctuations in the circulating calcium concentration and modulates the production of parathyroid hormone (PTH) in parathyroid glands (PubMed:7493018). The activity of this receptor is mediated by a G-protein that activates a phosphatidylinositol-calcium second messenger system (By similarity). The G-protein-coupled receptor activity is activated by a coagonist mechanism: aromatic amino acids, such as Trp or Phe, act concertedly with divalent cations, such as calcium or magnesium, to achieve full receptor activation (By similarity). [UniProtKB/Swiss-Prot Function]