

Product datasheet for MR223361L4

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US

Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Eif4g1 (NM_001005331) Mouse Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Eif4g1 (NM 001005331) Mouse Tagged Lenti ORF Clone

Tag: mGFP Symbol: Eif4g1

Synonyms: E030015G23Rik; eIF4GI

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(MR223361).

Sgfl-Mlul

Sequence:

Restriction Sites: Cloning Scheme:

Cloning sites used for ORF Shuttling:

Sgf 1 ORF Mlu I

GGG ATC GC ATG ---//--- NNN ACG CGT ---



^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001005331

ORF Size: 4779 bp



Eif4g1 (NM_001005331) Mouse Tagged Lenti ORF Clone - MR223361L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001005331.1, NP 001005331.1</u>

RefSeq Size: 5460 bp
RefSeq ORF: 4782 bp
Locus ID: 208643
Cytogenetics: 16 B1


Gene Summary: This gene encodes a member of the eukaryotic translation initiation factors (eIF) that play

important roles in translation initiation by mediating recruitment of additional initiation factors and providing a scaffold for ribosome/mRNA-bridging. Along with eIF4A and eIF4E, the encoded protein forms the eIF4F complex that bridges the 5' UTR with the polyadenylated 3' UTR resulting in mRNA circularization, enhanced translation initiation and mRNA stability. Through its association with eIF3, the encoded protein mediates recruitment of the 43S preinitiation complex to mRNA. Alternative splicing of this gene results in multiple transcript variants. Pseudogenes for this gene have been identified on chromosomes 2 and 13.

[provided by RefSeq, Jan 2015]



Product images:



Circular map for MR223361L4