

Product datasheet for MR223429L3

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

Glmn (NM_001161738) Mouse Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Glmn (NM_001161738) Mouse Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Glmn

Synonyms: 9330160J16Rik; AW227515; Fap48; Fap68

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Sgfl-Mlul

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(MR223429).

Sequence:

e:

Restriction Sites: Cloning Scheme:

Cloning sites used for ORF Shuttling:

Sgf 1 ORF Mlu I

--- GCG ATC GC ATG ---//--- NNN ACG CGT ---



^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_001161738

ORF Size: 1788 bp



Glmn (NM_001161738) Mouse Tagged Lenti ORF Clone - MR223429L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001161738.1</u>, <u>NP 001155210.1</u>

 RefSeq Size:
 2001 bp

 RefSeq ORF:
 1791 bp

 Locus ID:
 170823

 UniProt ID:
 Q8BZM1

 Cytogenetics:
 5 E5

Gene Summary: Regulatory component of cullin-RING-based SCF (SKP1-Cullin-F-box protein) E3 ubiquitin-


protein ligase complexes. Inhibits E3 ubiquitin ligase activity by binding to the RING domain of RBX1 and inhibiting its interaction with the E2 ubiquitin-conjugating enzyme CDC34. Inhibits RBX1-mediated neddylation of CUL1 (By similarity). Required for normal stability and normal cellular levels of key components of SCF ubiquitin ligase complexes, including FBXW7, RBX1, CUL1, CUL2, CUL3, CUL4A, and thereby contributes to the regulation of CCNE1 and MYC levels (PubMed:22405651). Essential for normal development of the vasculature

(PubMed:22405651). Contributes to the regulation of RPS6KB1 phosphorylation (By

similarity).[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for MR223429L3