

Product datasheet for MR223743L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Ncoa2 (NM_008678) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Ncoa2 (NM_008678) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Ncoa2

Synonyms: bHLHe75; D1Ertd433e; GRIP-1; Grip1; KAT13C; NCoA-2; SRC-2; TIF2

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM 008678

ORF Size: 4386 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(MR223743).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 008678.2, NP 032704.2

 RefSeq Size:
 8213 bp

 RefSeq ORF:
 4389 bp

 Locus ID:
 17978

 UniProt ID:
 Q61026

 Cytogenetics:
 1 4.12 cM







Gene Summary:

Transcriptional coactivator for steroid receptors and nuclear receptors. Coactivator of the steroid binding domain (AF-2) but not of the modulating N-terminal domain (AF-1). Required with NCOA1 to control energy balance between white and brown adipose tissues. Critical regulator of glucose metabolism regulation, acts as RORA coactivator to specifically modulate G6PC expression. Involved in the positive regulation of the transcriptional activity of the glucocorticoid receptor NR3C1 by sumoylation enhancer RWDD3. Positively regulates the circadian clock by acting as a transcriptional coactivator for the CLOCK-ARNTL/BMAL1 heterodimer (PubMed:24529706).[UniProtKB/Swiss-Prot Function]