

Product datasheet for MR223801

Sarnp (NM_025364) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Sarnp (NM_025364) Mouse Tagged ORF Clone

Tag: Myc-DDK

Symbol: Sarnp

Synonyms: 1110005A23Rik; Cip29

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)ORF Nucleotide>MR223801 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGCGGCCGAGACGGTGGAGCTCCACAAGCTGAAGCTTGCTGAACTAAAGCAAGAATGTCTTGCTCGTG
GTTTAGAGACCAAGGGAATAAAACAAGATCTTATAAATAGGCTGCAGGCCTATCTTGAAGACCATGCAGA
AGAAGAAGCAAATGAAGAAGATGTACTGGGAGATGAAACTGAGGAAGAAGAACCAAAGCCCATAGAACTG
CCTGTTAAAGAGGAAGAACCTCCTGAAAAGGCTGTTGATATGGCATCGGAAAAGAAGGTGGTAAAGATTA
CATCTGGGATACCTCAGACTGAAAAGAATGCAGAAGAGGGCTGAACGATTCAATGTACCTGTAAGCCTGGA
GAGTAAGAAGGCTGCCCGGGCGGCTAGGTTTGGAATTTCTTCAGTTCCAACAAAAAGGTTTATCATCTGAC
ACCAAGCCTATGGTTAACCTGGATAAACTAAAGGAAAAGAACAGAGATTTGGTTTGAATGTCTCTTCCA
TCTCTAGAAAGTCTGAGGATGATGAGAAGCTGAAGAAAACGAGAGAATTTGGGATTGTGACAAGTTC
AGCTGGAACTGGAACCACAGAGGATACAGAGGCAAAGAAAAGAAAAAGAGCAGAGCGTTTTGGAATTGCA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR223801 protein sequence

Red=Cloning site Green=Tags(s)

MAAETVELHKLKLAELKQECLARGLETKGIKQDLINRLQAYLEDHAEEEANEEDVLGDETEEEEPKPIEL PVKEEEPPEKAVDMASEKKVVKITSGIPQTERMQKRAERFNVPVSLESKKAARAARFGISSVPTKGLSSD TKPMVNLDKLKERAQRFGLNVSSISRKSEDDEKLKKRKERFGIVTSSAGTGTTEDTEAKKRKAERFGIA

TRTRPLEQKLISEEDLAANDILDYKDDDDKV



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_025364

ORF Size: 633 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 025364.3</u>

RefSeq Size: 1064 bp
RefSeq ORF: 633 bp
Locus ID: 66118
UniProt ID: Q9D1|3




Cytogenetics: 10 D3

MW: 23.5 kDa

Gene Summary: Binds both single-stranded and double-stranded DNA with higher affinity for the single-

stranded form. Specifically binds to scaffold/matrix attachment region DNA. Also binds single-stranded RNA. Enhances RNA unwinding activity of DDX39A. May participate in important transcriptional or translational control of cell growth, metabolism and carcinogenesis. Component of the TREX complex which is thought to couple mRNA transcription, processing and nuclear export, and specifically associates with spliced mRNA and not with unspliced premRNA. TREX is recruited to spliced mRNAs by a transcription-independent mechanism, binds to mRNA upstream of the exon-junction complex (EJC) and is recruited in a splicing- and cap-dependent manner to a region near the 5' end of the mRNA where it functions in mRNA export to the cytoplasm via the TAP/NFX1 pathway (By similarity).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR223801