

Product datasheet for MR223835

Golga2 (NM_133852) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Golga2 (NM_133852) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Golga2
Synonyms:	AW555139; GM130; mKIAA4150
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR223835 representing NM_133852 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCCGCATCGCC

ATGTGGCCCCCGCTTCCCCCTCCCCGCCCGGGATGTCGGAAGAAACCAGGCAGAGCAAATTGGCTG
CGGCCAAGAAAAAGCTGAGAGAGTATCAGCAGAAGAACAGCCCGGGTGTCTCAGGAGCAAAGAAGAA
GAAAAAGATTAATAATGGCCATAGCCAGAGAGACCCACTGCCAGTGACTGTCAGTCACCAGAGAATATT
AAGGACATTCTGAAGGTGCTGGTGTCCGACCTAACCGTTCCAATGGGGTCTCACTCCCCCATTAGACA
AGAGGAAGGTGCCACAGACCATATTGCTCCTGCACCGCAACCGCTGCTACTGACACTATGTTTCTTGG
TGTCAACCCCTTCCCTGATGCTGACCTCACTCAGAGCCATGATGCTGGCAATTGCTCTAACCTCATGGAG
GAGACCAAGACTTCTCATCGACTGAGAGTCTGCGACAACCTTCTCAACAGCTCAATGGCCTTGTGTCTG
AGTCTACATCCTACATCAACGGGGAGGGCCTCACATCTTCCAACATGAAGGAACTGGAGAACCGGTACCA
AGAGCTAGCAGTAGCCCTGGACTCCAGCTATGTAACAAACAAACAACTCAGTAGCACGATAGAGGAATTG
AAACAACAGAACCAAGACACTCTGGATCAACTGGAGAAAGAGAAGAAGGATTATCAGCAGAAGCTGGCAA
AGGAGCAGGGCTCTCTCAGGGAACAGCTGCAGGTTACATTACAGCCATAGGCATCTCTGGTGTCTGAGAA
GGCAGAATTACAGACGGCCCTGGCCACACTCAGCAAGCAGCCAGGCAGAAAGCAGGAGAGTCCGAGGAT
CTTGCCAGCCGACTACAGTCTCCGACAGCGTGTGGGAGAGCTGGAGCGGACACTGTCTACCGTGTCAA
CGCAACAGAAACAGGCAGACAGGTATAACAAGGACCTAACCAAGAGCGGGATGCCCTCAAGCTGGAGCT
GTATAAGAAACAGCAAAAGCAATGAGGACCTGAGGCAGCAGAACTCAGAACTGGAAGAGAAACTCCGAGTC
CTGGTGGCAGAGAAAGCAGCTGCACAGTTGGGGTGGAGGAGCTGCAGAAGAAGTTAGAGATGTCAGAGC
TGCTGCTGCAGCAGTTTTCTAGTCAGTCTTCGGCCGAGGCGGTAATGAGCAGTTACAACATGCCATGGA
GGAGCGGGCTCAGCTGGAGACCCATGTTAGCCAGCTGATGGAATCACTGAAGCAGCTCCAGGTGGAGAGA
GACCAGTATGCGGAGAACCTAAAAGGAGAGAGTGCCATGTGGCAGCAGAGGTTACAGCAATGGCGGAGC
AGGTGCATACACTGAAGGAAGAGAAGGAGCACAGAGAACGGCAGGTACAAGAGCTGGAGACCAGCTTGGC
CGCACTCCGAGTCAGATGGAGGAGCCACCGCCTCCAGAGCTCCAGCTGGGCCCTCCGAGGCGGAAGAG



[View online »](#)

CAGCTGCAGGGAGAGGTCGAGCAGCTGCACAAGAACTGGAGAGGCTGACGGGACAGCTACGGGCTCAGG
 TGCAGGACAATGAGAGCCTGAGCCACCTCAACCGGGAGCAGGAGGGGCGTCTGCTGGAGCTGGAGCGGA
 GGCCACGCGTGGAGCGAGCAGGCCGAGGAGCGCAAGCAGATCCTGGAGAGCATGCAGAGTGACCGCACC
 ACCATCAGCAGAGCACTGTCACAGAACCAGAGCTGAAGGAGCAGCTGGCCGAGCTGCAGAACGGCTTCG
 TCAGGCTGACCAATGAGAACATGGAGATCACCAGTGCCTGCAGTCAGAGCAGCATGTCAAGAAAGAGCT
 AGCCCCGAAGCTGGGAGAGCTGCAGGAGAGACTGGGAGAGCTGAAGGAGACGGTGGAGCTCAAGAGCCAA
 GAAGCACAGGGTCTACAGGAGCAGCGAGACCAGTGCCTGTCCCACCTGCAGCAGTACGCTGCTGCTTACC
 AACAGCATTGGCGGCCTATGAGCAGCTGACCTCTGAGAAGGAGGCAATACACAAGCAGTCTCTGCTGCA
 GACTCAGCTCATGGACCAGCTGCAGCATGAGGAGGTACAGGGCAAGATGGCAGCCGAGCTGGCCCCCAG
 GAGCTGCAGGAGGCCAGGAGCGCCTAAAAGCTACCAGCCAGGAGAACCAACAGCTCCAAGCCCAGCTGA
 GCCTCTTGGTCTCCCTGGGAAGGAGATGTGGACCAGGAGGAAGAAGATGAGGAGGTTCTCAGTCGAG
 TCTGGCCATCCCAGAAGACCTAGACAGTAGAGAGGCCATGGTGGCATTCTTTAATGCCGTATAGCCAGA
 GCAGAGGAAGAACAGGCCGACTACGTGTGCAGCTGAAAGAGCAGAAGGCACGTTGCCGGAGTTGTCTC
 ACTTGGCAGCCCCAGTCAAAGCAAGCTTGAAGAGGAGGAGTGGTCCCCAGGAATGTGGATGACTCTGC
 ATCTGAGGAGAGCAATCAGGCCCTACATGTAGCCATGGAGAAGCTGCAGAGCCGTTCTGGAGGTCATG
 CAGGAGAAAGTGAGCTCAAGGAGAGGGTAGAGGAGCTTGAACATTGCTGCATTAGCTTCTGGAGAGA
 CAGACACCATTGGAGAGTACATTGCCCTTACAAAATCAGAGGGCGGTGCTGAAGGCTCGGCATTTGGA
 GAAGGAAGAATACATCAGCCGGCTGGCTCAGGACAAGGAGGAGATGAAGGTGAAGCTGCTGGAGCTCCAG
 GAGCTGGTGTGAGGCTTGTGAACGAGCGCAATGAATGGCAGGGCAAGTTCTGGCCGCTCTCAGAACC
 CTGGTGACGTGCTACCCAGTGCACAGGCTCCCAGGAATTTGGTGTGCTGACCAGCAGGATGACCT
 CAGGGAGTGAGCCTGGCTGACGATATAGAGCTGCACAAGGAGAGGCAGGGTACCTGCTCCCCATGAG
 AACCTACTGCACAGCAGATCATGCAGCTGCTGCGTGAGATCCAGAACCCCGGGAGCGCCAGGCTGG
 GTAGCAACCCTTGCATCCCCTTTTCTACCGTGCCGATGAGAACGACGAGGTGAAGATCATGGTTGTA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>MR223835 representing NM_133852
 Red=Cloning site Green=Tags(s)

MWPPRFPPPRPGMSEETRQSKLAAAKKLEREYQKNSPGVPAGAKKKKIKNGHSPERPTASDCQSPENI
 KDILKVLVSDLNRSNGVSLPPLDKRKVPTDHIAPAPPTAATDTMFLGVTPSPDADLTQSHDAGNCSNLME
 ETKTFSSSTESLRQLSQQLNGLVSESTSYINGEGLTSSNMKELENRYQELAVALDSSYVTNKQLSSTIEEL
 KQQNQDLDQLEKEKKDYQQKLAKQGSREQLQVHIQTIIGILVSEKAELQTLAHTQQAARQKAGESED
 LASRLQSSRQRVGELERTLSTVSTQQKQADRYNKDLTKERDALKLELYKNSKSNEDLRQQNSELEEKLRV
 LVAEKAAAQLGVEELQKKLEMSLELLQQFSSQSSAAGGNEQLQHAMEERAQLETHVSQLMESLKQLQVER
 DQYAENLKGESAMWQQRVQMAEQVHTLKEEKEHRERQVQLETSLAALRSQMEPPPPPEPPAGPSEAE
 QLQGEVEQLHKELERLTGQLRAQVQDNESLSHLNREQEGRLELEREAQRWSEQAERKQILESMQSDRT
 TISRALSQNRELKEQLAELQNGFVRLTNEIMEITSALQSEQHVKKELARKLGELQERLGELKETVELKSQ
 EAQGLQEQRDQCLSHLQQYAAAYQQHLAAYEQLTSEKEATHKQLLLQTQLMDQLQHEEVQGMMAELARQ
 ELQEAQERLKATSQENQQQAQLSLLVLPGEQDQVEEEDVEVPQSSLAIPEDLDSREAMVAFNAAIAR
 AEEEQARLRVQLKEQKARCRSLSHLAAPVQSKLEKEAVVPRNVDDSASEESNQALHVAMEKLSRFLVEM
 QEKVELKERVEELEHCCIQLSGETDTIGEYIALYQNRAVLKARHLEKEEYISRLAQDKEEMKVKLLELQ
 ELVLRVNERNVQKFLAVSQNPQDVLTPVPTGSQEFGAADQDDLREVSLADDIEPAQGEAGVPAPHE
 NPAAQIMQLLREIQNPRERPGLSNPCIPFFYRADENDEVKIMVV

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms:

https://cdn.origene.com/chromatograms/ja2999_a06.zip

Restriction Sites:

Sgfl-Mlul

Cloning Scheme:


ACCN: NM_133852

ORF Size: 3081 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.


The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_133852.2 , NP_598613.2
RefSeq Size:	4477 bp
RefSeq ORF:	3081 bp
Locus ID:	99412
Cytogenetics:	2 B
MW:	116.3 kDa
Gene Summary:	<p>Peripheral membrane component of the cis-Golgi stack that acts as a membrane skeleton that maintains the structure of the Golgi apparatus, and as a vesicle tether that facilitates vesicle fusion to the Golgi membrane (PubMed:28028212). Required for normal protein transport from the endoplasmic reticulum to the Golgi apparatus and the cell membrane (PubMed:28028212). Together with p115/USO1 and STX5, involved in vesicle tethering and fusion at the cis-Golgi membrane to maintain the stacked and inter-connected structure of the Golgi apparatus. Plays a central role in mitotic Golgi disassembly: phosphorylation at Ser-37 by CDK1 at the onset of mitosis inhibits the interaction with p115/USO1, preventing tethering of COPI vesicles and thereby inhibiting transport through the Golgi apparatus during mitosis. Also plays a key role in spindle pole assembly and centrosome organization (By similarity). Promotes the mitotic spindle pole assembly by activating the spindle assembly factor TPX2 to nucleate microtubules around the Golgi and capture them to couple mitotic membranes to the spindle: upon phosphorylation at the onset of mitosis, GOLGA2 interacts with importin-alpha via the nuclear localization signal region, leading to recruit importin-alpha to the Golgi membranes and liberate the spindle assembly factor TPX2 from importin-alpha. TPX2 then activates AURKA kinase and stimulates local microtubule nucleation. Upon filament assembly, nascent microtubules are further captured by GOLGA2, thus linking Golgi membranes to the spindle (By similarity). Regulates the meiotic spindle pole assembly, probably via the same mechanism (PubMed:21552007). Also regulates the centrosome organization (By similarity). Also required for the Golgi ribbon formation and glycosylation of membrane and secretory proteins (By similarity).[UniProtKB/Swiss-Prot Function]</p>

Product images:



Circular map for MR223835