

Product datasheet for MR224152

Smarca2 (NM_011416) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Smarca2 (NM_011416) Mouse Tagged ORF Clone
Tag: Myc-DDK
Symbol: Smarca2
Synonyms: 2610209L14Rik; brahma; brm; SNF2alpha; Snf2l2
Mammalian Cell Selection: Neomycin
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
ORF Nucleotide Sequence: >MR224152 representing NM_011416
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCCCGGATCGCC

ATGTCCACACCCACAGACCCAGCAGCAATGCCCATCCTGGGCCCTCCCCGGGGCCTGGACCCTCTCCTG
 GACCAATTCTGGGGCCTAGTCCAGGACCAGGACCATCCCCAGGTTCTGTGCACAGCATGATGGGTCTAG
 TCCCGGACCTCCCAGCGTCTCACATCCTCTGTCAACGATGGGCTCTGCAGACTTCCCACAGGAAGGCATG
 CACCAATTACATAAGCCCATGGATGGGATACATGACAAAGGATTGTAGAAGATGCCACTGTGGATCCA
 TGAAGGGCACCAGCATGCGCCCCACACCCAGGAATGGGCCCTCCACAGAGCCCCATGGACCAGCACAG
 CCAAGGTTATATGTCACCACATCCGTCTCCTCTGGGAGCCCCGGAGCACGTCTTAGCCCTATATCTGGA
 GGAGGCCCAACCCACCCAGATGCCACCGAGCCAGCCAGGGGCACTCATCCCAGGAGATCCGCAGGCCA
 TGAACCAGCCTAACAGAGGTCCCTCGCCTTTCAGTCTGTGCAGCTGCATCAGCTTCGAGCTCAGATTTT
 AGCTTACAAAAATGTTGGCCAGGGGCCAGCCTCTCCCTGAAACTCTGCAGCTGGCAGTCCAGGGAAAAAGG
 ACCTTGCTGGCATGCAGCAGCAGCAGCAACAACAACAGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGC
 AGCAACAGCAGCAACAACAGCAGCCCCAGCAGCCTCAGCAGCAGGCTCAGGCACAGCCCCAGCAGCAGCA
 GCAACAGCAGCAGCAGCCAGCTTTGTTAGCTATAATCGACCATCTGGCCCCGGGCAGGAGCTGCTACTG
 AGTGGCCAGAGCGCTCCGCAGAAGCTGTACAGCACCAGCACAAGCGGCCGACCTTACCGGCACCCAGG
 CCGCCGTCCAGCCCAGGCCACAGCGGTGCCCGGCCCTCCGTGCAGCAGCCCCGCCAGGGCAGCCGTC
 TCCGGTCTACAGCTGCAACAGAAGCAGAGCCGCATCAGCCCCATCCAGAAACCGCAAGGCTGGACCCG
 GTGGAGATCCTGCAGAACGAGAGTACAGACTTCAAGCTCGCATCGCTCATAGGATACAAGAACTGGAAA
 GTCTGCCTGGTTCCTTGCCACCAGATTTACGCACCAAGCAACCGTGGAAGTCAAAGCACTTCGCTTACT
 CAACTTCAAACGTGAGTGCAGCAGGAGGTGGTGGCCTGCATGCGGAGGGACACCACCTGGAGACGGCC
 CTCAACTCAAAGCATATAAGCGGAGCAAGCGCCAGACCTGCGTGAGGCACGCATGACAGAGAACTGG
 AGAAGCAGCAGAAGATAGAACAGGAGAGGAAACCGGCCAGAAACACCAGGAATACCTGAACAGTATTTT
 GCAACATGCAAAAAGATTTAAGGAATATCACCGGTCTGTGGCCGGAAGATCCAGAAGCTCTCAAAGCA



[View online »](#)

GTGGCGACTTGCCATGCTAACACAGAAAGGGAGCAGAAGAAGGAGACGGAGCGGATCGAGAAGGAGAGAA
TGCGGAGGCTGATGGCCGAAGATGAAGAGGGCTACAGGAAGCTTATTGACCAAAAGAAAGACAGACGCTCT
CGCCTACCTATTGCAGCAGACCGATGAGTATGTCGCAATCTGACCAACCTGGTGTGGGAGCACAAGCAG
GCCAAGCAGCCAAAGAGAAGAAGAAGAGGAGGAGGAGGAAGAAGAAGGCTGAAGAGAATGCAGAGGGAG
GGGAACCTGCCCTGGGACCAGATGGAGAGCCAAATAGATGAAAGCAGCCAGATGAGTGACCTGCCTGTCAA
AGTGACACACACAGAAACTGGCAAGTCTCTTTGGACCAGAAGCACCCAAAGCAAGTCACTGGATGCC
TGGCTGGAGATGAATCCTGGTTACGAAGTTGCACCCAGATCTGACAGTGAAGAGAGTGAATCGGACTACG
AGGAGGGAGATGAAGAAGAAGAGTCCAGTAGGCAGGAAACCGAGGAGAAGATACTGCTGGATCCCAACAG
TGAAGAAGTTTCCGAAAAGGATGCCAAGCAGATCATTGAGACTGCGAAGCAGGACGTGGACGACGAATAC
AGCATGCAGTACAGTGCCAGAGGCTCTCAGTCTACTACACGGTGGCTCACGCTATCTCTGAGAGGGTGG
AGAAGCAGTCTGCCCTCCTCATTAAACGGCACCCCTAAAGCATTACCAGCTCCAGGGCTGGAATGGATGGT
TTCCCTGTATAATAACAATCTGAACGGAATCTTAGCTGATGAAATGGGGCTAGGCAAGACCATCCAGACC
ATTGCACTCATCAGTATCTGATGGAGCACAAAAGGCTCAATGGTCCCTACCTCATCATCGTCCCTCTCT
CGACTCTGTCTAACTGGACATATGAATTTGACAAATGGGCTCCTTCTGTGGTGAATAATTTCTTACAAGG
TACCCCTGCCATGCGACGCTCCCTCGTTCCCGAGCTACGGAGTGGCAAATCAATGCTCCTCTGACTACT
TACGAGTACATTAAAAAGACAAGCACATCTTTCGAAAGATTCGGTGAAGTACATGATCGTGGACGGAAG
GCCACCGGATGAAGAATCACCCTGCAAGCTAACCCAGGTCTGAACACACACTATGTGGCCCCAGGCG
GATCCTTCTGACTGGGACCCCACTGCAGAATAAGCTTCCGGAACCTCTGGGCCCTCCTCAACTTCTCCTC
CCTACAATCTTCAAGAGTTGCAGCACATTTGAGCAGTGGTTAATGCTCCATTTGCCATGACCGGTGAAA
GGGTGGACCTGAACGAAGAAGAAACGATTTTGATCATCAGGCGTCTACACAAGGTGCTGAGACCTTTTT
ACTGAGGAGGCTGAAGAAAGAGGTTGAGTCTCAGCTTCCGAAAAGGTTGAGTATGTGATCAAGTGTGAC
ATGTGAGTCTGCAGAAGATTCTGTACCGTACATGCAAGCCAAAGGGATCCTCCTCACGGACGGGTCTG
AGAAAGATAAGAAGGGGAAAGGAGGTGCCAAGCACTTATGAACACCATCATGCAGTGCAGAAAAATATG
CAACCACCATATATGTTTCAGCACATTGAGGAATCCTTTGCTGAACACCTGGGCTATTGGAATGGGGT
ATCAATGGGGCTGAGCTGTATCGGGCTCGGAAAAGTTTGGAGTCTTGTGATCGTATTCTGCCAAATTTGA
GAGCGACTAACCCCGCTGCTGCTTTTCTGCCAGATGACGCTCACTCATGACCATTATGGAGGATTACTT
TGCTTTTCCGAACTTCTGTACCTGCGCTTACGGCACCACCAAGTCTGAAGATCGTGTGCTTTGCTA
AAGAAATTCATGAACCTGGGTCCAGTATTTTCTTTTCTTGTGAGCACAAGAGCAGGGGGCTGGGCT
TAAATCTTACGGCGCAGACACGGTGGTCAATTTGACAGCGACTGGAATCCTCACCAGGATCTGCAGGC
CCAAGACCGAGCTCACCGCATTGGCCAACAAAACGAGGTCCGGGTGCTGAGGCTTTGCACCGTCAACAGT
GTGGAGGAAAAGATTCTCGCGGCTGCCAAGTACAAGCTGAACGTGGATCAGAAGTTATCCAAGCAGGCA
TGTTTGACAGAAAGTATCCAGCCACGAGCGGAGGGCTTCTGACAGGCCATTCTGGAGCACGAGGAGGA
GAATGAGGAAGAAGATGAGGTACCAGACGACGAGACCCTGAACCAGATGATTGCTCGCCGGGAGGAAGAA
TTTGATCTTTTTATGCGCATGGACATGGACCGGCGGAGGGAGGATGCCCGGAACCCGAAGCGCAAACCC
GCTTGTGAGGGAAGATGAGTGCCTCCTGGATTATCAAGGATGACGCCGAAGTGGAAAGGCTCACCTG
TGAAGAAGAGGAGGAGAAGATATTTGGGAGGGCTCTCGCCAGCGCCGGGATGTGGACTACAGTGTGCC
CTCACCGAGAAGCAATGGCTCAGGGCCATCGAAGACGGCAATTTGGAAGAAATGGAAGAGGAGGTACGGC
TTAAGAAGAGAAAAGACGAAGAAATGTGGATAAAGACCCCGTGAAGGAAGATGTGGAAAAAGCGAAGAA
AGAAGAGGCGCCCTCCGGCTGAGAAGTTGTACCAAATCCCCAAAATAACGAAGCAGATGAACGCC
ATCATTGATACTGTGATAAACTACAAAGACAGTTCAGGGCGACAGCTCAGTGAAGTCTTATTAGTTAC
CTTCCAGGAAAAGACTTACCAGAATACTATGAATTAATTAGGAAGCCAGTGGATTTCAAAAAGATAAAGGA
GCGAATCCGTAATCATAAGTATCGGAGCCTGGGAGACCTGGAGAAAGACGTATGCTTCTCTGTCAAC
GCACAGACATTCAACTTGGAAAGGATCCCAGATCTACGAAGACTCCATTGCTTACAGTCACTGTTTAAAG
GTGCTCGGCAGAAAATTGCCAAGAAGAAGAGAGTGGAGAAAGCAATGAAGAAGAGGAAGAAGATGA
TGAAGAGGAGTCGGAGTCAGAGGCGAAAATCTGTGAAGGTGAAAATCAAGCTGAATAAAAAGGAAGAGAAA
GGCCGGGACACAGGGAAGGGCAAGAAGCGGCAAAACCGAGGCAAAAGCCAAACCCGTCGTGAGCGATTTG
ACAGTACGAGGAACAGGAAGAGAACGAACAGTCAAGAAGCAAGTGAAGTGAATGATAACGAG

ACGCGTACGCGGCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_011416.2](#), [NP_035546.2](#)

RefSeq Size: 5831 bp

RefSeq ORF: 4752 bp

Locus ID: 67155


UniProt ID: [Q6DIC0](#)

Cytogenetics: 19 21.17 cM

MW: 180.7 kDa

Gene Summary:

Involved in transcriptional activation and repression of select genes by chromatin remodeling (alteration of DNA-nucleosome topology). Component of SWI/SNF chromatin remodeling complexes that carry out key enzymatic activities, changing chromatin structure by altering DNA-histone contacts within a nucleosome in an ATP-dependent manner. Binds DNA non-specifically (PubMed:22952240, PubMed:26601204). Belongs to the neural progenitors-specific chromatin remodeling complex (npBAF complex) and the neuron-specific chromatin remodeling complex (nBAF complex). During neural development a switch from a stem/progenitor to a postmitotic chromatin remodeling mechanism occurs as neurons exit the cell cycle and become committed to their adult state. The transition from proliferating neural stem/progenitor cells to postmitotic neurons requires a switch in subunit composition of the npBAF and nBAF complexes. As neural progenitors exit mitosis and differentiate into neurons, npBAF complexes which contain ACTL6A/BAF53A and PHF10/BAF45A, are exchanged for homologous alternative ACTL6B/BAF53B and DPF1/BAF45B or DPF3/BAF45C subunits in neuron-specific complexes (nBAF). The npBAF complex is essential for the self-renewal/proliferative capacity of the multipotent neural stem cells. The nBAF complex along with CREST plays a role regulating the activity of genes essential for dendrite growth. [UniProtKB/Swiss-Prot Function]

Product images:


Circular map for MR224152