

Product datasheet for MR224167L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Adarb1 (NM_001024837) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Adarb1 (NM_001024837) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Adarb²

Synonyms: 1700057H01Rik; AD; Adar2; AW124433; AW558573; BB220382; D10Bwg0447e; RED; Red1

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

ACCN: NM_001024837

ORF Size: 2133 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(MR224167).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 001024837.2</u>, <u>NP 001020008.1</u>

 RefSeq Size:
 6602 bp

 RefSeq ORF:
 2136 bp

 Locus ID:
 110532

 UniProt ID:
 Q91ZS8

Cytogenetics: 10 39.72 cM







Gene Summary:

This gene encodes a double-stranded-RNA-specific adenosine deaminase that is involved in editing pre-mRNAs by site-specific conversion of adenosine (A) to inosine (I). Substrates for this enzyme include ionotropic glutamate receptors (GluR2-6) and serotonin receptor (5HT2C). Studies in rodents have shown that this protein can modify its own pre-mRNA by A-I editing to create a novel acceptor splice site, alternative splicing to which results in down regulation of its protein expression. Additional splicing events result in transcript variants encoding different isoforms. [provided by RefSeq, Jul 2008]