

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for MR224180L4V

Tcf7l2 (NM_001142921) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	Tcf7l2 (NM_001142921) Mouse Tagged ORF Clone Lentiviral Particle
Symbol:	Tcf7l2
Synonyms:	Tcf-4; Tcf4; TCF4B; TCF4E
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_001142921
ORF Size:	1341 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR224180).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001142921.1</u>
RefSeq Size:	4029 bp
RefSeq ORF:	1344 bp
Locus ID:	21416
UniProt ID:	<u>Q924A0</u>
Cytogenetics:	19 51.59 cM



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:Participates in the Wnt signaling pathway and modulates MYC expression by binding to its
promoter in a sequence-specific manner. Acts as repressor in the absence of CTNNB1, and as
activator in its presence. Activates transcription from promoters with several copies of the Tcf
motif CCTTTGATC in the presence of CTNNB1. TLE1, TLE2, TLE3 and TLE4 repress
transactivation mediated by TCF7L2/TCF4 and CTNNB1. Expression of dominant-negative
mutants results in cell-cycle arrest in G1 (By similarity). Necessary for the maintenance of the
epithelial stem-cell compartment of the small intestine.[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US