

Product datasheet for MR224187

Acin1 (NM_023190) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Acin1 (NM_023190) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Acin1
Synonyms:	2610036I19Rik; 2610510L13Rik; Acinus; acinusL; acinusS; Acn; C79325; mKIAA0670
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR224187 representing NM_023190 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCCGCATCGCC

ATGTGGGGACGGAACGACCGAACAGCTCCGGAGAAACCCGGGAATTCTGAGCGGTAATAGAGGGGTAG
ACTATGGCAGTGGGCGGGCCAATCCGGTCCGTTCAAGGGCGTTGGCGGAAATTACCGAAGATGCCCGA
AGCCGTCGGGACGGACCCGAGTACCTCACGAAGATGGCGGAGCTGGAGGAGGTGACTCTGGACGGGAAG
CCTCTTCAGGCTCTCGGGTGACCGACCTGAAGGCCGACTGGAGCAGCGAGGCCAGCCAAGAGCGGGC
AGAAGAGTGCCCTGGTCAAGCGGCTCAAAGGGGCTCTAATGCTAGAAAATTTACAAAAACTCAACACC
CCATGCTGCATTCCAGCCAAATTCACAGATCGGGGAGGAAATGAGCCAGAACAGCTTCATAAAGCAGTAT
CTGAAAAAGCAGCAGGAGCTACTTAGGCAGCGCCTGGAACGGGAAGCTCGGGAGGCTGCGGAACTTGAAG
AAGCCTCAGCTGAGTCGGAGGACGAGATGACCCATCCTGAGGGAGTGGCTTCCCTGCTGCCTCCTGATTT
TCAGAGCAGCCTGAACAGACCAGAGCTGGAGCTCAGCACACATTCACCCCGAAAGAGCTCCTCTTTTTCT
GAAGAAAAAGGAGAATCTGATGATGAGAAGCCGAGGAAAGGGGAAAGACGATCATCCAGAGTTAGACAGG
CAAAATCTAACTCCCTGAGTACAGTACAGTCTGACTGCTGAGGAGGAAGAGGATCAAGAGACACCATCTAGAAA
CCTGAGGGTCAGAGCAGATCGAAATTTAAAAATAGAGGAGGAGGAAGAAGAAGAGGAAGAAGAAGAAGAT
GACGATGATGAAGAGGAAGAGGAGGTAGATGAGGCACAGAAATCTAGAGAGGCTGAGGCCACCAACCCTGA
AGCAGTTTGAGGATGAAGAAGGGGAAGAGAGGACCAGAGCAAAACCAGAAAAGGTGGTGGATGAGAAAACC
CCTAAACATCAGATCCCAGGAAAAGGGTGAATGAGAAAAGGAGGGCGAGTTACTAGATCCCAAGAAGAA
GCTAGAAGAAGTCATCTGGCCAGACAGCAACAAGAGAAAGAGACACAAATGTTTCTCTCCCTCAAGAAG
AAAATGAGGTAAGTCTTCACAAAGTTTGGAGGAAAAATCCCAGTCTCCCTCCCCACCTCCGCTTCTCTGA
AGACCTAGAGAAGGCCCTGTTGTGCTGCAGCCAGAACAGATAGTCAGTGAAGAGGAAACACCCCACTT
TTACTTACCAAGGAAGCGTCATCTCCCAACTCATATACAACTCCAGGAAGAGATGGAGCCAGTGGAAAG
GCCAGCACCCCTGTCCTCATTAGTTGTCTCCTCCTAACACAGATGCTGGAGCCAGGGAGCCACTAGC
GTCTCCTACCCTGCGCAGCTGCTAAGAAGCCTGTCTCCTTTGTCAGGACTACAGACACCAAGCAGAG



TCTCCAGCAGGGAGAGTGTGAGATGAGAGTGCCTGCCTCTGGCTCAGAAAAGCTCACTGCCTGAATGCT
 CCACCCAGAAGGGTGTGAAAGTGAGCGTGAAAAGTCTGCTCCCCTCCCTAACAGTGGAGGAGTTCGC
 ACCTGCCAAAGGCATCACTGAGGAACCTATGAAGAAACAGTCTTTGGAACAGAAGGAGGGCAGAAGAGCC
 TCCCATGCTCTCTCCAGAGCAGAGTGGGAAGCAGTCAAGCCGACTCATCCTCTAGCAGGTCTCTCTCC
 TTTCATCTCCAGCTCTCCATCCAGATCTCCATCTCTGACAGTGTGGCTTCCCGCCACAGTCGCTCC
 AGGATCTAAGCAGAGAGATGGAGCCCAAGCAGAGTTCATGCCAACCTCAGGAGAGCCCAAGATGGGC
 TCCAGGTCAACTCAGAGTCCAGGTACAGTCCCGATCTCGTCCCGTCCGCTCAAGCAGCAGCAGAA
 AATCTCTGAGCCCTGGAGTCTCCAGAGATAGCAACACCAGCTACACTGAAACCAAAGATCCCTCTTGTTGG
 TCAGGAGGCTGCAGCTCCATCTGGGCCACAGCTGCAGGTCTTGAACCAAAGGAGAAGGCTCCCACGTTT
 TCAGCATCTGTCCGGGGAGGCATCTGAGCCATCTGAGCCAGAGCAACAGCAGTGTATCCAGAGTTGTC
 AGCCGGAGCAGGGGAGCCAAAGAAGTGTGAAGCTGAAGAGGCAGAGCCACCAGTGCACACAGCCTCA
 AACCTCAGAGACTCAGATCTCTCATCTGCTAGAATCAGAAAGGACTCATCACACTGTTGAAGAGAAGGAG
 GAAGTGACCATGGACACCAGTAAAACAGACCTGAAAAAGAGTGCCTGAGCCTCTCTGCTGTTGCAG
 ACCAAGTCAGCAATGATGAGCGCCAGAGGGTGGTGTGAAGAAGAGGAAAAGAAAGAGAGTTTCGATGCC
 CAAGTCATTCAAGAGGAAAATCTCCGTTGTCTCAGCTACCAAGGGGGTGAAGCTGGAAACAGTGACACA
 GAGGGGGGCCAGCTGGCCGAAAACGCCGTTGGGGAGCCAGCACTGCCCGGACACAGAAGAAACCGTCCA
 TCAGTATCACCCTGAGTCACTCAAGAGCCTCATCCCCGACATCAAAACCTGGCCGGGCAGGAGGCTGT
 TGTGGATCTTCATGCCGATGACTCCCGAATCTCTGAGGATGAGACAGAGCGTAATGGCGCAGATGGGACC
 CATGACAAGGGACTGAAGATATGCCGACAGTCACTCAGGTAGTACCCGACAGAGGGCCAGGAGAATGGGC
 AGAGGGGAAGAGGAAGAAGAGAAAGAGCCTGAAGCCGAGTGCAGGGCCACCCAGGTGTGAGTGGAGGT
 TGCTTGGCCCCACCTGTGGAGCAGCAAGTAAAGAAAGTAAACATTAGGAGATACCTTAACCCGGAGGTCC
 ATCAGCCAACAGAAGTCTGGAGTTTCCATTACAATTGATGACCCAGTCCGACCCGAGGAGTGCCTCCC
 CACCCAGGGGCAAGATCAGTAACATTGTCCACATCTCCAACCTGGTTCGTCCTTCACTTTAGGCCAGT
 GAAGGAATTATTGGGGCGTACAGGAACCTTGGTGAAGAGGCCTTCTGGATAGACAAGATCAAAATCTCAT
 TGCTTTGTGACGTACTCTACAGTAGAGGAAGCCGTTGCCACCCGACAGCTCTGCACGGGTCAAGTGGC
 CCCAGTCCAACCCCAAATTCCTTTGTGCTGACTATGCTGAGCAAGATGAGCTGGACTATCACCGGGGACT
 CTTGGTAGATCGGCCATCTGAAACTAAGGCAGAGGAACAGGGAGCACCAAGGCCCTGCATCCCCACCC
 CCACCCAGTCCAGCCACCGCCACCCCGGGCTGAGCAGCGGGAGCAGGAAAGGGCTGTTGAGAGC
 AATGGGCAGAACGGGAACGGGAAATGGAGCGCCGGGAGAGGACTCGGTCTGAGAGAGAATGGGATCGGA
 CAAAGTTCGAGAGGGACCCGCTCCCGATCACGGTCCCGTGACCCGCCCGGAAAGAGCGAGCAAAATCT
 AAAGAAAAGAAGAGTAAAAGAAAAGAAAAGCCAGGAGGAGCCACCTGCCAAGCTGCTGGATGACCTCT
 TCCGTAAGACTAAGGCAGCTCCCTGCATCTATTGGCTCCCTCTGACTGAGAGCCAAATGTTTCAGAAGGA
 GGCAGAGCAAGCTGAACGGGCCAAGGAGCGGGAGAAGCGGCGAAAAGAACGAGAAGAAGAAGAAAAG
 GAACGGGAGAAGGAAGCTGAGCGGGAACGGAACCCGGCAGCTAGAACGGGAGAAGAGGAGGGAGCACAGCA
 GGGAGAGAGAGAGGGACAGGGAGAGAGCGGGACAGGGGTGACCGAGAGCGGGAGAGGGAGCGAGACCG
 AGACCGAGGCAGGGAGAGGGATCGCAGAGACCAAGCGCCACAGCAGAAGCCGGAGTCAAGCACACCT
 GTACGGGACCGGGTGGGCGCCG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR224187 representing NM_023190
 Red=Cloning site Green=Tags(s)

```

MWGRKRPNSSGETRGILSGNRGVDYGSGRGQSGPFEGRWKLPKMPEAVGTDPTSRKMALEEVTLDGK
PLQALRVTDLKAALQRLAKSGQKLSALVKRLKGMLENLQKHSTPHAAFQPNISQIGEEMSQNSFIKQY
LEKQQLLRQLEREAREAAEEEAESAASEDEMTHPEGVASLLPPDFQSSLRPELELSTHSPRKSSSFS
EEKGESDDEKPRKGERRSSRVRQAKSKLPEYSQTAEEDQETPSRNLVRADRNLKIEEEEEEEEEED
DDDEEEVDEAQKSREAEAPTLKQFEDEEGERTRAKPEKVVDEKPLNIRSQEKGELEKGRVTRSQEE
ARRSHLARQQQEKETQIVSLPQEENEVKSQSLEEKSSQSPSPPLPEDLEKAPVVLQPEQIVSEETPPP
LLTKEASSPPTHIQLQEEMEPVEGPAPPVLIQLSPPNTDAGAREPLASHPAQLLRSLSPSGTDTDKAE
SPAGRVDESVLPLAQKSSLPECSTQKGVESEREKSAPLPLTVEEFAPAKGITEEPMKKQSLEQKEGRR
SHALFPEHSGKQADSSSSRSPSSSSSPSRSPSPDASRPQSSPGSKQRDGAQARVHANPHERPKMG
SRSTSESRSRSRSRSSASSSRKSLSPGVS RDSNTSYTETKDPSCGQEAAPSGPQLQVLEPKEKAPT
SASVRGRHLSHPEPEQQHVIQRLQPEQGSPPKCEAAEAEPAAATQPQTSETQISHLLESERTHTTVEE
EVTMDTSENRPENEVPEPLPVADQVSNDRPEGGAEKESMPKSFKRKISVVSATKGVQAGNSDT
EGGQPGKRWRGASTAATQKKPSISITTESLKSILPIDIKPLAGQEA VVDLHADDSRISEDETERNGDDGT
HDKGLKICRTVTQVPAEQENGQREEEEEKEPEAELPAPPQVSEVALPPPVEHEVKKVTLGDTLTRRS
ISQKSGVSIIDDPVRTAQVSPPRGKISNIVHISNLVRPFTLGQLKELLGRTGLTVEEAFWIDKIKSH
CFVTYSTVEEAVATRTALHGKWPQSNPKFLCADYAEQDELHYRGLLVDRPSETKAEQAGAPRPLHPPP
PPPVQPPHPRAEQREQERAVREQWAEREREMERRERTRSERWDRDKVREGPRSRSRDRRRRKRKAKS
KEKKSEKKEKAQEPPAKLLDDLFRKTKAAPCIYWLPLTESQIVQKEAEQAERAKERERKRRKEREQK
EREKEAERERNRQLEREKRREHSRERERDRERDRGDRERERDRDRGRERDRDRDTRKHSRSRSTP
VRDRGGRR
    
```

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mm9105_d01.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:




* The last codon before the Stop codon of the ORF

ACCN: NM_023190

ORF Size: 4014 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_023190.3 , NP_075679.2
RefSeq Size:	4751 bp
RefSeq ORF:	4017 bp
Locus ID:	56215
UniProt ID:	Q9JIX8
Cytogenetics:	14 C2
MW:	150.7 kDa
Gene Summary:	Auxiliary component of the splicing-dependent multiprotein exon junction complex (EJC) deposited at splice junction on mRNAs. The EJC is a dynamic structure consisting of core proteins and several peripheral nuclear and cytoplasmic associated factors that join the complex only transiently either during EJC assembly or during subsequent mRNA metabolism. Component of the ASAP complexes which bind RNA in a sequence-independent manner and are proposed to be recruited to the EJC prior to or during the splicing process and to regulate specific excision of introns in specific transcription subsets; ACIN1 confers RNA-binding to the complex. The ASAP complex can inhibit RNA processing during in vitro splicing reactions. The ASAP complex promotes apoptosis and is disassembled after induction of apoptosis. Involved in the splicing modulation of BCL2L1/Bcl-X (and probably other apoptotic genes); specifically inhibits formation of proapoptotic isoforms such as Bcl-X(S); the activity is different from the established EJC assembly and function. Induces apoptotic chromatin condensation after activation by CASP3. Regulates cyclin A1, but not cyclin A2, expression in leukemia cells (By similarity).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR224187