

Product datasheet for MR224279

Tnfsf18 (NM 183391) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Tnfsf18 (NM_183391) Mouse Tagged ORF Clone

Tag: Myc-DDK
Symbol: Tnfsf18

Synonyms: Gitrl; Tnlg2a

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)ORF Nucleotide>MR224279 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGAGGAAATGCCTTTGAGAGAGTCAAGTCCTCAAAGGGCAGAGAGGTGCAAGAAGTCATGGCTCTTGT
GCATAGTGGCTCTGTTACTGATGCTGCTCTTTTTTTGGGTACACTCAACACTCAACCTCAAGCCAAC
TGCCATCGAGTCCTGCATGGTTAAGTTTGAACTATCATCCTCAAAATGGCACATGACATCTCCCAAACCT
CACTGTGTGAATACGACATCTGATGGGAAGCTGAAGATACTGCAGAGTGGCACATATTTAATCTACGGCC
AAGTGATTCCTGTGGATAAGAAATACATAAAAGACAATGCCCCCTTCGTAGTACAGATATATAAAAAGAA
TGATGTCCTACAAACTCTAATGAATGATTTCAAATCTTGCCTATAGGAGGGGTTTATGAACTGCATGCT
GGAGATAACATATATCTGAAGTTCAACTCTAAAGACCATATTCAGAAAAAATAACACATACTGGGGGATCA
TCTTAATGCCTGATCTACCATTCATCTCT

 ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR224279 protein sequence

Red=Cloning site Green=Tags(s)

MEEMPLRESSPQRAERCKKSWLLCIVALLLMLLCSLGTLIYTSLKPTAIESCMVKFELSSSKWHMTSPKP HCVNTTSDGKLKILQSGTYLIYGQVIPVDKKYIKDNAPFVVQIYKKNDVLQTLMNDFQILPIGGVYELHA

GDNIYLKFNSKDHIQKNNTYWGIILMPDLPFIS

TRTRPLEQKLISEEDLAANDILDYKDDDDK**V**

Restriction Sites: Sgfl-Mlul



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM 183391

ORF Size: 522 bp

OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: <u>NM 183391.2</u>



RefSeq Size: 2064 bp

 RefSeq ORF:
 522 bp

 Locus ID:
 240873

 UniProt ID:
 Q7TS55

 Cytogenetics:
 1 69.75 cM


MW: 19.7 kDa

Gene Summary: Cytokine that binds to TNFRSF18/AITR/GITR (PubMed:14521928, PubMed:14647196).

Regulates T-cell responses (PubMed:14647196). Can function as costimulator and lower the threshold for T-cell activation and T-cell proliferation (PubMed:14608036, PubMed:15128759). Important for interactions between activated T-lymphocytes and endothelial cells. Mediates activation of NF-kappa-B (PubMed:14521928, PubMed:14647196, PubMed:18178614). Triggers increased phosphorylation of STAT1 and up-regulates expression of VCAM1 and ICAM1 (By similarity). Promotes leukocyte adhesion to endothelial cells (PubMed:23892569). Regulates migration of monocytes from the splenic reservoir to sites of inflammation

(PubMed:24107315).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR224279