

Product datasheet for MR224387

Rtn4rl2 (NM_199223) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Rtn4rl2 (NM_199223) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Rtn4rl2
Synonyms:	Ngr2; Ngrh1; Ngrl3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR224387 representing NM_199223 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGCTGCCGGGCTCCGGCGCCTGCTGCAAGGTCTGCCTCAGCCTGCCTACTGCTGACACTCCTGGCCC
TTCCTTCCGTGACCCCCAGCTGTCCTATGCTCTGCACCTGCTACTCCTCCCCGCCACCGTGAGCTGCCA
GGCCAACAACCTTCTCCTCAGTGCCGCTGCTTCCACCCAGTACACAGAGACTCTTCTGCAGAACAAC
CTCATCCGCTCACTGCGCCAGGCACCTTTGGGCCAACCTGCTCACCTGTGGCTTTCTCCAACAACC
TCTCCACCATCCACCCTGGCACCTTCCGCCACCTGCAGGCCCTAGAAGAAGTGGACCTCGGTGACAACCG
GCACCTGCGCTCCCTGGAGCCCCGACACCTTCCAGGGTCTGGAGAGGCTGCAGTCACTACACCTGTATCGT
TGCCAGCTCAGCAGCCTGCCTGGCAACATTTCCGAGGCTTGGTACGCTACAGTACCTCTACCTCCAGG
AGAACAGCCTGCTCCATCTACAGGATGACTTGTTCGCGGACCTGGCCAACCTGAGCCACCTCTTCTCCA
CGGGAACCGCCTGCGGCTGCTCACGGAGCACGTGTTCCGCGGCTTGGGCAGCCTGGACCGGCTGTTGCTG
CACGGGAACCGGCTGCAGGGCGTGACCCGCGGGCTTCCACGGCCTCAGCCGCCTACCATCCTTACC
TGTTCAACAACAGCCTGGCCTCGCTGCCGGGAGAGGCGCTGGCCGACCTGCCGGCCTCGAGTTCCTGCG
GCTCAACGCCAACCCCTGGGCGTGCGACTGCCGCGCTCGGCCGCTCTGGGCTTGGTCCAGCGCGCGCGG
GTGTCCAGCTCCGACGTGACCTGCGCACCCCGCCGAGCGCCAGGGCCGGGACCTGCGCGCTGCGCG
ACTCCGATTTCCAAGCGTGCCCGCCGCCACGCCACGCGCGGCGAGCCGCGCCCGCGCAACAGCTC
TTCCAACCACCTGTACGGCGTGGCCGAGGCTGGCGCTCCCCCGCAGACCCGTCACGCTTACCGAGAT
CTGCCCGCGAGGACTCGCGGGGGCGCCAGGGCGGGGACGCGCCACCGAGGACGACTACTGGGGGGCT
ACGGCGGCGAGGATCAGCGGGGCGAGCAGACGTGTCCCGGGCGCGTGCAGGCGCCCGCAGACTCGCG
TGGCCCCGCGCTCTCGGCCGGGCTGCGCACCCCTGCTCTGCCTCTTGGCCCTGGCGCTCCATCACCTC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >MR224387 representing NM_199223
Red=Cloning site Green=Tags(s)

MLPGLRRLQGPASACLLLTLALPSVTPSCPMLCTCYSSPPTVSCQANNFSSVPLSLPPSTQRLFLQNN
 LIRSLRPGTFGPNLLTLWLFNNLSTIHPGTFRHLQALEELDLDGDNRLRSLEPDTFQGLERLQSLHLYR
 CQLSSLPGNIFRGLVSLQYLQLQENSLHLQDDLADLANLSHLFLHGNRLRLLTEHVFRGLGSLDRLLL
 HGNRLQGVHRAAFHGLSRLTILYLFNNLSLALPGEALADLPALEFLRLNANPWACDCRARPLWAWFQRR
 VSSSDVTCATPPERQGRDLRALRDSDFQACPPPTPTRPGSRARGNSSNHLYGVAEAGAPPADPSTLYRD
 LPAEDSRGRQGGDAPTEDDYWGGYGGEDQRGEQTCPGAACQAPADSRGPALSAGLRTPLLCLLPLALHHL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mm9047_b01.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



* The last codon before the Stop codon of the ORF

ACCN: NM_199223

ORF Size: 1260 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_199223.1](#), [NP_954693.1](#)

RefSeq Size: 1263 bp

RefSeq ORF: 1263 bp

Locus ID: 269295


UniProt ID: [Q7M6Z0](#)

Cytogenetics: 2 D

MW: 46.5 kDa

Gene Summary: Cell surface receptor that plays a functionally redundant role in the inhibition of neurite outgrowth mediated by MAG (By similarity). Plays a functionally redundant role in postnatal brain development (PubMed:27339102). Contributes to normal axon migration across the brain midline and normal formation of the corpus callosum (PubMed:27339102). Does not seem to play a significant role in regulating axon regeneration in the adult central nervous system (PubMed:22406547). Protects motoneurons against apoptosis; protection against apoptosis is probably mediated by MAG (PubMed:26335717). Like other family members, plays a role in restricting the number dendritic spines and the number of synapses that are formed during brain development (PubMed:22325200). Signaling mediates activation of Rho and downstream reorganization of the actin cytoskeleton (PubMed:22325200).
[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR224387