

Product datasheet for MR224493L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Arfgap2 (NM_001166024) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Arfgap2 (NM 001166024) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Arfgap2

Synonyms: 2310032E02Rik; Zfp28; Zfp289

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

ACCN: NM_001166024

ORF Size: 1602 bp

ORF Nucleotide

OTI Disclaimer:

Cytogenetics:

The ORF insert of this clone is exactly the same as(MR224493).

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 001166024.1, NP 001159496.1

2 F1

 RefSeq Size:
 3409 bp

 RefSeq ORF:
 1605 bp

 Locus ID:
 77038

 UniProt ID:
 Q99K28

__







Gene Summary:

This gene encodes a zinc-finger-containing GTPase-activating protein for ADP ribosylation factor 1 (ARF1), a small GTPase that plays a role in coatomer-mediated vesicular trafficking. This gene product stimulates the hydrolysis of ARF1-bound GTP, which may lead to dissociation of coatomer from Golgi-derived membranes to allow fusion with target membranes. It may regulate the retrograde transport from the Golgi complex to the endoplasmic reticulum. Expression of this gene has been shown to be controlled by inhibitor of DNA binding 1 (Id1). Alternatively spliced transcript variants encoding different isoforms have been found for this gene. A pseudogene of this gene was identified on chromosome 6. [provided by RefSeq, Oct 2009]