

Product datasheet for MR224504

Kdr (NM_010612) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Kdr (NM_010612) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Kdr
Synonyms:	6130401C07; Flk-1; Flk1; Krd-1; Ly73; sVEGFR-2; VEGFR-2; VEGFR2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR224504 representing NM_010612 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCCGGATCGCC

ATGGAGAGCAAGGCGCTGCTAGCTGTGCTCTGTGTTCTGCGTGGAGACCCGAGCCGCTCTGTGGTT
TGCCTGGCGATTTCTCCATCCCCCAAGCTCAGCACACAGAAAGACATACTGACAATTTGGCAAATAC
AACCCCTCAGACTTGCAGGGGACAGCGGGACCTGGACTGGCTTTGGCCCAATGCTCAGCGTATTCT
GAGGAAAGGGTATTGGTACTGAATGCGCGGTGGTGACAGTATCTTCTGCAAAACTCACCATTCCCA
GGGTGGTTGAAATGATACTGGAGCCTACAAGTCTCGTACCGGGACGTCGACATAGCCTCCACTGTTTA
TGCTATGTTTCGAGATTACAGATCACCATTTCATCGCCTCTGTGAGTACCATGCGATCGTGTACATC
ACCGAGAACAAGAACAACAACTGTGGTATCCCCTGCCGAGGGTGGATTTCAAACCTCAATGTGTCTCTTT
GCGCTAGGTATCCAGAAAAGAGATTTGTTCCGGATGGAACAGAAATTTCTGGGACAGCGAGATAGGCTT
TACTCTCCCCAGTTACATGATCAGCTATGCCGGCATGGTCTTCTGTGAGGCAAAGATCAATGATGAAACC
TATCAGTCTATCATGTACATAGTTGTGGTTGTAGGATATAGGATTTATGATGTGATTCTGAGCCCCCGC
ATGAAATTGAGCTATCTGCCGGAGAAAACCTTGTCTTAAATTGTACAGCGAGAACAGAGCTCAATGTGGG
GCTTGATTTACCTGGCACTCTCCACCTCAAAGTCTCATATAAGAAGATTGTAACCGGGATGTGAAA
CCCTTCTGGGACTGTGGCAAGATGTTTTTGGACCTTGACAATAGAAAGTGTGACCAAGAGTGAAC
AAGGGGAATACACCTGTGTAGCGTCCAGTGGACGGATGATCAAGAGAAATAGAACATTTGTCGAGTTCA
CACAAAGCCTTTTATTGCTTTTCGGTAGTGGGATGAAATCTTTGGTGAAGCCACAGTGGGCACTCAAGTC
CGAATCCCTGTGAAGTATCTCAGTTACCCAGCTCCTGATATAAATGGTACAGAAATGGAAGGCCCATG
AGTCCAACACACAATGATTGTTGGCGATGAACTCACCATCATGGAAGTACTGAAAGAGATGCAGGAAA
CTACACGGTCATCCTACCAACCCCATTTCAATGGAGAAACAGAGCCACATGGTCTCTCTGGTTGTGAAT
GTCCCACCCAGATCGGTGAGAAAGCCTTGATCTCGCCTATGGATTCTACCAGTATGGGACCATGCAGA
CATTGACATGCACAGTCTACGCCAACCCCTCCCTGCACCACATCCAGTGGTACTGGCAGCTAGAAGAAGC
CTGCTCTACAGACCCGCCAAACAAGCCCGTATGCTTGTAAAGAATGGAGACACGTGGAGGATTTCCAG




GGGGAAACAAGATCGAAGTCACCAAAAACCAATATGCCCTGATTGAAGGAAAAACAAAACCTGTAAGTA
CGCTGGTCATCCAAGCTGCCAACGTGTCAGCGTTGTACAAATGTGAAGCCATCAACAAAGCGGGACGAGG
AGAGAGGGTCACTCCTTCCATGTGATCAGGGTCTGAAATTAAGTGTGCAACCTGCTGCCAGCCAAC
GAGCAGGAGAGTGTCCCTGTTGTGACTGCAGACAGAAATACGTTTGAGAACCTCACGTGGTACAAGC
TTGGCTCACAGGAACATCGGTCCATGCGCGAATCACTCACACCAGTTTGAAGAAGTGGATGCTCT
TTGAAACTGAATGGCACCATGTTTTCTAACAGCACAAATGACATCTTGATTGTGGCATTTCAGAATGCC
TCTCTGCAGGACCAAGGCGACTATGTTTGTCTGCTCAAGATAAGAAGACCAAGAAAAGACATTGCTGG
TCAAACAGCTCATCATCCTAGAGCGCATGGCACCCATGATCACCGGAAATCTGGAGAATCAGACAACAAC
CATTGGCGAGACCATTGAAGTGACTTGGCCAGCATCTGGAATCTACCCACACATTACATGGTTCAAA
GACAACGAGACCCTGGTAGAAGATTAGGCATTGTACTGAGAGATGGAAACCGAACCTGACTATCCGCA
GGGTGAGGAAGGAGGATGGAGGCCTCTACACCTGCCAGGCCTGCAATGTCCTTGGCTGTGAAGAGCGGA
GACGCTCTTATAATAGAAGGTGCCAGGAAAAGACCAACTTGAAGTCATTATCCTCGTCGGCACTGCA
GTGATTGCCATGTTCTTCTGGCTCCTTCTGTGATTGTCCTACGG[AT]CCGTTAAGCGGGCCAATGAAG
GGAACTGAAGACAGGCTACTTGTCTATTGTGATGGATCCAGATGAATTGCCCTTGGATGAGCGCTGTGA
ACGCTTGCCTTATGATGCCAGCAAGTGGGAATTTCCAGGGACCGGCTGAAACTAGGAAAACCTCTTGGC
CGCGGTGCCTTCGGCCAAGTGAATGAGGACAGCGCTTTTGAATTTGACAAGACAGCGACTTGCAAAACAG
TAGCCGTCAGATGTTGAAAGAAGGAGCAACACACAGCGAGCATCGAGCCCTCATGTCTGAACTCAAGAT
CCTCATCCACATTGGTCACCATCTCAATGTGGTGAACCTCCTAGGCGCCTGCACCAAGCCGGGAGGGCT
CTCATGGTGAATGGAATTTCTGCAAGTTTGGAAACCTATCAACTACTTACGGGCAAGAGAAATGAAT
TTGTTCCCTATAAGAGCAAAGGGGCACGCTTCCGCCAGGGCAAGGACTACGTTGGGGAGCTCTCCGTGGA
TCTGAAAAGACGCTTGGACAGCATCACAGCAGCCAGAGCTCTGCCAGCTCAGGCTTTGTTGAGGAGAAA
TCGCTCAGTGATGTAGAGGAAGAAGAAGCTTCTGAAGAAGTGTACAAGGACTTCTGACCTTGGAGCATC
TCATCTGTTACAGCTTCCAAGTGGCTAAGGGCATGGAGTCTTGGCATCAAGGAAGTGTATCCACAGGGA
CCTGGCAGCACGAAACATTCTCCTATCGGAGAAGAATGTGGTTAAGATCTGTGACTTCGGCTTGGCCCGG
GACATTTATAAAGACCCGGATTATGTCAGAAAAGGAGATGCCCGACTCCCTTTGAAGTGGATGGCCCGG
AAACCATTTTTGACAGAGTATACACAATTCAGAGCGATGTGTGGTCTTTCCGGTGTGTTGCTCTGGGAAAT
ATTTTCTTAGGTGCCTCCCATACCCTGGGGTCAAGATTGATGAAGAATTTTGTAGGAGATTGAAAGAA
GGAAGTAGAATGCGGGCTCCTGACTACACTACCCAGAAATGTACCAGACCATGCTGGACTGCTGGCATG
AGGACCCCAACCAGAGACCCTCGTTTTTCAGAGTTGGTGGAGCATTGGGAAACCTCCTGCAAGCAAATGC
GCAGCAGGATGGCAAAGACTATATTGTTCTTCCAATGTCAGAGACTGAGCATGGAAGAGGATTCTGGA
CTCTCCCTGCCTACCTCACCTGTTTCTGTATGGAGGAAGAGGAAGTGTGCGACCCCAAATCCATTATG
ACAACACAGCAGGAATCAGTCATTATCTCCAGAACAGTAAGCGAAAGAGCCGGCCAGTGAGTGTAAAAAC
ATTTGAAGATATCCCATTTGGAGGAACCAGAAGTAAAAGTATCCAGATGACAGCCAGACAGACAGTGGG
ATGGTCTTGCATCAGAAGAGCTGAAAACCTCTGGAAGACAGGAACAAATTATCTCCATCTTTTGGTGGAA
TGATGCCAGTAAAAGCAGGGAGTCTGTGGCCTCGGAAGGCTCCAACCAGACCAGTGGCTACCAGTCTGG
GTATCACTCAGATGACACAGACACCACCGTGTACTCCAGCGACGAGGCAAGGACTTTTAAAGATGGTGGAT
GCTGCAGTTCACGCTGACTCAGGGACCACACTGCGCTCACCTCCTGTT

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_010612.2 , NP_034742.2
RefSeq Size:	5464 bp
RefSeq ORF:	4038 bp
Locus ID:	16542
UniProt ID:	P35918
Cytogenetics:	5 40.23 cM
MW:	150.9 kDa

Gene Summary:

Tyrosine-protein kinase that acts as a cell-surface receptor for VEGFA, VEGFC and VEGFD. Plays an essential role in the regulation of angiogenesis, vascular development, vascular permeability, and embryonic hematopoiesis. Promotes proliferation, survival, migration and differentiation of endothelial cells. Promotes reorganization of the actin cytoskeleton. Isoforms lacking a transmembrane domain, such as isoform 2, may function as decoy receptors for VEGFA, VEGFC and/or VEGFD. Isoform 2 plays an important role as a negative regulator of VEGFA- and VEGFC-mediated lymphangiogenesis by limiting the amount of free VEGFA and/or VEGFC and by preventing their binding to FLT4. Modulates FLT1 and FLT4 signaling by forming heterodimers. Binding of vascular growth factors to isoform 1 leads to the activation of several signaling cascades. Activation of PLCG1 leads to the production of the cellular signaling molecules diacylglycerol and inositol 1,4,5-trisphosphate and the activation of protein kinase C. Mediates activation of MAPK1/ERK2, MAPK3/ERK1 and the MAP kinase signaling pathway, as well as of the AKT1 signaling pathway. Mediates phosphorylation of PIK3R1, the regulatory subunit of phosphatidylinositol 3-kinase, reorganization of the actin cytoskeleton and activation of PTK2/FAK1. Required for VEGFA-mediated induction of NOS2 and NOS3, leading to the production of the signaling molecule nitric oxide (NO) by endothelial cells. Phosphorylates PLCG1. Promotes phosphorylation of FYN, NCK1, NOS3, PIK3R1, PTK2/FAK1 and SRC.[UniProtKB/Swiss-Prot Function]

Product images:


Circular map for MR224504