

Product datasheet for MR224575

Sdhaf1 (NM 001033140) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Sdhaf1 (NM_001033140) Mouse Tagged ORF Clone

Tag: Myc-DDK
Symbol: Sdhaf1

Synonyms: 0610010E21Rik; Al430885; AW490662; Lyrm8

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >MR224575 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACGG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAG**GTTTAA**

Protein Sequence: >MR224575 protein sequence

Red=Cloning site Green=Tags(s)

MSRPSRLQRQVLSLYRELLRAGRGTPGAEARVRAEFRQHASLPRTDVLRIEYLYRRGRRQLQLLRSGHAT

AMGTFVRPRGPAEEPGDATAPGTRLDDGGAPKNSCEDTGARETRSDGR

TRTRPLEQKLISEEDLAANDILDYKDDDDK**V**

Restriction Sites: Sgfl-Mlul



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: NM_001033140

ORF Size: 357 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

Sdhaf1 (NM_001033140) Mouse Tagged ORF Clone - MR224575

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001033140.3</u>, <u>NP 001028312.2</u>

RefSeq Size: 987 bp
RefSeq ORF: 357 bp
Locus ID: 68332
UniProt ID: Q3U276
Cytogenetics: 7 B1

MW: 13.1 kDa

Gene Summary: Plays an essential role in the assembly of succinate dehydrogenase (SDH), an enzyme

complex (also referred to as respiratory complex II) that is a component of both the tricarboxylic acid (TCA) cycle and the mitochondrial electron transport chain, and which couples the oxidation of succinate to fumarate with the reduction of ubiquinone (coenzyme Q) to ubiquinol. Promotes maturation of the iron-sulfur protein subunit Sdhb of the SDH catalytic dimer, protecting it from the deleterious effects of oxidants. May act together with SDHAF3. Contributes to iron-sulfur cluster incorporation into SDHB by binding to SDHB and recruiting the iron-sulfur transfer complex formed by HSC20, HSPA9 and ISCU through direct

binding to HSC20.[UniProtKB/Swiss-Prot Function]