

Product datasheet for MR224587L4

Pik3r6 (NM_001081566) Mouse Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Tag: mGFP

Symbol: Pik3r6

Synonyms: BB220380; p84; p84 PIKAP; p87; p87(PIKAP); p87PIKAP

Mammalian Cell Puromycin

Selection:


Vector: pLenti-C-mGFP-P2A-Puro (PS100093)


E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide Sequence: The ORF insert of this clone is exactly the same as(MR224587).

Restriction Sites: Sgfl-Rsrll

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_001081566

ORF Size: 2268 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

EU: info-de@origene.com CN: techsupport@origene.cn



Pik3r6 (NM_001081566) Mouse Tagged Lenti ORF Clone | MR224587L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um

filter is required.

RefSeq: <u>NM_001081566.2</u>, <u>NP_001075035.1</u>

RefSeq Size: 3238 bp

RefSeq ORF: 2271 bp

Locus ID: 104709

UniProt ID: Q3U6Q4

Cytogenetics: 11 B3


Gene Summary: Phosphoinositide 3-kinase gamma is a lipid kinase that produces the lipid second messenger

phosphatidylinositol 3,4,5-trisphosphate. The kinase is composed of a catalytic subunit and one of several regulatory subunits, and is chiefly activated by G protein-coupled receptors. This gene encodes a regulatory subunit, and is distantly related to the phosphoinositide-3-kinase, regulatory subunit 5 gene which is located adjacent to this gene on chromosome 11. The protein binds to both the catalytic subunit and to G beta-gamma, and mediates activation of the kinase subunit downstream of G protein-coupled receptors. Alternative

splicing results in multiple transcript variants. [provided by RefSeq, Oct 2014]



Product images:



Circular map for MR224587L4