

## Product datasheet for MR224643L1

### Myt1l (NM\_001093775) Mouse Tagged Lenti ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Myt1l (NM_001093775) Mouse Tagged Lenti ORF Clone
Tag:	Myc-DDK
Symbol:	Myt1l
Synonyms:	2900046C06Rik; 2900093J19Rik; C630034G21Rik; mKIAA1106; Nztf1; Pmng1; Png-1
Mammalian Cell Selection:	None
Vector:	pLenti-C-Myc-DDK (PS100064)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR224643).
Restriction Sites:	SgfI-MluI
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



\* The last codon before the Stop codon of the ORF.

ACCN:	NM_001093775
ORF Size:	3555 bp



[View online »](#)

**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001093775.1](#), [NP\\_001087244.1](#)

**RefSeq Size:** 7198 bp

**RefSeq ORF:** 3564 bp

**Locus ID:** 17933


**UniProt ID:** [P97500](#)

**Cytogenetics:** 12 11.86 cM


**Gene Summary:**

Transcription factor that plays a key role in neuronal differentiation by specifically repressing expression of non-neuronal genes during neuron differentiation (PubMed:28379941). In contrast to other transcription repressors that inhibit specific lineages, mediates repression of multiple differentiation programs (PubMed:28379941). Also represses expression of negative regulators of neurogenesis, such as members of the Notch signaling pathway, including HES1 (PubMed:28379941). The combination of three transcription factors, ASCL1, POU3F2/BRN2 and MYT1L, is sufficient to reprogram fibroblasts and other somatic cells into induced neuronal (iN) cells in vitro (PubMed:20107439, PubMed:24243019, PubMed:27281220). Directly binds the 5'-AAGTT-3' core motif present on the promoter of target genes and represses transcription by recruiting a multiprotein complex containing SIN3B (PubMed:28379941). The 5'-AAGTT-3' core motif is absent from the promoter of neural genes (PubMed:28379941).[UniProtKB/Swiss-Prot Function]

**Product images:**



Circular map for MR224643L1



Double digestion of MR224643L1 using SgfI and MluI