

Product datasheet for MR224654L3

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn

Nkx3 (Nkx3-1) (NM_010921) Mouse Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Nkx3 (Nkx3-1) (NM_010921) Mouse Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: Nkx3-1

Synonyms: bagpipe; Bax; Nkx-3.1; NKX3.1; NKX3A

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(MR224654).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_010921

ORF Size: 714 bp



Nkx3 (Nkx3-1) (NM_010921) Mouse Tagged Lenti ORF Clone - MR224654L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 010921.3</u>, <u>NP 035051.1</u>

P97436

RefSeq Size:3137 bpRefSeq ORF:714 bpLocus ID:18095

UniProt ID:

Cytogenetics: 14 36.02 cM


Gene Summary: Transcription factor, which binds preferentially the consensus sequence 5'-TAAGT[AG]-3' and

can behave as a transcriptional repressor (By similarity). Plays an important role in normal prostate development, regulating proliferation of glandular epithelium and in the formation of ducts in prostate. Acts as a tumor suppressor controlling prostate carcinogenesis, as shown by the ability to suppress growth and tumorigenicity of prostate carcinoma cells. Plays a role in the formation of minor salivary glands (particularly palatine and lingual glands). Essential for appropriate differentiation and secretory function of the bulbourethral gland.

[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for MR224654L3