

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for MR224842L4V

Pou2f2 (NM_001163555) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	Pou2f2 (NM_001163555) Mouse Tagged ORF Clone Lentiviral Particle
Symbol:	Pou2f2
Synonyms:	Oct-2; Oct2a; Oct2b; Oct2c; Oct2d; Otf-2; Otf2
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_001163555
ORF Size:	1455 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR224842).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001163555.1, NP 001157027.1</u>
RefSeq Size:	3315 bp
RefSeq ORF:	1458 bp
Locus ID:	18987
UniProt ID:	<u>Q00196</u>
Cytogenetics:	7 13.73 cM



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:Transcription factor that specifically binds to the octamer motif (5'-ATTTGCAT-3'). Regulates
transcription in a number of tissues in addition to activating immunoglobulin gene
expression. Modulates transcription transactivation by NR3C1, AR and PGR. Isoform OCT2.5
activates the U2 small nuclear RNA (snRNA) promoter. Isoforms OCT2.1, OCT2.2 and OCT2.3
activate octamer-containing promoters. Isoforms OCT2.4 and OCT2.5 repress some
promoters and activate others. Isoform OCT2.7 is unable to bind to the octamer motif, but
can still activate the beta-casein gene promoter at low levels.[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US