

## Product datasheet for MR225083L4

### 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn

# Fnbp1 (NM\_001038700) Mouse Tagged Lenti ORF Clone

### **Product data:**

**Product Type:** Expression Plasmids

Product Name: Fnbp1 (NM 001038700) Mouse Tagged Lenti ORF Clone

Tag: mGFP Symbol: Fnbp1

**Synonyms:** 1110057E06Rik; 2210010H06Rik; FBP1; Fbp17

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(MR225083).

Sequence:

**Restriction Sites:** Sgfl-Mlul

Cloning Scheme:





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_001038700

ORF Size: 1650 bp



#### Fnbp1 (NM\_001038700) Mouse Tagged Lenti ORF Clone - MR225083L4

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001038700.2</u>, <u>NP 001033789.1</u>

 RefSeq Size:
 4545 bp

 RefSeq ORF:
 1653 bp

 Locus ID:
 14269

 UniProt ID:
 Q80TY0

Cytogenetics: 2 B

**Gene Summary:** Required to coordinate membrane tubulation with reorganization of the actin cytoskeleton

during the late stage of clathrin-mediated endocytosis. Binds to lipids such as

phosphatidylinositol 4,5-bisphosphate and phosphatidylserine and promotes membrane invagination and the formation of tubules. Also enhances actin polymerization via the


recruitment of WASL/N-WASP, which in turn activates the Arp2/3 complex. Actin

polymerization may promote the fission of membrane tubules to form endocytic vesicles. May act as a link between RND2 signaling and regulation of the actin cytoskeleton. May be required for the lysosomal retention of FASLG/FASL (By similarity). [UniProtKB/Swiss-Prot

Function]



# **Product images:**



Circular map for MR225083L4