

## Product datasheet for **MR225338**

### Suz12 (NM\_001163018) Mouse Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Suz12 (NM_001163018) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Suz12
Synonyms:	2610028O16Rik; AI195385; AU016842; AW536442; D11ErtD530; D11ErtD530e; mKIAA0160
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide  
Sequence:

>MR225338 representing NM\_001163018  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGGCGCCTCAGAAGCACGGCGGTGGGGAGGGGGCGGCTCGGGGCCAGCGCGGGTCCGGGGAGGCG  
 GCTTCGGGGTTCGGCGCGCGCGGTGGCGCGCGGCTTCGGGCGCAAATCCGGCGCGGGGGCTGTGG  
 AGGCGCGCGCAGTTACTCGGCCTCCTCCTCCTCGCGCGCGCGCGCGCGCGGGGGCCGCGGTG  
 TTGCCGTTGAAGAAGCCGAAAATGGAGCACGTCCAGGCTGACCACGAGCTTTTCTCCAGGCCTTTGAGA  
 AACCAACACAGATATATAGATTTCTTGAAGTCCGAAATCTTATCGCACCAATATTTTTGCACAGAACTCT  
 TACTTACATGTCTCATCGAAATTCAGAACAGCATCAAAGCTTGTCTGCACATTTGCAACTTACATTT  
 ACCGGTTTCTCCACAAAATGATAAGCCATCACAAAACCTCAGAAAATGAACAAAATTTCTGTTACCTGG  
 AAGTCTGCTTGTGAAAGTTTCCACAAAAAAGGAAGGATGTAAGTTGTCCAATAAGACAAGTCCCTAC  
 TGGTAAAAAGCAGGTGCCTTTGAATCCTGACCTCAATCAAACAAAACCAGAAAATTTCCATCCCTGGCA  
 GTTCCAGTAATGAATTTGAACCTAGTAACAGCCATATGGTGAAGTCTACTCGTTGCTGTTTAGAGTAA  
 CTCGTCCAGGAAGAAGAGAAATTAATGGAATGATTAATGGAGAAAACCAATGAAAATATTGATGTCAGTGA  
 AGAACTCCAGCCAGAAGAAAACGAAATCGCGAAGATGGAGAAAAGACATTTGTTGCACAAATGACAGTT  
 TTTGACAAAAACAGGCGTTTACAGCTTTTATAGTGGGAAATATGAAGTGGCCATGCAGGAAATGGAAGAAT  
 GTCCAATAAGTAAGAAAAGAGCAACATGGGAGACAATTTCTGATGGGAAGAGGCTGCCTCCATTTGAGAC  
 ATTTTCTCAGGGACCTACATTACAATTTACTCTTCGATGGACAGGAGAAAACCAACGATAAGTCTACAGCT  
 CCTGTTGCCAAGCCTCTTGCCACTAGAAATTCAGAGAGCCTTCATCAGGAAAATAAGCCTGGTTCTGTTA  
 AACCTGCACAAAATATTGCTGTTAAGGAGACGCTGACTACAGAGCTGCAACAAGAAAAGAAAAGGATAA  
 TTCAAATGAAAAGTCGCCAGAAGTTAAGAATATTTTATCAGTTCCTTTATAACAATAATACAAGACAACAG  
 ACAGAAGCCAGAGACGACCTGCACTGCCGTGGTGCACCTGAACTGCCGTAAAAGTATAGCTTACTCA  
 AACATCTAAAGCTCTGCCACAGCAGTTTCACTTCAATTACGTATATCATCCAAAAGGTGCTAGGATAGA  
 TGTTTCAATCAATGAGTGTATGATGGCTCCTATGCAGGAAATCCTCAGGATATACATCGCCAACCTGGA  
 TTTGCTTTTAGTCGAAATGGACCGTAAAGAGAACACCTATCACACATTTCTTGTGTCAGGCCAAAAA  
 GAACAAAAGCAAGCATGTCGGAGTTTCTTGAATCTGAAGATGGAGAAGTGGAGCAGCAGAGAACATACAG  
 CAGTGGCCACAATCGTCTCTATTTCCACAGTGATACCTGCTTACCTCTTCGGCCACAAGAAATGGAAGTA  
 GATAGTGAAGATGAGAAAGATCCAGAATGGCTGAGAGAAAAACCATTACTCAAATGAAGAATTTTCTG  
 ATGTGAATGAAGGAGAGAAAGAAGTATGAAGCTGTGGAACCTCCATGTCATGAAGCATGGATTTATTGC  
 TGACAATCAAATGAATCATGCCTGTATGCTGTTTGTAGAAAATATGGACAGAAAATAATTAAGAAGAAT  
 TTATGTCGAAACTTATGCTTCTAGTCTAGTCTAGTCTAGTCTAGTCTAGTCTAGTCTAGTCTAGTCTAGT  
 ATAAAGCTGTTACCAAGCTCCGAGAAAATGCAGCAAAAACCTAGAAAAGGAGAAATCTGCGACCCCTCAA  
 TGAAGAAATAGCTGAGGAACAAAATGGAACAGCAAAATGGATTGAGTAACTAACTCAAAGAGAAAAGCT  
 TTGAAAAGTACGGTGTCTCAGGGTTCCAAAACAGAGCAAGAAACAAAACCTC

**ACGCGT**ACGCGCGCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >MR225338 representing NM\_001163018  
 Red=Cloning site Green=Tags(s)

MAPQKHGGGGGGSGPSAGSGGGGFGSAAAVAAAASGGKSGGGGCGGGGSYASSSSAAAAAAGAAV  
 LPVKKPKMEHVQADHELFLQAFEKPTQIYRFLRTRNLIAPIFLHRTLTYMSHRNSRTSIKLSAHLQLTF  
 TGFFHKNDKPSQNSENEQNSVTLEVLVVKVCHKRKRKDVSCPIRQVPTGKKQVPLNPDLNQTKPGNFP  
 VSSNEFEPNSNHMVKSYSLLFRVTRPGRREFNGMINGETNENIDVSEELPARRKRNRREDGEKTFVAQMTV  
 FDKNRRLQLLDGEYEVAMQEMEECPISKKRATWETILDGKRLPPFETFSQGPTLQFTLRWTGETNDKSTA  
 PVAKPLATRNSLSLHQNKPGSVKPAQTIYAVKETLTTELQTRKEKDNSNESRQKLRIFYQFLYNNRTRQ  
 TEARDDLHCPWCTLNCRKLYSLLKHLKLCRSRIFNYVYHPKGARIDVINECYDGSYAGNPQDIHRQPG  
 FAFSRNGPVKRTPIITHILVCRPKRTKASMEFLESEEDGEVEQRTYSSGHNRLYFHSDTCLPLRPQEMEV  
 DSEDEKDPWLEKTIITQIEEFSDVNEGEKEVMKLWNLHVMKHGFIADNQMNHACMLFVENYQKIKKN  
 LCRNFMLHLVSMHDFNLISIMSIDKAVTKLREMQQKLEKGESATPSNEEIAEEQNGTANGFSETNSKEKA  
 LETDGVSGVVPKQSKKQKL


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: [https://cdn.origene.com/chromatograms/ja3642\\_f07.zip](https://cdn.origene.com/chromatograms/ja3642_f07.zip)

Restriction Sites: Sgfl-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:




\* The last codon before the Stop codon of the ORF

ACCN: NM\_001163018

ORF Size: 2157 bp

<b>OTI Disclaimer:</b>	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:custsupport@origene.com">custsupport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a></p>
<b>OTI Annotation:</b>	<p>This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.</p>
<b>Components:</b>	<p>The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).</p>
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<p><a href="#">NM_001163018.1</a>, <a href="#">NP_001156490.1</a></p>
<b>RefSeq Size:</b>	<p>4380 bp</p>
<b>RefSeq ORF:</b>	<p>2157 bp</p>
<b>Locus ID:</b>	<p>52615</p>
<b>UniProt ID:</b>	<p><a href="#">Q80U70</a></p>
<b>Cytogenetics:</b>	<p>11 47.36 cM</p>
<b>MW:</b>	<p>80.3 kDa</p>
<b>Gene Summary:</b>	<p>This gene encodes a core component of the polycomb repressive complex 2 (PRC2) that also includes, at least, embryonic ectoderm development protein (EED) and enhancer of zeste homolog 1 or 2 (EZH1 or EZH2). Through the methyltransferase activity of EZH1 or EZH2, the PRC2 complex methylates Lys9 and Lys27 of histone 3 and Lys26 of histone 1, leading to recruitment of the PRC1 complex, histone 2A ubiquitylation and transcriptional repression of the target genes. This gene product is essential for the activity and integrity of the PRC2 complex, and is required for X chromosome inactivation, stem cell maintenance and differentiation. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2009]</p>

Product images:



Circular map for MR225338