

Product datasheet for MR225353L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Agtpbp1 (NM_023328) Mouse Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Agtpbp1 (NM_023328) Mouse Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Agtpbp1

Synonyms: 1700020N17Rik; 2310001G17Rik; 2900054O13Rik; 4930445M19Rik; 5730402G09Rik; CCP1;

nmf243

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)


ORF Nucleotide


The ORF insert of this clone is exactly the same as(MR225353).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_023328 **ORF Size:** 3654 bp



Agtpbp1 (NM_023328) Mouse Tagged Lenti ORF Clone - MR225353L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 023328.2</u>, <u>NP 075817.2</u>

 RefSeq Size:
 4389 bp

 RefSeq ORF:
 3657 bp

 Locus ID:
 67269

 UniProt ID:
 Q641K1

Cytogenetics: 13

Gene Summary: Metallocarboxypeptidase that mediates deglutamylation of target proteins. Catalyzes the

deglutamylation of polyglutamate side chains generated by post-translational

polyglutamylation in proteins such as tubulins. Also removes gene-encoded polyglutamates


from the carboxy-terminus of target proteins such as MYLK. Acts as a long-chain

deglutamylase and specifically shortens long polyglutamate chains, while it is not able to remove the branching point glutamate, a process catalyzed by AGBL5/CCP5. Deglutamylation

plays a key role in cerebellar Purkinje cell differentiation, accumulation of tubulin polyglutamylation causing neurodegeneration.[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for MR225353L4