

Product datasheet for **MR225455L4V**

Cldn3 (NM_009902) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	Cldn3 (NM_009902) Mouse Tagged ORF Clone Lentiviral Particle
Symbol:	Cldn3
Synonyms:	A1182374; Cpetr2; mRVP1
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_009902
ORF Size:	657 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(MR225455).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	NM_009902.4 , NP_034032.1
RefSeq Size:	1263 bp
RefSeq ORF:	660 bp
Locus ID:	12739
UniProt ID:	Q9Z0G9
Cytogenetics:	5 74.93 cM



[View online »](#)

Gene Summary:

This gene encodes a member of the claudin family. Claudins are integral membrane proteins and components of tight junction strands. Tight junction strands serve as a physical barrier to prevent solutes and water from passing freely through the paracellular space between epithelial or endothelial cell sheets, and also play critical roles in maintaining cell polarity and signal transductions. The protein encoded by this gene is a low-affinity receptor for clostridium perfringens enterotoxin (CPE) produced by the bacterium Clostridium perfringens, and the interaction with CPE results in increased membrane permeability by forming small pores in plasma membrane. This protein is highly overexpressed in uterine carcinosarcoma. This protein is also predominantly present in brain endothelial cells, where it plays a specific role in the establishment and maintenance of blood brain barrier tight junction morphology. [provided by RefSeq, Aug 2012]