

Product datasheet for MR225573L3

Pias2 (NM_001164169) Mouse Tagged Lenti ORF Clone

Product data:

| | |
|---------------------------|--|
| Product Type: | Expression Plasmids |
| Product Name: | Pias2 (NM_001164169) Mouse Tagged Lenti ORF Clone |
| Tag: | Myc-DDK |
| Symbol: | Pias2 |
| Synonyms: | 6330408K17Rik; AI462206; ARIP3; AU018068; Dib; Miz1; PIASxalpha; PIASxb; PIASxbeta; SIZ2 |
| Mammalian Cell Selection: | Puromycin |
| Vector: | pLenti-C-Myc-DDK-P2A-Puro (PS100092) |
| E. coli Selection: | Chloramphenicol (34 ug/mL) |
| ORF Nucleotide Sequence: | The ORF insert of this clone is exactly the same as(MR225573). |
| Restriction Sites: | Sgfl-MluI |
| Cloning Scheme: | |

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF.


| | |
|-----------|--------------|
| ACCN: | NM_001164169 |
| ORF Size: | 1716 bp |



[View online »](#)

| | |
|-------------------------------|---|
| OTI Disclaimer: | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info |
| OTI Annotation: | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene. |
| Components: | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water). |
| Reconstitution Method: | <ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C. |
| RefSeq: | NM_001164169.1 , NP_001157641.1 |
| RefSeq Size: | 2073 bp |
| RefSeq ORF: | 1719 bp |
| Locus ID: | 17344 |
| UniProt ID: | Q8C5D8 |
| Cytogenetics: | 18 E3 |
| Gene Summary: | Functions as an E3-type small ubiquitin-like modifier (SUMO) ligase, stabilizing the interaction between UBE2I and the substrate, and as a SUMO-tethering factor. Plays a crucial role as a transcriptional coregulation in various cellular pathways, including the STAT pathway, the p53 pathway and the steroid hormone signaling pathway. The effects of this transcriptional coregulation, transactivation or silencing may vary depending upon the biological context and PIAS2 isoform studied. However, it seems to be mostly involved in gene silencing. Binds to sumoylated ELK1 and enhances its transcriptional activity by preventing recruitment of HDAC2 by ELK1, thus reversing SUMO-mediated repression of ELK1 transactivation activity. Isoform PIASx-beta, but not isoform PIASx-alpha, promotes MDM2 sumoylation. Isoform PIASx-alpha promotes PARK7 sumoylation. Isoform PIASx-beta promotes NCOA2 sumoylation more efficiently than isoform PIASx-alpha (By similarity). Sumoylates PML at'Lys-65' and 'Lys-160' (By similarity).[UniProtKB/Swiss-Prot Function] |

Product images:



Circular map for MR225573L3