

## Product datasheet for MR225591L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Dmrt2 (NM\_145831) Mouse Tagged ORF Clone Lentiviral Particle

**Product data:** 

Product Type: Lentiviral Particles

**Product Name:** Dmrt2 (NM\_145831) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Dmrt2
Synonyms: Terra

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM\_145831

 ORF Size:
 1683 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(MR225591).

•

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 145831.3, NP 665830.1

 RefSeq Size:
 2337 bp

 RefSeq ORF:
 1686 bp

 Locus ID:
 226049

 UniProt ID:
 Q8BG36

 Cytogenetics:
 19 C1







## **Gene Summary:**

Transcriptional activator that directly regulates early activation of the myogenic determination gene MYF5 by binding in a sequence-specific manner to the early epaxial enhancer element of it. Involved in somitogenesis during embryogenesis and somite development and differentiation into sclerotome and dermomyotome. Required for the initiation and/or maintenance of proper organization of the sclerotome, dermomyotome and myotome. Is not required for sex determination and/or differentiation in embryonic development. Also not involved in symmetric somite formation and hence does not regulate the laterality pathway that controls left-right asymmetric organ positioning.[UniProtKB/Swiss-Prot Function]