

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for MR225594L4V

Irf9 (NM_001159417) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

| Product Type: | Lentiviral Particles |
|------------------------------|---|
| Product Name: | Irf9 (NM_001159417) Mouse Tagged ORF Clone Lentiviral Particle |
| Symbol: | Irf9 |
| Synonyms: | Irf-9; lsgf3g; p48 |
| Mammalian Cell Selection: | Puromycin |
| Vector: | pLenti-C-mGFP-P2A-Puro (PS100093) |
| Tag: | mGFP |
| ACCN: | NM_001159417 |
| ORF Size: | 1395 bp |
| ORF Nucleotide Sequence: | The ORF insert of this clone is exactly the same as(MR225594). |
| OTI Disclaimer: | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u> |
| OTI Annotation: | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene. |
| RefSeq: | <u>NM 001159417.1, NP 001152889.1</u> |
| RefSeq Size: | 2545 bp |
| RefSeq ORF: | 1398 bp |
| Locus ID: | 16391 |
| UniProt ID: | <u>Q61179</u> |
| Cytogenetics: | 14 28.19 cM |
| | |



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

| | Irf9 (NM_001159417) Mouse Tagged ORF Clone Lentiviral Particle – MR225594L4V |
|---------------|--|
| Gene Summary: | |
| | type I IFN binding to cell surface receptors, Jak kinases (TYK2 and JAK1) are activated, leading |
| | to tyrosine phosphorylation of STAT1 and STAT2. IRF9/ISGF3G associates with the |
| | phosphorylated STAT1:STAT2 dimer to form a complex termed ISGF3 transcription factor, |

that enters the nucleus. ISGF3 binds to the IFN stimulated response element (ISRE) to activate the transcription of interferon stimulated genes, which drive the cell in an antiviral state.

[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US