

Product datasheet for MR225650

Abl1 (NM_009594) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Abl1 (NM_009594) Mouse Tagged ORF Clone
Tag: Myc-DDK
Symbol: Abl1
Synonyms: Abl; AI325092; c-Abl; E430008G22Rik
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
ORF Nucleotide Sequence: >MR225650 representing NM_009594
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCCGCGATCGCC

ATGTTGGAGATCTGTTTGAAGTTGGTGGGCTGCAAAATCCAAGAAGGGGCTCTCTTCGTCCTCCAGCTGCT
 ACCTGGAAGAAGCCCTGCAGAGGCCAGTGGCATCTGACTTTGAGCCCCAGGGTCTCAGCGAAGCAGCTCG
 ATGGAACCTCAAGGAAACCTTTCTGCTGGGCCAGTGAAGATGACCCCAACCTTTTTGTGGCAGCTCTAT
 GATTTTGTGGCCAGTGGAGATAACTCTCAGCATCACTAAAGGTGAAAAGCTCCGGGTCTTGGGTATA
 ATCACAATGGGGAATGGTGTGAAGCCAAACGAAAAATGGCCAAGGATGGGTCCCAGCACTACATCAC
 CCCCCTCAACAGCCTGGAGAAACATTCTGGTATCATGGCCCTGTATCTCGGAATGCTGCTGAGTATCTG
 CTGAGCAGCGAATCAACGGCAGCTTCTTAGTGCGGGAGAGTGAAGTAGCCCTGGCCAGAGATCCATCT
 CGCTGCGGTATGAAGGGAGGGTGTACCACTACAGGATCAACACTGCCTCTGATGGCAAGCTGTACGTGC
 CTCCGAGAGCCGCTTCAACACTCTGGCTGAGTTAGTTCACCATCACTCCACGGTGGCTGATGGCCTCATC
 ACCACTCCACTACCCAGCTCCCAAGCGCAACAAGCCCACTATCTACGGTGTGTCCCCAACTACGACA
 AGTGGGAAATGGAGCGCACCGACATACCATGAAGCACAAGTTGGGTGGAGCCAGTACGGGGAGGTGTA
 CGAGGGCGTTTGAAGAAGTACAGCCTCACTGTGGCCGTGAAGACCTTGAAGGAGGACACCATGGAGGTG
 GAGGAGTTCCTGAAGGAAGCGCGGTGATGAAGGAGATCAAACACCCCTAACCTGGTGCAGCTGCTAGGGG
 TGTGTACCCGGGAACCACCATTCTACATAACTACTGAGTTCATGACCTATGGGAACCTGCTGGACTACCT
 GAGGGAGTGAACCGGCAGGAGGTGAGCGCCGTGTTACTGCTCTACATGGCCACACAGATCTCATCAGCC
 ATGGAGTACTGGAGAAGAAGAACTTCACTCACAGAGACCTTGTGCCCCGAACTGCCTGGTAGGGGAAA
 ACCACTTGGTGAAGGTGGCTGATTTTGGCCTGAGCAGTTGATGACAGGGGACACCTACACGGCCCATGC
 TGGAGCCAAATCCCATCAAATGGACCGCACCTGAGAGCCTGGCCTACAACAAGTTCTCCATCAAGTCG
 GACGTGTGGGCATTTGGAGTATTGCTCTGGGAGATTGCTACCTATGGCATGTCACCTTACCCGGGAATTG
 ACCTGTCTCAGGTTTATGAGCTGCTGAAAAAGACTACCGCATGGAGCGCCCTGAAGGCTGCCCGGAGAA
 GGTCTACGAGCTCATGCGAGCATGTTGGCAGTGAACCCCTCTGACCGGCCCTCCTTTGCTGAAATCCAC
 CAAGCCTTTGAAACCATGTTCCAGGAATCCAGTATCTCAGATGAGGTGGAGAAGGAGCTGGGGAAACGAG



[View online »](#)

GCACGAGAGGAGGTGCTGGGAGTATGCTGCAGGCCCCAGAGCTGCCACCAAGACCAGAACCTGCAGGAG
 AGCAGCTGAGCAGAAAGATGCGCCTGACACCCCTGAGCTGCTCCACACGAAGGGCCTGGGAGAAAGCGAT
 GCACTGGACAGTGAAGCTGTATCGCCACTGCTTCTCGGAAAGAGCGCGGGCCCCAGACGGCAGCC
 TAAATGAAGATGAGCGCCTTCTCCCCAGAGACAGAAAGACCAACCTGTTGAGCGCTTTGATCAAGAAGAA
 GAAGAAAATGGCGCCGACGCCCCCTAAGCGCAGCAGTTCCCTCCGAGAGATGGATGGCCAGCCAGACCCG
 AGAGGGGCTAGTGAGGATGACAGCAGGGAACCTGCAATGGACCACCAGCTCTCACCTCAGACCGCAGCAG
 AGCTACCAAGTCCCCAAAGGCCAGCAATGGGGCTGGCGTCCCTAATGGAGCCTTCCGGGAGCCGGGCAA
 CTCAGGCTTCCGTTCTCCACATGTGAAAAAGTCCAGCACACTGACCCGGGAGCCGCTGGCTGTGCC
 GAAGAGGAGAGCGGCATGAGCTCCAGTAAGCGCTTCTGCGTTCTTGTTCGGCCTCTGCATGCCCCATG
 GGGCAAGGGACACAGAGTGGCGTGGTCCAGCTGCTCGAGACCTGCCGTCTGCTGGCAAGCAGTTTGA
 CTCATCCACCTTTGGAGGGCACAAAAGCGAAAAGCCAGCTCTGCCTCGGAAACGCACCAGTGAGAGCAGG
 TCTGAGCAGTGGCCAAAAGCACGGCGATGCCCTCCCGGCTGGTGAAGAAGAACGAGGAGGCTGCTG
 AAGAAGGCTTCAAAGACACAGAATCCAGCCCTGGCTCCAGCCCTCCAGCTTACTCCAAACTCCTCCG
 CAGGCAGTCACTGCCTCTCTTCTCTGCGCTCTCTACAAGGAAGAGGCCACCAAGGGCAGTGCCTCA
 GGCATGGGGACTCCGGCCACTGCAGAGCCAGCACCCCCAGCAACAAAGTGGGCCTCAGCAAGGCCTCCT
 CTGAGGAGATGCGCGTAAGGAGGCACAAGCACAGCTCGGAGTCCCAGGGAGAGACAAGGGGCGACTGGC
 TAAGCTCAAGCCTGCCCCGCCGCTCCTCTGCCTGCACAGGAAAAGCAGGCAAGCCCGCACAGAGCCCC
 AGCCAAGAGGCCGGGGAGGCAGGGGGGCCACAAAAGACAAAATGCACGAGTCTGGCTATGGATGCTGTGA
 AACTGACCCCAAGGCCGGCCACCTGGAGAAGGACTGAGAAAGCCTGTGCCCCATCTGTGCCAAA
 GCCCAGTCGACGGCTAAGCCTCCAGGGACTCCACCAGCCCGGTCTCCACCCCTCCACAGCACCAGCT
 CCTTACCCTGGCTGGGACCAGCAGCATCTTCTGCCCTTCCATCCCTCATATCAACCCGTGTGT
 CTCTTAGGAAGACCCGCCAGCCGACAGCGCATTGCCAGTGGCACCATACCAAGGGTGTGGTTCTGGA
 CAGTACTGAGCCCTGTGCTTGCATCTCCCGAACTCAGAGCAGATGGCCAGCCACAGTGTCTACTG
 GAGGCTGGCAAGAACCTGTACATTTCTGTGTGAGCTATGTGGACTCTATCCAGCAGATGAGGAACAAGT
 TTGCTTCCGTGAGGCTATCAACAAGCTGGAGAGCAACCTCCGAGAGCTGCAGATCTGCCCTGCCACAGC
 CTCAGTGGGCCAGTGCCACCAAGACTTCAGCAAGCTGCTCAGCTCTGTGAAGGAGATCAGCGACATT
 GTCCGGAGG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>MR225650 representing NM_009594
 Red=Cloning site Green=Tags(s)

MLEICLKLVGCKSKKGLSSSSCYLEEALQRPVASFEPQGLSEARWNSKENLLAGPSENDPNLFVALY
 DFVASGDNTLSITKGEKLRVLGYNHNGEWCEAQTKNGQGWVPSNYITPVNSLEKHSWYHGPVSRNAEYL
 LSSGINGSFLVRESESSPGQRSISLRYEGRVYHYRINTASDGKLYVSSERSFNTLAELVHHHSTVADGLI
 TTLHYPAPKRKPTIYGVSPPNYDKWEMERTDITMKHKLGGGQYGEVYEGVWKKYSLTVAVKTLKEDTMEV
 EEFLKEAAVMKEIKHPNLVQLLGVCTREPPFYIITEFMTYGNLLDYLRECNRQEVSAVVLLYMATQISSA
 MEYLEKKNFIHRDLAARNCLVGENHLVKVADFGLSRLMTGDTYTAHAGAKFPIKWTAPESLAYNKF SIKS
 DVWAFGVLLEIATYGMSPYPGIDL SQVYELLEKDYRMERPEGCPEKVYELMRACWQWNPDRPSFAEIH
 QAFETMFQESSISDEVEKELGKRGRTRGGAGSMLQAPELPTKTRTRCRAAEQKDAPDTPPELLHTKGLGESD
 ALDSEPAVSPLLPRKERGPPDGLNEDERLLPRDRKTNLFSALIKKKKMAPTPPKRSSSFREMDGQPD
 RGASEDDSRELNGPPALTSDAEPTKSPKASNGAVPNGAFREPGNSGFRSPHMWKKSSLTGSRALAA
 EEE SGMSSSKRFLRSCSASCMPHGARDTEWRSVTLPRDLP SAGKQFDSSTFGGHKSEKPALPRKRTSESR
 SEQVAKSTAMPPPRLVKKNEEAEEGFKDTESSPGSSPPSLTPKLLRRQVTASPSGLSHKKEEATKGSAS
 GMGTPATAEPAPPSNKVGLSKASSEEMRVRHKHSSSESPGRDKRLAKLKPAPPPACTGKAGKPAQSP
 SQEAGEAGGPTKTKTSLAMDVAVNTDPTKAGPPGEGLRKPVPSPVPKPQSTAKPPGTPTSPVSTPSTAPA
 PSPLAGDQQPSSAAFIPLI STRVSLRKTRQPPERIASGITKGVVLDSTEALCLAI SRNSEQMASHSAVL
 EAGKNLYTFCVSYVDSIQMRNKF AFREAINKLESNLRELQICPATASSGPAATQDFSKLLSSVKEISDI
 VRR


TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Restriction Sites:

Sgfl-MluI


Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: NM_009594

ORF Size: 3369 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_009594.4](#), [NP_033724.2](#)

RefSeq Size: 5792 bp

RefSeq ORF: 3372 bp

Locus ID: 11350

UniProt ID: [P00520](#)

Cytogenetics: 2 B

MW: 123.1 kDa

Gene Summary: Non-receptor tyrosine-protein kinase that plays a role in many key processes linked to cell growth and survival such as cytoskeleton remodeling in response to extracellular stimuli, cell motility and adhesion, receptor endocytosis, autophagy, DNA damage response and apoptosis. Coordinates actin remodeling through tyrosine phosphorylation of proteins controlling cytoskeleton dynamics like WASF3 (involved in branch formation); ANXA1 (involved in membrane anchoring); DBN1, DBNL, CTTN, RAPH1 and ENAH (involved in signaling); or MAPT and PXN (microtubule-binding proteins). Phosphorylation of WASF3 is critical for the stimulation of lamellipodia formation and cell migration. Involved in the regulation of cell adhesion and motility through phosphorylation of key regulators of these processes such as BCAR1, CRK, CRKL, DOK1, EFS or NEDD9. Phosphorylates multiple receptor tyrosine kinases and more particularly promotes endocytosis of EGFR, facilitates the formation of neuromuscular synapses through MUSK, inhibits PDGFRB-mediated chemotaxis and modulates the endocytosis of activated B-cell receptor complexes. Other substrates which are involved in endocytosis regulation are the caveolin (CAV1) and RIN1. Moreover, ABL1 regulates the CBL family of ubiquitin ligases that drive receptor down-regulation and actin remodeling. Phosphorylation of CBL leads to increased EGFR stability. Involved in late-stage autophagy by regulating positively the trafficking and function of lysosomal components. ABL1 targets to mitochondria in response to oxidative stress and thereby mediates mitochondrial dysfunction and cell death. In response to oxidative stress, phosphorylates serine/threonine kinase PRKD2 at 'Tyr-717' (By similarity). ABL1 is also translocated in the nucleus where it has DNA-binding activity and is involved in DNA-damage response and apoptosis. Many substrates are known mediators of DNA repair: DDB1, DDB2, ERCC3, ERCC6, RAD9A, RAD51, RAD52 or WRN. Activates the proapoptotic pathway when the DNA damage is too severe to be repaired. Phosphorylates TP73, a primary regulator for this type of damage-induced apoptosis. Phosphorylates the caspase CASP9 on 'Tyr-191' and regulates its processing in the apoptotic response to DNA damage. Phosphorylates PSMA7 that leads to an inhibition of proteasomal activity and cell cycle transition blocks. Regulates T-cell differentiation in a TBX21-dependent manner (PubMed:21690296). Phosphorylates TBX21 on tyrosine residues leading to an enhancement of its transcriptional activator activity (PubMed:21690296).[UniProtKB/Swiss-Prot Function]