

Product datasheet for MR225652

Abl1 (NM_001112703) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Abl1 (NM_001112703) Mouse Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Abl1
Synonyms:	Abl; AI325092; c-Abl; E430008G22Rik
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>MR225652 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGGGCAGCAGCCTGAAAAAGTTCTTGGGGACCAAAGAAGGCCTAGTTTGCCCGCCTGCATTTTATCA
AAGGGGCAGGGAAGAGGGACTCATCGAGGCATGGGGCCACACTGCAATGTCTTTGTGGAACACGAAGC
CCTGCAGAGGCCAGTGGCATCTGACTTTGAGCCCCAGGGTCTCAGCGAAGCAGCTCGATGGAACCTCAAG
GAAAACCTTCTTGCTGGGCCAGTGAAAATGACCCCAACCTTTTTGTGGCACTCTATGATTTGTGGCCA
GTGGAGATAACACTCTCAGCATCTAAAGGTGAAAAGCTCCGGTCTTGGGTTATAATCACAATGGGGA
ATGGTGTGAAGCCAAACGAAAAATGGCCAAGGATGGGTCCCAAGCAACTACATCACCCCGTCAACAGC
CTGGAGAAACATTCTGTATCATGGCCCTGTATCTCGGAATGCTGCTGAGTATCTGCTGAGCAGCGGAA
TCAACGGCAGCTTCTTAGTGCGGGAGAGTGAGAGTAGCCCTGGCCAGAGATCCATCTCGTGCAGGATGA
AGGGAGGGTGTACCACTACAGGATCAACACTGCCTCTGATGGCAAGCTGTACGTGTCTCCGAGAGCCGC
TTCAACACTCTGGCTGAGTTAGTTCACCATCACTCCACGGTGGCTGATGGCCTCATCACCACTCCACT
ACCCAGCTCCCAAGCGCAACAAGCCCACTATCTACGGTGTGTCCCCAACTACGACAAGTGGGAAATGGA
GCGCACCGACATACCATGAAGCACAAGTTGGGTGGAGGCCAGTACGGGGAGGTGTACGAGGGCGTTTGG
AAGAAGTACAGCCTCACTGTGGCCGTGAAGACCTTGAAGGAGGACACCATGGAGGTGGAGGAGTTCTCTGA
AGGAAGCGCGGTGATGAAGGAGATCAAACACCCTAACCTGGTGCAGCTGCTAGGGGTGTGTACCCGGGA
ACCACCATTCTACATAATCACTGAGTTCATGACCTATGGGAACCTGCTGGACTACCTGAGGGAGTGAAC
CGGCAGGAGGTGAGCGCCGTGGTACTGCTCTACATGGCCACACAGATCTCATCAGCCATGGAGTACTTGG
AGAAGAAGAACTTCATCCACAGAGACCTTGCTGCCGGAAGTGCCTGGTAGGGGAAAACCACTTGGTGAA
GGTGGCTGATTTTGGCCTGAGCAGGTTGATGACAGGGGACACCTACACGGCCATGCTGGAGCCAAATTC
CCCATCAAATGGACCGCACCTGAGAGCCTGGCCTACAACAAGTTCTCCATCAAGTCGGACGTGTGGGCAT
TTGGAGTATTGCTCTGGGAGATTGCTACCTATGGCATGTCACCTTACCCGGGAATTGACCTGTCTCAGT
TTATGAGTCTGGAAAAAGACTACCGCATGGAGCGCCCTGAAGGCTGCCCGGAGAAGGTCTACGAGCTC



[View online »](#)

ATGCGAGCATGTTGGCAGTGAACCCCTCTGACCGGCCCTCCTTTGCTGAAATCCACCAAGCCTTTGAAA
CCATGTTCCAGGAATCCAGTATCTCAGATGAGGTGGAGAAGGAGCTGGGGAAACGAGGCACGAGAGGAGG
TGCTGGGAGTATGCTGCAGGCCCCAGAGCTGCCACCAAGACCAGAACCTGCAGGAGAGCAGCTGAGCAG
AAAGATGCGCCTGACACCCTGAGCTGCTCCACACGAAGGGCCTGGGAGAAAGCGATGCACTGGACAGTG
AGCCTGCTGTATCGCCACTGCTTCTCGAAAGAGCGCGGGCCCCAGACGGCAGCCTAAATGAAGATGA
GCGCCTTCTCCCCAGAGACAGAAAGACCAACCTGTTCCAGCGCTTGTATCAAGAAGAAGAAGAAAATGGCG
CCGACGCCCCCTAAGCGCAGCAGTTTCTTCCGAGAGATGGATGGCCAGCCAGACCCGAGAGGGGCTAGTG
AGGATGACAGCAGGGAACTCTGCAATGGACCACCAGCTCTCACCTCAGACGCAGCAGAGCCTACCAAGTC
CCCAAAGGCCAGCAATGGGGCTGGCGTCCCTAATGGAGCCTTCCGGGAGCCGGGCAACTCAGGCTTCCGT
TCTCCCCACATGTGAAAAAGTCCAGCACACTGACCGGGAGCCGCTGGCTGCTGCCAAGAGGAGAGCG
GCATGAGTCCAGTAAGCGCTTCTGCGTTCTTGTTCGGCCTCTGCATGCCCCATGGGGCAAGGGACAC
AGAGTGGCGGTCCGGTACGCTGCCTCGAGACCTGCCGTCTGTGGCAAGCAGTTTACTCATCCACCTTT
GGAGGGCACAAGCGAAAAGCCAGCTCTGCCTCGAAACGCACCAGTGAAGCAGGTCTGAGCAGGTGG
CCAAAAGCACGGCGATGCCCCCTCCCGGCTGGTGAAGAAGAACGAGGAGGCTGTGAAGAAGGCTTCAA
AGACACAGAATCCAGCCCTGGCTCCAGCCCTCCAGCTTGACTCCCAAACCTCTCCGCAGGCAGGTCACT
GCCTCTCCTTCTCTGGCCTCTCTCACAAGGAAGAGGCCACCAAGGGCAGTGCCTCAGGCATGGGGACTC
CGGCCACTGCAGAGCCAGCACCCCCAGCAAAAGTGGGCTCAGCAAGGCCTCCTCTGAGGAGATGCG
CGTAAGGAGGCACAAGCAGACTCGGAGTCCCCAGGGAGAGACAAGGGGGGACTGGCTAAGCTCAAGCCT
GCCCCGCGCCTCCTCTGCCTGCACAGGAAAAGCAGGCAAGCCCGCACAGAGCCCCAGCCAAGAGGGCCG
GGGAGGCAGGGGGGCCACAAAGACAAAATGCACGAGTCTGGCTATGGATGCTGTGAACACTGACCCAC
CAAGGCCGGCCACCTGGAGAAGGACTGAGAAAGCCTGTGCCCCATCTGTGCCAAAGCCCCAGTCGACG
GCTAAGCCTCCAGGACTCCCACCAGCCGGTCTCCACCCCTCCACAGCACCAGCTCCTTACCCTGG
CTGGGGACCAGCAGCCATCTTCTGCCGCTTCTATCCCCCTCATATCAACCCGTGTGTCTTTAGGAAGAC
CCGCCAGCCGCCAGAGCGCATTGCCAGTGGCACCATCACCAAGGGTGTGGTTCTGGACAGTACTGAGGCC
CTGTGCCTTGCCATCTCCGGAACCTCAGAGCAGATGGCCAGCCACAGTGTGTACTGGAGGCTGGCAAGA
ACCTGTACACTTTCTGTGTGAGCTATGTGGACTCTATCCAGCAGATGAGGAACAAGTTTGCCTTCCGTGA
GGCTATCAACAAGCTGGAGAGCAACCTCCGAGAGCTGCAGATCTGCCCTGCCACAGCCTCCAGTGGGCCA
GCTGCCACCCAAGACTTCAGCAAGCTGCTCAGCTCTGTGAAGGAGATCAGCGACATTGTCCGGAGG

ACGGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA


Protein Sequence: >MR225652 protein sequence
 Red=Cloning site Green=Tags(s)

MGQQPGKVLGDQRRPSLPALHFIKGAGKRDSSRHGGPHCNVFEHEALQRPVASFEPQGLSEARWNSK
 ENLLAGSPENDPNLFVALYDFVASGDNTLSITKGEKLRVLYGNHNGEWCEAQTNGQGWPVSNYITPVNS
 LEKHSWYHGPVSRNAAEYLLSSGINGSFLVRESESSPGQRSISLRYEGRVYHYRINTASDGKLYVSSSR
 FNTLAELVHHHSTVADGLITTLHYAPKRNKPTIYGVSPNYDKWEMERTDITMKHKLGGQYGEVYEGVW
 KKYSLTVAVKTLKEDTMEVEEFLKEAAVMKEIKHPNLVQLLGVCTREPPFYIITEFMTYGNLLDYLRECN
 RQEVSAVVLLYMATQISSAMEYLEKKNFIHRDLAARNCLVGENHLVKVADFGLSRLMTGDTYTAHAGAKF
 PIKWTAPESLAYNKFISIKSDVWAFVLLWEIATYGMSPYPGIDLQVYELLEKDYRMERPEGCPEKVVYEL
 MRACWQWNPDRPSFAEIQAFETMFQESSISDEVEKELGKRGRGGAGSMLQAPELPTKTRTCRRAAEQ
 KDAPDTPPELLHTKGLGESDALDSEPAVSPLLPRKERGPPDGLNEDERLLPRDRKTNLFSALIKKKKMA
 PTPPKRSSFREMDGQDRRGASEDDREL CNGPPAL TSDAAEPTKSPKASNGAGVPNGAFREPGNSGR
 SPHMWKSSTLTGSRLAAAEESGMSSSKRFLRSCSASCMPHGARDTEWRSVTLPRDLPSAGKQFDSSTF
 GGHKSEKPALPRKRTSESRSEQVAKSTAMPPPRLVKKNEEAAEEGFKDTESSPGSSPPSLTPKLLRRQVT
 ASPSSGLSHKEEATKGSASGMGPATAEPAPPSNKVGLSKASSEMRVRRHKHSSSESPGRDKRLAKLKP
 APPPPACTGKAGKPAQSPSQEAGEAGGPTKTKCTSLAMDVNTDPTKAGPPGELRKVPVPSVPKPQST
 AKPPGPTSPVSTPSTAPAPSPLAGDQQPSSAAFIPLI STRVSLRKT RQPPERIASGTITKGVVLDSTEA
 LCLAISRNSEQMASHSAVLEAGKNLYTFVSYVDSIQQMRNKFAFREAI NKLESNLRELQICPATASSGP
 AATQDFSKLLSSVKEISDIVRR

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-MluI
 Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN: NM_001112703


ORF Size: 3429 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_00112703.2 , NP_001106174.1
RefSeq Size:	7162 bp
RefSeq ORF:	3429 bp
Locus ID:	11350
UniProt ID:	P00520
Cytogenetics:	2 B
MW:	124.8 kDa

Gene Summary:

Non-receptor tyrosine-protein kinase that plays a role in many key processes linked to cell growth and survival such as cytoskeleton remodeling in response to extracellular stimuli, cell motility and adhesion, receptor endocytosis, autophagy, DNA damage response and apoptosis. Coordinates actin remodeling through tyrosine phosphorylation of proteins controlling cytoskeleton dynamics like WASF3 (involved in branch formation); ANXA1 (involved in membrane anchoring); DBN1, DBNL, CTTN, RAPH1 and ENAH (involved in signaling); or MAPT and PXN (microtubule-binding proteins). Phosphorylation of WASF3 is critical for the stimulation of lamellipodia formation and cell migration. Involved in the regulation of cell adhesion and motility through phosphorylation of key regulators of these processes such as BCAR1, CRK, CRKL, DOK1, EFS or NEDD9. Phosphorylates multiple receptor tyrosine kinases and more particularly promotes endocytosis of EGFR, facilitates the formation of neuromuscular synapses through MUSK, inhibits PDGFRB-mediated chemotaxis and modulates the endocytosis of activated B-cell receptor complexes. Other substrates which are involved in endocytosis regulation are the caveolin (CAV1) and RIN1. Moreover, ABL1 regulates the CBL family of ubiquitin ligases that drive receptor down-regulation and actin remodeling. Phosphorylation of CBL leads to increased EGFR stability. Involved in late-stage autophagy by regulating positively the trafficking and function of lysosomal components. ABL1 targets to mitochondria in response to oxidative stress and thereby mediates mitochondrial dysfunction and cell death. In response to oxidative stress, phosphorylates serine/threonine kinase PRKD2 at 'Tyr-717' (By similarity). ABL1 is also translocated in the nucleus where it has DNA-binding activity and is involved in DNA-damage response and apoptosis. Many substrates are known mediators of DNA repair: DDB1, DDB2, ERCC3, ERCC6, RAD9A, RAD51, RAD52 or WRN. Activates the proapoptotic pathway when the DNA damage is too severe to be repaired. Phosphorylates TP73, a primary regulator for this type of damage-induced apoptosis. Phosphorylates the caspase CASP9 on 'Tyr-191' and regulates its processing in the apoptotic response to DNA damage. Phosphorylates PSMA7 that leads to an inhibition of proteasomal activity and cell cycle transition blocks. Regulates T-cell differentiation in a TBX21-dependent manner (PubMed:21690296). Phosphorylates TBX21 on tyrosine residues leading to an enhancement of its transcriptional activator activity (PubMed:21690296).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MR225652