

## Product datasheet for MR225676L4V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Ephb2 (NM\_010142) Mouse Tagged ORF Clone Lentiviral Particle

**Product data:** 

Product Type: Lentiviral Particles

**Product Name:** Ephb2 (NM\_010142) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Ephb2

Synonyms: Cek5; Dr; Drt; Er; Erk; ETECK; Hek5; Nu; Nuk; Prk; Prkm5; Qek5; Sek; Sek3; Tyr; Tyro5

**Mammalian Cell** 

Selection:

Puromycin

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

**ACCN:** NM\_010142 **ORF Size:** 2958 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(MR225676).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 010142.2, NP 034272.1

 RefSeq Size:
 4780 bp

 RefSeq ORF:
 2961 bp

 Locus ID:
 13844

 UniProt ID:
 P54763

 Cytogenetics:
 4 69.0 cM







## **Gene Summary:**

This gene encodes a member of the Eph receptor family of receptor tyrosine kinase transmembrane glycoproteins. These receptors consist of an N-terminal glycosylated ligand-binding domain, a transmembrane region and an intracellular kinase domain. The encoded receptor preferentially binds membrane-bound ephrin-B ligands and is involved in nervous system and vascular development. This gene is used as a marker of intestinal stem cells. Homozygous knockout mice for this gene exhibit impaired axon guidance and vestibular function. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Aug 2015]